

**U.S. ENVIRONMENTAL PROTECTION AGENCY**  
**Office of Pesticide Programs**  
**Registration Division (7505C)**  
**Ariel Rios Building**  
**1200 Pennsylvania Ave., NW**  
**Washington, D.C. 20460**

EPA Reg. Number:  
**264-1048**

Date of Issuance:  
**11/17/06**

**NOTICE OF PESTICIDE:**  
 Registration  
 Reregistration  
 (under FIFRA, as amended)

Term of Issuance: **conditional**

Name of Pesticide Product:  
**EXP3 Seed Applied Nematicide/Insecticide**

Name and Address of Registrant (include ZIP Code):  
**Danielle Larochelle**  
**Bayer CropScience**  
**PO Box 12014**  
**2 TW Alexander Dr.**  
**Research Triangle Park, NC 27709**

*Note: Changes in labeling, offering in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.*


On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

**This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) and (B) provided that you:**

1. **Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.**
2. **Change the EPA File Symbol 264-RNUI to EPA Registration # 264-1048.**
3. **Submit two copies of the revised final printed label for the record.**

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:  
  
**Thomas C. Harris**  
**Biologist**  
**Insecticide Rodenticide Branch**  
**Registration Division (7505P)**

Date:  
**NOV 17 2006**

**RESTRICTED USE PESTICIDE**

Due to Avian, Aquatic and Small Mammal Toxicity  
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

**EXP3 Seed Applied Nematicide/Insecticide**

**For Use Only in Commercial Seed Treatment Facilities**

**ACTIVE INGREDIENT**

THIODICARB: Dimethyl N, N' [thiobis[(methylimino)carbonyloxy]]bis[ethanimidothioate]..... 34% by wt.

**INERT INGREDIENTS**..... 66% by wt.

Contains 3.2 pounds active thiodicarb per U.S. gallon

EPA Reg. No. 264-XXX R/A/U

EPA Est. No. 264-MO-02

**KEEP OUT OF REACH OF CHILDREN  
WARNING AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577

For **PRODUCT USE** Information Call 1-866-99BAYER (1-866-992-2937)

**FIRST AID**

Thiodicarb is an N-methyl carbamate.

<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor for treatment advice.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>

ACCEPTED  
with COMMENTS  
in EPA Letter Dated  
NOV 17 2006  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
As amended, for the pesticide  
Registered under EPA Reg. No.  
264-1048

For **MEDICAL** Emergencies Call 24 Hours A Day 1-800-334-7577.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**SIGNS AND SYMPTOMS OF OVEREXPOSURE**

Salivation, Muscle tremors, Nausea, Watery eyes, Difficult breathing, Vomiting, Pinpoint eye pupils, Excessive sweating, Diarrhea, Blurred vision, Abdominal cramps, Weakness, Headache.

**IN SEVERE CASES, CONVULSIONS, UNCONSCIOUSNESS, AND RESPIRATORY FAILURE MAY OCCUR.**

**ANTIDOTE STATEMENT: ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN.**

**GENERAL**

Contact a physician immediately in all cases of suspected poisoning. If breathing stops, establish an airway, start artificial respiration, and provide oxygen. Make certain to remove all sources of continuing contamination. Remove clothing and wash skin and hair immediately with large amounts of water. Transport the patient to a physician or hospital immediately and **SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.** If poisoning is suspected in animals, contact a veterinarian.

**NOTE TO PHYSICIAN**

All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred.

This product contains an N-methyl carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Gastric lavage may be used if this product has been swallowed. EXP3 Seed Applied Nematicide/Insecticide poisoning may occur rapidly after ingestion and prompt removal of stomach contents is indicated.

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent over atropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes as needed to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are **NOT** recommended unless organophosphate intoxication is also suggested.

To aid in confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Analyses will be arranged by Bayer CropScience.

Consultation on therapy can be obtained at all hours by calling the Bayer CropScience emergency number : 1-800-334-7577.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING**

May be fatal if swallowed. Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Avoid breathing fumes. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Remove contaminated clothing and wash before reuse.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Workers involved with treating the seed (e.g. connecting and disconnecting hoses and transfer pumps, mixing, equipment calibration, etc.) and others exposed to the concentrate, and cleaners/repairers of seed treatment equipment must wear a long-sleeve shirt and long pants, chemical resistant footwear plus socks, chemical resistant gloves made out of any waterproof material, chemical-resistant apron and a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any R, P or HE filter.


Baggers and bag sewers must wear a long-sleeve shirt and long pants, shoes plus socks, chemical resistant gloves made out of any waterproof material, and a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any R, P or HE filter.

**User Safety Recommendations**

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.
- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish, aquatic invertebrates and mammals. Do not contaminate water when disposing of equipment washwater or rinsate.



### DIRECTIONS FOR USE RESTRICTED USE PESTICIDE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### GENERAL DIRECTIONS

For use only in commercial seed treatment facilities. Not for use in hopper box, planter box, slurry box, or other farmer-applied applications.

Read the entire label and observe all label directions and precautions before use. Do not use this product except as directed on this label or on other Bayer CropScience supplemental labeling for this product.

#### COMPATIBILITY

It is essential that before using EXP3 Seed Applied Nematicide/Insecticide in any tank mixture the compatibility of the mixture be established. Add a small amount of this product to an equal volume of water in a small container and then add the other pesticide and mix thoroughly.

DO NOT USE MIXTURES THAT CURDLE, PRECIPITATE, OR GEL. FOR BEST RESULTS, TANK MIXTURES SHOULD BE USED IMMEDIATELY AFTER MIXING WITH ADEQUATE AGITATION

NOTE: Thiodicarb insecticide is hydrolytically sensitive to degradation of active ingredient by strong acids AND strong bases. DO NOT ADD EXP3 SEED APPLIED NEMATICIDE/INSECTICIDE TO WATER WITH pH VALUES BELOW 3.0 OR ABOVE 6.5. If necessary, water should be buffered within this range before adding EXP3 Seed Applied Nematicide/Insecticide. Degradation can cause reduced effectiveness, plant phytotoxicity and increased handling hazards.

#### DIRECTIONS FOR SEED TREATMENT

All seed treated with this product must be colored with an EPA-approved dye or colorant that imparts an unnatural color to the seed to help prevent the inadvertent use of treated seed for food, feed or oil purposes.

Mix thoroughly before use or use entire container at one time. All tank mixes should be pre-tested to determine physical compatibility between formulations. Observe all cautions and limitations on labeling of all products used in mixtures.

### SEED TREATMENT USE FOR COTTON (Delinted Seed Only)

#### For Early Season Suppression of Certain Nematodes and Protection Against Certain Early Season Insects

EXP3 Seed Applied Nematicide/Insecticide provides early season suppression of damage to cotton seeds and seedlings by Reniform and root knot nematodes and will aid in the protection of seedlings against injury by certain early season insects.

SITE	PEST	DOSAGE		SPECIFIC DIRECTIONS	USE RESTRICTIONS
		mg a.i. per Seed	Fluid oz. per Hundredweight		
COTTON (Delinted Seed)	Reniform and root knot nematodes (suppression)	0.375 to 0.563	20 to 30	Where the specific application rate is desired on an individual seed basis, apply 0.375 to 0.563 mg. a.i. per seed prior to planting as a slurry treatment so as to ensure thorough coverage. Otherwise, apply at 20 to 30 fluid ounces per hundredweight of seed.	Do not apply more than 30 fluid ounces per hundredweight of seed.  Do not exceed a total of 5.4 pounds active ingredient per acre per season for seed treatment and foliar applications combined.  In Arizona and California, do not exceed a total of 1.8 pounds active ingredient per acre per season for seed treatment and foliar applications combined.

### SEED BAG LABEL REQUIREMENTS

The Federal Seed Act requires that bags containing treated seeds shall be labeled with the following statements:

- This seed has been treated with thiodicarb insecticide.
- Do not use for food, feed or oil purposes.

In addition, the U.S. Environmental Protection Agency requires the following statements on bags containing cottonseed treated with EXP3 Seed Applied Nematicide/Insecticide:

- Store away from food and feedstuffs.
- Do not allow children, pets, or livestock to have access to treated seeds.
- Wear long-sleeved shirt, long pants, and chemical resistant gloves made out of any waterproof material when handling treated seed.
- Treated seed must be planted into the soil at a depth greater than 1 inch. Treated seeds exposed on soil surface may be hazardous to wildlife. Cover or collect treated seeds that are spilled during loading and in areas such as row ends.
- Growers must not exceed a total of 5.4 pounds active ingredient per acre per season for seed treatment and foliar applications combined. In Arizona and California, do not exceed a total of 1.8 pounds active ingredient per acre per season for seed treatment and foliar applications combined.
- Dispose of all excess treated seed by burying seed away from bodies of water.
- Do not contaminate bodies of water when disposing of planting equipment wash water.
- Dispose of seed packaging in accordance with local requirements.
- Plant EXP3 Seed Applied Nematicide/Insecticide treated cotton seed based upon local production and Best Management Practices as recommended by your state's Cotton Specialist, IPM Coordinator and Extension Nematologist. In soils with a history of high nematode populations, an at-plant application of TEMIK<sup>®</sup> brand 15G Aldicarb Pesticide is recommended.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

#### PESTICIDE STORAGE

Do not store in or around the home. Store unused product in a cool, ventilated, dry, locked area. Do not allow prolonged storage in areas where temperatures frequently exceed 115°F (46°C). NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.

#### PESTICIDE DISPOSAL

Improper disposal of excess pesticides or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for guidance.

#### CONTAINER DISPOSAL


NEVER REUSE EMPTY CONTAINERS. Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If container is burned, stay out of smoke.

#### RETURNABLE - REFILLABLE CONTAINERS

After use, return the container to the point of purchase or designated locations. This container must only be refilled with EXP3 Seed Applied Nematicide/Insecticide. DO NOT REUSE THE CONTAINER FOR ANY OTHER PURPOSE. Prior to refilling, inspect thoroughly for damage such as cracks, punctures, abrasions and damaged or worn out threads on closure devices. Do not refill or transport damaged or leaking containers. Check for leaks after refilling and before transportation. If the container is not being refilled, return it to the point of purchase.

**ACCIDENTS:** In case of a major spill of EXP3 Seed Applied Nematicide/Insecticide, TELEPHONE (24 HOURS A DAY) IN THE U.S.A. 1-800-334-7577.

In case of minor spills or leaks follow all precautions indicated above and cleanup immediately. Soak up with sand, earth or other suitable material. Before clean-up, put on long-sleeved shirt and long pants, chemical resistant gloves made out of any waterproof material, shoes plus socks, and chemical-resistant headgear for overhead exposure.



666

## WARRANTY STATEMENT

5

### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, BAYER CROPSCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

### NET CONTENTS:

\*TEMIK is a registered trademark of Bayer.



**Bayer CropScience**

Bayer CropScience LP  
P.O. Box 12014, 2 T.W. Alexander Drive  
Research Triangle Park, North Carolina 27709  
1-866-99BAYER (1-866-992-2937)



EXP3 Seed Applied Nematicide/Insecticide (PENDING) Submitted 09/29/06

5