



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 3 0 2013

Ms. Sherry Movassaghi Bayer Cropscience 2 T. W. Alexander Drive Research Triangle Park, NC 27709

Dear Ms. Movassaghi:

Subject:

Extension of expiration date

Ultor – Supplemental label for IR-4 new uses

EPA Registration Number 264-1065 Your e-mail submission dated 8/6/2013

The supplemental label referred to above, and submitted in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This information has been added to our files for this product.

A stamped copy of the label is enclosed for your records. Please note that this supplemental label has an expiration date of 10/15/2015. If you have any questions, contact Rita Kumar at (703) 308-8291, or kumar.rita@epa.gov.


Yours Sincerely,

Reuben Baris

Acting Product Manager 7
Insecticide-Rodenticide Branch

Registration Division (7505P)

Enclosure



Bayer CropScience LP P.O. Box 12014 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937)

ULTOR®

EPA Reg. No. 264-1065

For Use On: Hops, Citrus Fruits, Pome Fruits And Stone Fruits

This supplemental label expires on October 15th, 2015 and must not be used or distributed after this

Supplemental Label

KEEP OUT OF REACH OF CHILDREN CAUTION

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Read this label and the product package label before using this product. This Supplemental Label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the product label for ULTOR® attached to the container.

USE DIRECTIONS FOR SPECIFIC CROPS

HOPS

PESTS CONTROLLED	Rate fluid ounces/Acre	Rate Ib ai/Acre
Hop aphid	8.0 – 10.0	0.08 – 0.10
Twospotted spider mite		

Restrictions

Pre-Harvest Interval (PHI): 7 days.

Minimum interval between applications: 14 days.

Maximum ULTOR allowed per 12-month period: 20 fluid ounces/Acre (0.2 lb ai/Acre).

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 264-1065

CITRUS FRUITS

Crops of Crop Group 10-10 Including: Australian lime (desert, finger, and round), Brown River finger lime, Calamondin, Citron, Grapefruit, Japanese summer grapefruit, Kumquat, Lemon, Lime, Mediterranean mandarin, Mount White lime, New Guinea wild lime, Orange (sour and sweet), Pummelo, Russell River lime, Satsuma mandarin, Sweet lime, Tachibana orange, Tahiti lime, Tangelo, Tangerine, Tangor, Trifoliate orange, Uniq fruit, including cultivars, varieties and/or hybrids of these commodities.

	Rate	Rate
PESTS CONTROLLED	fluid ounces/Acre	Ib ai/Acre
Aphids .		
Asian citrus psyllid		
Broad mite		
California red scale		•
Citrus leafminer		0.12 – 0.16
Citrus bud mite		
Citrus red mite		
Citrus rust mite (silver mite)	12.0 – 16.0	
Citrus snow scale	12.0 – 16.0	
Citrus thrips		
Florida red scale		
Mealybugs		
Pink citrus rust mite		
Purple scale		
Texas citrus mite		
Whiteflies		
PESTS SUPPRESSED		
Black scale		
Brown scale		
Citricola scale		
Cottony cushion scale		
Nematodes		· · · · · · · · · · · · · · · · · · ·

Restrictions

Pre-Harvest Interval (PHI): 1 day.

Minimum interval between applications: 21 days.

Maximum ULTOR allowed per 12-month period: 32 fluid ounces/Acre (0.32 lb ai/Acre).

Do not apply this product within 10 days prior to bloom, during bloom, or until petal fall is complete.

Do not apply non-ionic surfactants in tank mix combination with ULTOR on white grapefruit.

POME FRUITS

Crops of Crop Group 11-10 Including: Apple, Asian pear, Azarole, Chinese quince, Crabapple, Japanese quince, Loquat, Mayhaw, Medlar, Pear, Quince, Tejocote, including cultivars, varieties and/or hybrids of these commodities.

PESTS CONTROLLED	Rate fluid ounces/Acre	Rate Ib ai/Acre
Aphids (including Wooly Apple Aphid)		
Apple rust mite	·	
Mealybugs		
Pear psylla	8.0 – 14.0	0.08 - 0.14
Pear rust mite		
San Jose scale	· .	
Whiteflies		
PESTS SUPPRESSED		
Apple gall midge		
Codling moth		
European red mite		
Micro-lepidoptera leafminers		
Pear leaf midge		
Twospotted spider mite		
White apple leafhopper		

Restrictions

Pre-Harvest Interval (PHI): 7 days.

Minimum interval between applications: 14 days.

Maximum ULTOR allowed per 12 month period: 40 fluid ounces/Acre (0.4 lb ai/Acre).

Do not apply until after petal fall.

For control of San Jose scale west of the Rocky Mountains [including all of MT, WY, CO, and NM], apply immediately after petal fall, followed by a second application 14 – 21 days later. For control of San Jose scale east of the Rocky Mountains, apply immediately after petal fall, under heavy infestation pressure or where difficult control conditions exist, a second application may be necessary.

STONE FRUITS

Crops of Crop Group 12 Including: Apricot, Cherry (sweet and tart), Nectarine, Peach, Plum (includes Chickasaw, Damson, and Japanese), Plumcot, Prune (fresh and dried)

PESTS CONTROLLED	Rate fluid ounces/Acre	Rate Ib ai/Acre
Aphids		
Mealybugs		
San Jose scale		
White peach scale		
Whiteflies		
PESTS SUPPRESSED	8.0 – 14.0	0.08 - 0.14
Black scale		
Cherry fruit fly		
European fruit lecanium scale	1	
European red mite		
Nematodes	,	
Twospotted spider mite		

Restrictions

Pre-Harvest Interval (PHI): 7 days.

Minimum interval between applications: 14 days.

Maximum ULTOR allowed per 12-month period: 24 fluid ounces/Acre (0.24 lb ai/Acre).

Do not apply until after petal fall.

For control of San Jose scale, apply immediately after petal fall; under heavy infestation pressure or where difficult control conditions exist, a second application may be necessary.

For <u>MEDICAL</u> And <u>TRANSPORTATION</u> Emergencies <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577 For <u>PRODUCT USE</u> Information Call 1-866-99BAYER (1-866-992-2937)

As with any crop-protection product, always read and follow label directions. For additional information call toll-free 1-866-99BAYER (1-866-992-2937).