	EPA Reg. Number:	Date of Issuance:	
UNITED STATES	264-1140	4-2-13	
THE AND THE AN		Term of Issuance: Unconditional	
U.S. ENVIRONMENTAL PROTECTION AGENCY	Name of Pesticide		
Office of Pesticide Programs	Name of Testiende	Toduci.	
Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	Metribuzin Technical Herbicide		
NOTICE OF PESTICIDE:			
X Registration _ Reregistration			
(under FIFRA, as amended)			
Name and Address of Registrant (include ZIP Code):			
P.O. Box 12014 2 T.W. Alexander Drive RTP, NC 27709 Note: Changes in labeling differing in substance from that accepted in connection with this res	gistration must be submitted	to and accented by the	
grasteria として、「「「「」」」「「「「」」」「「」」「「「」」」を行う」」を行うしていた。 (All and the state of the stat	oduct always refer to the abo		
number. On the basis of information furnished by the registrant, the above named pesticide is hereby re		ve EPA registration	
number. On the basis of information furnished by the registrant, the above named pesticide is hereby re Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this produce environment, the Administrator, on his motion, may at any time suspend or cancel the registration acceptance of any name in connection with the registration of a product under this Act is not to exclusive use of the name or to its use if it has been covered by others.	egistered/reregistered under the the Agency. In order to tion of a pesticide in accorda to be construed as giving the result $(c)(5)$ provided that egistration /registration	ve EPA registration ne Federal Insecticide, protect health and the nce with the Act. The egistrant a right to you: tion review of	
your product when the Agency requires all registrants o	egistered/reregistered under the the Agency. In order to tion of a pesticide in accorda to be construed as giving the result $(c)(5)$ provided that egistration /registration	ve EPA registration ne Federal Insecticide, protect health and the nce with the Act. The egistrant a right to you: tion review of	
 number. On the basis of information furnished by the registrant, the above named pesticide is hereby reFungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this produce environment, the Administrator, on his motion, may at any time suspend or cancel the registration acceptance of any name in connection with the registration of a product under this Act is not to exclusive use of the name or to its use if it has been covered by others. This product is registered in accordance with FIFRA section 3(1. Submit and/or cite all data required for registration/rerect your product when the Agency requires all registrants or data. 	egistered/reregistered under the the Agency. In order to tion of a pesticide in accordate to be construed as giving the formation $f(c)(5)$ provided that the egistration /registration formation the segmentation formation the transformation formation the transformation the trans	re EPA registration ne Federal Insecticide, protect health and the nce with the Act. The egistrant a right to you: tion review of o submit such	

Page 2 EPA Reg. 264-1140

- 2. Submit one copy of the final printed label for the record before you release the product for shipment.
- 3. Add the correct EPA Est. # to the label.

If these requirements are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions please contact Erik Kraft at 703-308-9358 or kraft.erik@epa.gov.

Metribuzin Technical Herbicide

For use only in the manufacture of herbicides.

ACTIVE INGREDIENT:

4-Amino-6-(1,1-dimethylethyl)-3-(methylthio)-1,2,4-triazin-5(4H)-one	97.9%
OTHER INGREDIENTS:	<u>2.1%</u>
TOTAL:	100.0%

EPA Reg. No. 264-1140

EPA Est. No.

STOP - Read Label Before Use KEEP OUT OF REACH OF CHILDREN WARNING

For <u>MEDICAL</u> And <u>TRANSPORTATION</u> Emergencies <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577 For <u>PRODUCT USE</u> Information Call 1-866-99BAYER (1-866-992-2937)

IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.
1	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
IF INHALED:	Move person to fresh air.
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth- to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.
In case of eme	gency call toll free the Bayer CropScience Emergency Response Telephone No. 1-800-334-7577.
Have a product	container or label with you when calling a poison control center or doctor, or going for treatment.

Note To Physician: This compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by breathing difficulties and sedation. In case of intoxication treat the patient symptomatically.

ACCEPTED 4-2-13 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 264-1/40

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if swallowed. Harmful if inhaled. Avoid breathing dust. Wash hands thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse. Wear long-sleeved shirt, long pants, socks, and shoes.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Only for formulation into an herbicide, for those uses being supported by Bayer CropScience.

This product may be used to formulate products for specific use(s) not listed on the label if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding support of such use(s).

Terrestrial food and feed crop uses: Alfalfa, mixed stands of alfalfa and forage grasses, asparagus, barley, carrots, corn, fallow, garbanzo beans (chickpeas), lentils, peas, potatoes, sainfoin, soybeans, sugarcane, tomatoes, and wheat;

Terrestrial non-food, non-domestic uses: Established bermudagrass turf;

Uses for experimental purposes that are in compliance with USEPA requirements.

BAYER CROPSCIENCE DISCLAIMS ALL LIABILITY BASED ON BREACH OF WARRANTY, NEGLIGENCE, STRICT TORT LIABILITY, OR ANY OTHER THEORY OF LIABILITY FOR CROP DAMAGE OR FAILED EFFICACY RESULTING FROM THE USE OF THIS BAYER CROPSCIENCE PRODUCT AS AN INGREDIENT IN ANY FORMULATION WITH A USE NOT SPECIFICALLY LISTED ON THIS LABEL.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dty place and in such a manner as to prevent cross contamination with **other** pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed below. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer CropScience Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer CropScience Emergency Response Telephone No. is 1-800-334-7577 or contact Chemtrec at 800-424-9300.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling:

Rigid, Non-refillable containers (equal to or less than 5 gallons)

Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Once container is rinsed, offer for recycling if available or puncture and dispose of in a sanitary landfill.

Rigid Non-refillable containers (greater than 5 gallons or 50 lbs)

Non-refillable Containers

Non-refillable containers - Do not reuse or refill this container. Refer to Bottom Discharge IBC or Top Discharge IBC, Drums, Kegs information as follows.

Bottom Discharge IBC (e.g. - Schuetz Caged IBC or Snyder Square Stackable)

Pressure rinsing the container before final disposal is the responsibility of the person disposing of the container. To pressure rinse the container before final disposal, empty the remaining contents from the IBC into application equipment or mix tank. Raise the bottom of the IBC by 1.5 inches on the side which is opposite of the bottom discharge valve to promote more complete product removal. Completely remove the top lid of the IBC. Use water pressurized to at least 40 PSI to rinse all interior portions. Continuously pump or drain rinsate into application equipment or rinsate collection system while pressure rinsing. Continue pressure rinsing for 2 minutes or until rinsate becomes clear. Replace the lid and close bottom valve.

Top Discharge IBC, Drums, Kegs (e.g. - Snyder 120 Next Gen, Bonar B120, Drums, Kegs).

Triple rinsing the container before final disposal is the responsibility of the person disposing of the container. To triple rinse the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container at least 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Rinse all interior surfaces. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this procedure two more times.

Once container is rinsed, offer for recycling if available or puncture and dispose of in a sanitary landfill.

Refillable Containers

Refillable container – Refer to Bottom Discharge IBC or Top Discharge IBC, Drums, Kegs information as follows. Refill this container with pesticide only. Do not reuse this container for any other purpose. Contact your Ag retailer or Bayer CropScience for container return, disposal and recycling information.

Bottom Discharge IBC (e.g. - Schuetz Caged IBC or Snyder Square Stackable)

Pressure rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To pressure rinse the container before final disposal, empty the remaining contents from the IBC into application equipment or mix tank. Raise the bottom of the IBC by 1.5 inches on the side which is opposite of the bottom discharge valve to promote more complete product removal. Completely remove the top lid of the IBC. Use water pressurized to at least 40 PSI to rinse all interior portions. Continuously pump or drain rinsate into application equipment or rinsate collection system while pressure rinsing. Continue pressure rinsing for 2 minutes or until rinsate becomes clear. Replace the lid and close bottom valve.

Top Discharge IBC, Drums, Kegs (e.g.- Snyder 120 Next Gen, Bonar B120, Drums, Kegs).

Triple rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To triple rinse the containers before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container at least 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Rinse all interior surfaces. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this procedure two more times.

Once container is rinsed, offer for recycling if available or puncture and dispose of in a sanitary landfill.

End users are authorized to remove tamper evident cables as required to remove the product from the container unless the container is equipped with one way valves and refilling or returning is planned. If this is the case, end users are not authorized to remove tamper evident cables, one way valves or clean container.

3 .

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. To the extent allowed by law, all such risks shall be assumed by the user or buyer

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. NO AGENT OF BAYER CROPSCIENCE IS AUTHORIZED TO MAKE ANY WARRANTIES BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

NET WEIGHT:

Bayer CropScience

Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937)

Metribuzin Technical (PENDING) 03/19/2013, 03/28/2013