

May 23 1968 266-11

ACCEPTED  
May 23 1968

### PREPARATION

1. Vacuum the pool.
2. Shut off the filtering system and let pool stand without circulation for 2 hours.
3. In the case of Black Algae, which can be identified as round black dots, remove the crust that covers the surface of the algae, by brushing with a small stainless steel brush attached to your vacuum pole. Brush the spot with as much pressure as possible being careful not to harm the plaster. Do this just prior to Application of **Algae Kill**.

### APPLICATION

1. Sprinkle **Algae Kill** over surface of water above area where algae is seen on the pool bottom. One pound of **Algae Kill** per 10,000 gallons of pool water is usually adequate. If pool is heavily infested with algae, particularly with black algae, as much as 2 pounds per 10,000 gallons may be required. It is recommended that application be made in the evening after swimmers have left the pool. Do not use pool after application until chlorine residual has dropped below 3 p.p.m.

### WARNING

It is not recommended that **ALGAE KILL** be used on pools that are vinyl lined, painted or have colored plaster. Algae Kill is a strong oxidizing agent and may cause bleaching.

**CAUTION**  **POISON**

**Harmful if taken internally. Irritating to skin, eyes, nose, throat and lungs. ANTIDOTE — Internal: Feed rice gruel or cooked cereal, followed by doses of olive oil or cooking oil. CALL PHYSICIAN. External: Flood with cold water. Eyes: Wash with water and CALL PHYSICIAN.**

**KEEP OUT OF REACH OF CHILDREN**

### WARNING

**Oxidizing material — Contact with organic material or high temperature may cause decomposition and resulting evolution of chlorine and other toxic gases.**

**STORE IN COOL, DRY, WELL-VENTILATED AREA, AWAY FROM FLAMMABLES. Contact with heat, moisture, foreign materials or contamination from any source, may result in fire. AVOID BREATHING DUST. KEEP COVER CLOSED WHEN NOT IN USE.**



**HILL BROTHERS CHEMICAL COMPANY**

Phoenix • Tucson • Los Angeles • City of Industry • San Diego • Oakland

ulation for 2 hours.

ound black dots, remove the crust  
small stainless steel brush attached  
e as possible being careful not to  
Kill.

algae is seen on the pool bottom.  
er is usually adequate. If pool is  
as much as 2 pounds per 10,000  
ion be made in the evening after  
ication until chlorine residual has

are vinyl lined, painted or have  
cause bleaching.

SON

throat and lungs. ANTIDOTE —  
oses of olive oil or cooking oil.  
: Wash with water and CALL

REN

temperature may cause decompo-

FROM FLAMMABLES. Contact with  
any source, may result in fire.  
NOT IN USE.

CAL COMPANY

istry • San Diego • Oakland

# SWIMMER

## ALGAE KILLER

**ATTACKS AND DESTROYS ALGAE  
ON POOL SIDES AND FLOORS**

**READ CAUTIONS ON BACK LABEL**

**ACTIVE INGREDIENT .. TRICHLORO-S-TRIAZINE TRI**

**HILL BROTHERS CHEMICAL CO. PHOENIX & TUCSON, ARIZONA**

May 23 1968 266-11

ACCEPTED  
MAY 23 1968

**PREPARATION**

1. Vacuum the pool.
2. Shut off the filtering system and let pool stand without circulation for 2 hours.
3. In the case of Black Algae, which can be identified as round black dots, remove the crust covers the surface of the algae, by brushing with a small stainless steel brush attached to your vacuum pole. Brush the spot with as much pressure as possible being careful not to harm the plaster. Do this just prior to Application of Algae Kill.

**APPLICATION**

1. Sprinkle Algae Kill over surface of water above area where algae is seen on the pool bottom.  
 2. A pound of Algae Kill per 10,000 gallons of pool water is usually adequate. If pool is heavily infested with algae, particularly with black algae, as much as 2 pounds per 10,000 gallons may be required. It is recommended that application be made in the evening after swimmers have left the pool. Do not use pool after application until chlorine residual has dropped below 3 p.p.m.

**WARNING**

It is not recommended that ALGAE KILL be used on pools that are vinyl lined, painted or have colored plaster. Algae Kill is a strong oxidizing agent and may cause bleaching.

**CAUTION POISON**

Harmful if taken internally. Irritating to skin, eyes, nose, throat and lungs. **ANTIDOTE** — Internal: Feed rice gruel or cooked cereal, followed by doses of olive oil or cooking oil. **CALL PHYSICIAN.** External: Flood with cold water. Eyes: Wash with water and **CALL PHYSICIAN.**  
**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

Oxidizing material — Contact with organic material or high temperature may cause decomposition and resulting evolution of chlorine and other toxic gases.

**STORE IN COOL, DRY, WELL-VENTILATED AREA, AWAY FROM FLAMMABLES.** Contact with heat, moisture, foreign materials or contamination from any source, may result in fire. **AVOID BREATHING DUST. KEEP COVER CLOSED WHEN NOT IN USE.**

**HILL BROTHERS CHEMICAL COMPANY**

Phoenix • Tucson • Los Angeles • City of Industry • San Diego • Oakland

2 POUNDS

# SwimChem

## ALGAE KILL

**ATTACKS AND DESTROYS ALGAE  
ON POOL SIDES AND FLOORS**

**DANGER POISON**

**READ CAUTIONS ON BACK LABEL**

**ACTIVE INGREDIENT .. TRICHLORO-S-TRIAZINE TRIONE .....**

**KEEP OUT OF REACH OF CHILDREN**

**HILL BROTHERS CHEMICAL CO. PHOENIX & TUCSON, ARIZONA - INDUSTRY,**



**PREPARATION**

and let pool stand without circulation for 2 hours.  
which can be identified as round black dots, remove the crust  
the algae, by brushing with a small stainless steel brush attached  
in the spot with as much pressure as possible being careful not to  
just prior to Application of Algae Kill.

**APPLICATION**

Surface of water above area where algae is seen on the pool bottom.  
per 10,000 gallons of pool water is usually adequate. If pool is  
e, particularly with black algae, as much as 2 pounds per 10,000  
it is recommended that application be made in the evening after  
pool. Do not use pool after application until chlorine residual has

**WARNING**

**ALGAE KILL** be used on pools that are vinyl lined, painted or have  
a strong oxidizing agent and may cause bleaching.

**CAUTION**  **POISON**

ly. Irritating to skin, eyes, nose, throat and lungs. **ANTIDOTE** —  
or cooked cereal, followed by doses of olive oil or cooking oil.  
al: Flood with cold water. Eyes: Wash with water and **CALL**  
**KEEP OUT OF REACH OF CHILDREN**

uct with organic material or high temperature may cause decompo-  
n of chlorine and other toxic gases.

**WELL-VENTILATED AREA, AWAY FROM FLAMMABLES.** Contact with  
aterials or contamination from any source, may result in fire.  
**KEEP COVER CLOSED WHEN NOT IN USE.**

**HILL BROTHERS CHEMICAL COMPANY**

Phoenix • Tucson • Los Angeles • City of Industry • San Diego • Oakland

**2 POUNDS**

# SwimChem

## ALGAE KILL

**ATTACKS AND DESTROYS ALGAE  
ON POOL SIDES AND FLOORS**

**DANGER**  **POISON**

**READ CAUTIONS ON BACK LABEL**

**ACTIVE INGREDIENT .. TRICHLORO-S-TRIAZINE/TRIONE ..... 100%**

**NET WEIGHT 2 POUNDS (1.13 kg) OF ALGAE KILL**

**HILL BROTHERS CHEMICAL CO. PHOENIX & TUCSON, ARIZONA • INDUSTRY, CALIF.**

4