SwimChem Algae Control for Swim

g Pools with Handy Measuring Cup Top

When SwimChem Algaecide is used as directed, it will kill and prevent development of Chlorella pyrenoidosa (green), Phormidium inundatum (black algae). Phormidium retzii (Square D algae), Lyngba versicolor (bluegreen) and other swimming pool algae.

SwimChem Algaecide works best when added by itself directly to pool water.

SwimChem Algaecide is highly concentrated and should be immediately flushed from skin and eyes with water if splashed on them. Get medical attention should irritation persist. It is not a foodstuff and should not come in contact with food.

Use measuring cup in this container for SwimChem Algaecide only. Rinse cup thoroughly before using for any other purpose.

Apply this product only as specified on this label.

This product is toxic to fish. Treated pool effluent water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DO NOT COMBINE ALGAECIDE WITH ANY OTHER CHEM-ICAL BEFORE ADDING TO POOL.

DIRECTIONS FOR USE

Use handy measuring cup top, which holds 5 oz of SwimChem Algaecide by weight.

INITIAL DOSE: 11/3 cups (approx. 7 oz.) to 10,000 gallons of water.

MAINTENANCE DOSE: 1, cup (approx. 2 oz) to 10.000 gallons of water.

Initial dose is used when filling pool at beginning of swimming season. If pool has visible algae growth, the initial dose should be repeated within 48 hours after the killed algae are removed from the pool.

Maintenarice dose should be added at least once every 7 days. If high temperatures prevail, or pool has unusually heavy use, add maintenance dose more frequently.

When the swimming season is over, add 1% cups (approx. 7 oz.) SwimChem Algaecide to 10,000 gallons of water in treating water left in pool. This dose helps provide a measure of control of algae during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed Avoid contamination of food.

In cases of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician Remove and

wash contamined clothing before reuse If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not avoidable, drink large quantities of water Avoid alcohol Call a physician immediately

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

PRODUCTS — A DIVISION OF

E P. A Reg No. 266-28-ZA HILL BROTHERS CHEMICAL COMPANY

PHOENIX + TUCSON + LOS ANGELES + CITY OF INDUSTRY + SAN DIEGO + ORELAND



ALGAECIDE

CONCENTRATE

UNDER THE FEDERAL INSECTIONS FUNGICIDE AND RODENTICIDE ACT FUNGICIDE AND NOTION REGISTER.
FOR ECONOMIC POISON REGISTER.
SUBJECTEE LACK OF LABEL FOR ADDITIONAL WARNINGS TO ATTACHED COMMENTS.

ACTIVE INGREDIENTS

in Alkyl (60% C14, 30% C16, 5% C12, 5% C18), dimethyl benzyl arnmonium chlorides malkyl (50% C12, 30% C14, 17% C16, 3% C18) dimethyl ethylbenzyl ammonium chlorides

INERT INGREDIENT

. '() Fa)

20