## 26- 35



# CHLORINE LIQUEFIED GAS UNDER PRESSURE NON-FLAMMABLE

BEFORE USING READ . TIRE LABEL FOR USE AS A DISINFECTANT is experienced perspective only, in municipal water supplies, sewage and waste management plants and industrial and commitricial swimming pools. ACTIVE INGREDIENT Chiloring 99.5% INERT INGREDIENT 05%

#### KEEP OUT OF REACH DE CHIEDREN



### HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER. Hazardous liquid and gas under pressure. Keep away from heat and open flame. May be fatal it inhaled. Do not breathe air containing this gas. Do not get in eyes, on skin, or on clothing. Have approved U. S. Bureau of Mines gas mask available for emergency use.

FIRST AID: In case of inhalation exposure, remove patient to fresh air and keep him warm and quiet. CALL PHY-SICIAN. If breathing has ceased, artificial respiration should be started immediately. Administer oxygen. In case of contact with eyes or skin, thoroughly rinse area with water for about 20 minutes. For eyes: CALL PHYSICIAN

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Permits may be required for discharges containing this pesticide into lakes, streams, ponds or public water. For guidance contact the regional office of the Environmental Protection Agency.

#### PHYSICAL AND CHEMICAL HAZARDS

Chlorine is a non flammable gas. In the container it is liquified gas under pressure. Do not heat container. Do not drop container. Chlorine is an oxidizer and should not be stored near flammable material.

**GENERAL CLASSIFICATION** It is a violation of federal law to use this product in a

DIRECTION FOR USE

manner inconsistant with its labeling. Have available gas masks approved by the U. S. Bureau of Mines or National Institute for Occupational Safety and Health Handle and use only, in accordance with practice recommended in the Chlorine Manual (Chlorine Institute, New York, NY). Use only in well ventilated areas.

"Only specifically dualgred dispensing equipment should be used in accordance with the manufacturer's instructions and according to state regulatory agency recommendations for unsages or residual chlorine levels which should be maintained for each specific site of application."

## STORAGE AND DISPOSAL

Keep containers away from heat. Do not store in direct sunlight. Do not drop containers. Empty cylinders should be properly identified with return tags and returned to the supplier according to prescribed instructions and practices of the supplier.



EPA REG NO. \_\_\_\_\_\_ EST. NO. \_\_\_\_\_\_

