**BACK PANEL** 

as necessary.

To Kill Sowbugs, Centipedes, Firebrats and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, behind stoves and refrigerators.

To Kill Fleas and Brown Dog Ticks: Remove and destroy old pet bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary. Do not spray animals. Put fresh bedding in pets quarters after spray has dried. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated area.

## STORAGE AND DISPOSAL

STORAGE: Store in a cool area away from heat or open flame.

DISPOSAL: Replace cap and discard containers in trash. Do not incinerate

or puncture.

EPA REG. NO.: 270-135

EPA EST. NO.: 7056-TX-1

Manufactured For:

Farnam Companies, Inc.

Omaha, Nebraska 68112 U.S.A.

(c) 1988 Farnam Companies, Inc.

Printed in U.S.A.

**8EE8** 

11:53

PA 15

12/3/7

Page 1 of 3

**FARMAK** 

STABLE & HORSE

FLY SPRAY

Ready-To-Use

Space Spray / Fog / Mist

Ready to use space spray for application as a fog or mist in horse barns and stables. Kills Stable Flies, Horse Flies, Face Flies, Fleas and Mosquitoes. Also for application as a mist directly on horses and ponies.

### ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN

WARNING

See Back Panel For Additional Cautions

NET CONTENTS: 128 Fl. Oz. (1 Gallon)

Not Reviewed. Registrant claims to be in accordance with Relegistration of Pesicide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

## Stable & Horse Fly Spray / Fog / Mist

Ready-to-use oil-base fly spray specially formulated for use in and around stables and horse barns. Ideal for application as a fog or mist with conventional spray equipment or electric foggers. Also accepted for direct application as a spray mist to horses and ponies.

#### DIRECTICES

FOR USE IN STABLES TO KILL STABLE FLIES, HORSE FLIES, FACE FLIES, HORN FLIES, FLEAS AND MOSQUITOES - Apply as a fog or mist with hand sprayer, power sprayer, or electric fogging and misting equipment. Use one pint of STABLE & HORSE SPRAY for 8000 cubic feet of area (40 ft. x 20 ft. x 10 ft.). Before fogging close doors, windows and other openings to reduce air movement as much as possible. Then while fogging, the spray mist can also be applied over and around animals. However, do not apply in areas where animals have received direct application of this material within eight hours.

FOR USE ON HORSES TO KILL STABLE FLIES, HORSE FLIES, FACE FLIES, HORN FLIES, FLEAS AND MOSQUITORS - Apply 1 to 2 fluid ounces as a mist spray with hand or automatic sprayer. Mist the animal thoroughly, covering all parts of the body, but do not wet the skin. Do not apply more than two ounces per animal per day.

#### WARMING

May be fatal if swallowed, inhaled, or absorbed through skin. Do not get in eyes or on skin. Keep out of reach of children. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or foodstuffs. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

DECONTAMINATE AND DESTROY USED CONTAINERS. Do not re-use for any purpose. Decontaminate containers by rinsing thoroughly with water and detergent. Destroy containers by breaking and burying fragments in isolated area. Dispose of rinsings in a way as not to constitute a hazard, or contaminate water supplies.

E.P.A. REG. NO. 270-53

E.P.A. EST. NO. 34734-IA-1

Manufactured for:

FARNAM COMPANIES, INC.

Omaha, Nebraska 68112

(c) 1990 Farnam Companies, Inc. Printed in U.S.A.

**9A0** 

PARTAK

# STABLE & BORSE

#### FLY SPRAY

#### Ready-To-Use

# Space Spray / Fog / Mist

Ready to use space spray for application as a fog or mist in horse barns and stables. Kills Stable Flies, Horse Flies, Face Flies, Fleas and Mosquitoes. Also for application as a mist directly on horses and ponies.

### ACTIVE INGREDIENT:

2,2-dichlorovinyl dimethyl phosphase	0.93	•	
Related Compounds	0.07	•	
INDERT INGREDIESTS:	99.00	•	

KEEP OUT OF REACH OF CHILDREN

WARSIING

See Back Panel For Additional Cautions

MET CONTENTS: 128 Fl. Oz. (1 Gallon)

# Stable & Horse Fly Spray / Fog / Mist

Ready-to-use oil-base fly spray specially formulated for use in and around stables and horse barns. Ideal for application as a fog or mist with conventional spray equipment or electric foggers. Also accepted for direct application as a spray mist to horses and ponies.

#### DIRECTIONS

FOR USE IN STABLES TO KILL STABLE FLIES, HORSE FLIES, FACE FLIES, HORN FLIES, FLEAS AND MOSQUITOES - Apply as a fog or mist with hand sprayer, power sprayer, or electric fogging and misting equipment. Use one pint of STABLE & HORSE SPRAY for 8000 cubic feet of area (40 ft. x 20 ft. x 10 ft.). Before fogging close doors, windows and other openings to reduce air movement as much as possible. Then while fogging, the spray mist can also be applied over and around animals. However, do not apply in areas where animals have received direct application of this material within eight hours.

FOR USE ON HORSES TO KILL STABLE FLIES, HORSE FLIES, FACE FLIES, HORN FLIES, FLEAS AND MOSQUITOES - Apply 1 to 2 fluid ounces as a mist spray with hand or automatic sprayer. Mist the animal thoroughly, covering all parts of the body, but do not wet the skin. Do not apply more than two ounces per animal per day.

#### WARNITHG

May be fatal if swallowed, inhaled, or absorbed through skin. Do not get in eyes or on skin. Keep out of reach of children. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or foodstuffs. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

DECONTAMINATE AND DESLROY USED CONTAINERS. Do not re-use for any purpose. Decontaminate containers by rinsing thoroughly with water and detergent. Destroy containers by breaking and burying fragments in isolated area. Dispose of rinsings in a way as not to constitute a hazard, or contaminate water supplies.

E.P.A. REG. NO. 270-53

E.P.A. EST. NO. 34734-IA-1

Manufactured for: FARNAM COMPANIES, INC. Omaha, Nebraska 68112

(c) 1990 Farnam Companies, Inc. Printed in U.S.A.

920