

FRONT LABEL

20-75

15, 157

P.A. 1, 1

12/31/87

LABEL: 1

FARNAM (After long-standing non-
 WIPE-A use, mix contents by
 FLY PROTECTANT inverting several times)

Just wipe it on Horses, Ponies, and Show Stock.
 Repels Horse Flies, House Flies, Stable Flies, Deer Flies,
 Gnats and Mosquitoes. Effective for hours!

ACTIVE INGREDIENTS:

Allethrin (Allyl homolog of Cinerin I)	0.50%
Piperonyl Butoxide Technical**	2.50%
Di-n-Propyl Isocinchomeronate	1.00%
Butoxypolypropylene Glycol	20.00%
INERT INGREDIENTS:	76.00%

** Equivalent to 2.00% (Butylcarbityl) (6-propylpiperonyl) ether and
 .50% of related compounds.
 (Contains Petroleum Distillates)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional cautions

NET CONTENTS: 32 FL. OZ (1 Quart)

Not for use on horses with
 sensitive skin
 or
 other conditions.

WIPE Fly Protectant is specially formulated for use on valued race horses and fine show horses, but will prove of equal value to pleasure riders seeking effective long-lasting fly protection for their animals. WIPE gets results, actually helps in the removal of dirt and dandruff. Imparts a high sheen to the hair when brushed out. And, it is pleasant to use. Has a light, bright pleasing fragrance.

CAUTION

Harmful if swallowed. Use only Turkish toweling (not a substitute material) to apply WIPE. Avoid using excessive amounts of WIPE on your animals. Do not wet the hide! Do not store or pour near an open flame, or use while smoking. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

DIRECTIONS FOR USE

Before application, brush animal to remove loose dust, dirt and debris. Moisten (don't soak) a folded piece of Turkish toweling (approximately 12" x 15") with WIPE. Rub briskly against the growth of hair, giving special attention to shanks, legs, shoulders, neck and facial area of horse. Avoid contact with eyes or nostrils. Add more WIPE to toweling as needed. Do not apply more than one to two ounces daily, depending on size of animal. Then groom with a brush.

- * To make sure the proper amount of WIPE is transferred to the animal, we recommend that cloth used to apply the repellent be kept in an airtight container (such as a tin can) between periods of daily use. This will ensure its moistness at the start of daily application.
- * Repeated daily applications of WIPE may build up repellency on the animal. Thus, its effectiveness may be increased, and gradually enable you to reduce the amount applied daily.
- * Best application time is between 8 and 10 a.m. This gives you the best protection for the maximum period of time.
- * Amount of repellent required to do an effective job will vary according to season, temperature, climate, humidity and cleanliness of animal.

EPA REG. NO.: 270-75

EPA EST. NO.: 34734-IA-1

Manufactured Exclusively For:

FARNAM COMPANIES, INC.

Omaha, Nebraska 68112

(c) 1989 Farnam Companies, Inc.

Printed in U.S.A.

8DD9

957

FARNAM	(After long-standing non-
WIPE-A	use, mix contents by
FLY PROTECTANT	inverting several times)

Just wipe it on Horses, Ponies, and Show Stock.
 Repels Horse Flies, House Flies, Stable Flies, Deer Flies,
 Gnats and Mosquitoes. Effective for hours!

ACTIVE INGREDIENTS:

Allethrin	0.50%
Piperonyl Butoxide Technical**	2.50%
Di-n-Propyl Isocinchomeronate	1.00%
Butoxypolypropylene Glycol	20.00%
INERT INGREDIENTS:	76.00%

** Equivalent to 2.00% (Butylcarbityl) (6-propylpiperonyl) ether and
 .50% of related compounds.
 (Contains Petroleum Distillates)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional cautions

NET CONTENTS: 32 FL. OZ (1 Quart)

Not Recommended For Use On Horses, Ponies, and Show Stock
 Use with Caution On Other Animals
 For Further Information Contact Farnam Companies, Inc.
 Omaha, Nebraska 68102

WIPE Fly Protectant is specially formulated for use on valued race horses and fine show horses, but will prove of equal value to pleasure riders seeking effective long-lasting fly protection for their animals. WIPE gets results, actually helps in the removal of dirt and dandruff. Imparts a high sheen to the hair when brushed out. And, it is pleasant to use. Has a light, bright pleasing fragrance.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with eyes, mucous membranes and skin. Avoid contamination of food. Avoid excessive amounts of WIPE on your horses. Do not wet the hide.

STATEMENTS OF PRACTICAL TREATMENT

- IF SWALLOWED: Do not induce vomiting. Immediately give large quantities of water. Do not give anything by mouth to an unconscious person. Seek medical attention.
- IF IN EYES: Flush with water for at least 15 minutes. Seek medical attention if irritation persists.
- IF ON SKIN: Wash with soap and water. Wash contaminated clothing before reuse.
- IF INHALED: Move individual to fresh air. Seek medical help if irritation persists.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish. Do not apply directly to water or wet-

lands (swamps), bogs, marshes, and potholes). Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

SHAKE WELL BEFORE USING

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before application, brush animal to remove loose dust, dirt and debris. Moisten (don't soak) a folded piece of Turkish toweling (approximately 12" x 15") with WIPE. Rub briskly against the growth of hair, giving special attention to shanks, legs, shoulders, neck and facial area of horse. Avoid contact with eyes or nostrils. Add more WIPE to toweling as needed. Do not apply more than one to two ounces daily, depending on size of animal. Then groom with a brush.

* To make sure the proper amount of WIPE is transferred to the animal, we recommend that cloth used to apply the repellent be kept in an airtight container (such as a tin can) between periods of daily use. This will ensure its moistness at the start of daily application.