

FEB 27 1991

Ms. Karyn Bronson Harbour
Farnam Companies, Inc.
301 West Osborn
Phoenix, AZ 85013-3928

Dear Ms. Harbour:

Subject: Farnam Wipe II Fly Protectant
EPA Registration No. 270-134
Your Letters Dated May 20 and November 28, 1988

Your submissions in response to the reregistration process for products containing Sumithrin have been reviewed and are acceptable.

The FIFRA Section 3(c)(2)(B) Summary Sheet, Generic Data Exemption Statement, and the Confidential Statement of Formula (CSF) have been made a part of the file for this product.

The labeling is acceptable and a stamped copy is enclosed for your records.

Sincerely yours,

PHM

Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (M7505C)

Enclosure

BEST AVAILABLE COPY

51342:I:Tavano:L17-08:KEYRIC:02/07/91:03/05/91:aw:WO:DD:DD

CONCURRENCES

| | | | | | | | |
|---------|---------|--|--|--|--|--|--|
| SYMBOL | H7505C | | | | | | |
| SURNAME | Tavano | | | | | | |
| DATE | 2/20/91 | | | | | | |

FARNAM

WIPE II FLY PROTECTANT

KILLS
TICKS
TOO!

(After long-standing non-use, mix contents by inverting several times)

Just wipe it on Horses and Ponies. Repels Horse Flies, House Flies, Stable Flies, Deer Flies, Face Flies, Horn Flies, Gnats, Fleas, Ticks, and Mosquitos. Also kills them on contact. Effective for Hours!

ACCEPTED
FEB 27 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 270-134

ACTIVE INGREDIENTS:

- Tetramethrin [(1-cyclohexene-1, 2-dicarboximide) 2,2-dimethyl-3-(2-methylpropenyl) cyclopropane carboxylate] 0.210%
- 3-phenoxybenzyl-(IRS,3RS;IRS,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate* 0.100%
- Di-n-propyl isocinchomeronate 1.000%
- Butoxypolypropylene glycol 20.000%

INERT INGREDIENTS 78.690%

*cis/trans isomer ratio: max. 25% (+ or -) cis
min. 75% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for additional precautions

NET: 32 fl. oz. (1 quart)

BEST AVAILABLE COPY

375

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Keep out of reach of children. Wash hands thoroughly after using. Use only Turkish toweling or Wipe Applicator Mitt (not a substitute material) to apply Wipe II. Avoid using excessive amounts of Wipe II on your horse. Do not soak the skin. Do not use on horses intended for human consumption. Do not store or pour near an open flame, or use while smoking.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Cleaning of equipment or disposal of wastes must be done in a manner that avoids contamination of bodies of water or wetlands.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE ONLY ON SHOW, RACE, WORK OR PLEASURE HORSES.

Wipe II Fly Protectant is specially formulated for use on valued race horses and fine show horses, but will prove of equal value to pleasure riders seeking effective, long-lasting fly protection for their animals. Actually helps in the removal of dirt and dandruff. Imparts a high sheen to the hair when brushed out. And, it is pleasant to use. Has a light, bright, pleasing fragrance.

BEST AVAILABLE COPY

SHAKE WELL BEFORE USING

Before applying Wipe II to your horse, brush him down thoroughly to remove loose dust and dirt.

Moisten (but do not soak) a folded piece of Turkish toweling (approximately 12" x 15") or an Applicator Mitt with Wipe II. Rub briskly against the growth direction of the hair. Give special attention to the shanks, legs, shoulders, neck and facial areas of the horse where flies tend to cause the greatest problems. Add more Wipe II to the applicator as needed, applying approximately one to two ounces for the total application on a daily basis (the variance will depend on the size of the horse).

Groom with a brush.

To kill attached ticks, dab Wipe II directly on the tick with a saturated cloth.

A FEW IMPORTANT POINTS TO REMEMBER:

In order to keep the applicator moist and insure proper coverage of Wipe II it is recommended that the cloth used be kept in an airtight container (a tin can will do) between uses.

Regular daily applications of Wipe II may build-up repellency. Because of this, its effectiveness may be increased enabling a reduction in the amount of Wipe II applied on a daily basis.

To provide maximum effectiveness, the best time for application is early morning. Climatic conditions such as temperature and humidity, and cleanliness of the horse's coat will affect the amount of repellent required to do an effective job. Because of this, you may have to experiment with the amount of Wipe II applied in order to arrive at the optimum amount needed.

BEST AVAILABLE COPY

5/5

BACK PANEL

Page 4 of 4

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place away from heat or open flame.

DISPOSAL: Do not reuse empty container. Wrap and put in trash.

EPA REG. NO.: 270-134

EPA EST. NO.: 34734-IA-1

Manufactured For:

Farnam Companies, Inc.

Omaha, Nebraska 68112 U.S.A.

(c) 1988 Farnam Companies, Inc.

Printed in U.S.A.

8EE8

BEST AVAILABLE COPY