

FRONT LABEL

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

FARNAM

REPEL-Xv

EMULSIFIABLE FLY SPRAY

Mix with water at economical dilutions for direct application
to horses and ponies. Provides protection from biting and bloodsucking
Flies, Gnats, and Mosquitoes. Repels Horn Flies, House Flies and
Stable Flies, also Horse and Deer Flies (Tabanids).
Keeps them off the animal! Also kills on contact.

ACTIVE INGREDIENTS:

Pyrethrins	0.12%
Piperonyl Butoxide Technical*	1.20%
2,2-dichlorovinyl dimethyl phosphate	4.01%
Related Compounds	0.23%
Pine Oil	40.00%

INERT INGREDIENTS 54.44%

* (Equivalent to 0.96% butylcarbityl (6-propylpiperonyl) ether and
0.24% of related compounds).

KEEP OUT OF REACH OF CHILDREN

WARNING

See back panel for additional precautionary statements

NET CONTENTS: 32 FL. OZ. (1 Quart)

BACK LABEL

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use only on show, race, work or pleasure horses.

SHAKE WELL BEFORE USING

Mix Repel-Xv Emulsifiable Fly Spray with water at proper dilution. First put the required amount into sprayer or mixing container. Then add water according to directions, and mix thoroughly before using.

IMPORTANT: Mix fresh solution before each use. Apply with pressure sprayer or you can sponge it on horses. Cover the animal with spray with particular attention to back, flanks, legs and shoulders. Do not soak the skin. Wear rubber gloves when applying with sponge. Avoid getting solution into the animal's eyes.

HORSES: To protect them from Horn Flies, House Flies, Gnats and Mosquitoes, apply at 1 to 7 dilution. Each pint of concentrate makes 1 gallon of finished spray. Repeat application every 3 to 4 days or as often as needed. Where Horse Flies, Deer Flies (Tabanids), or Stable Flies are a problem, apply a 1 to 4 dilution and repeat as often as needed. Do not exceed 2 ounces per head per day for adult horses. Reduce the dosage by 1/2 for ponies and young horses.

314

BACK LABEL (Cont)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

For animal use only. Not for use on humans. Harmful if swallowed, inhaled, or absorbed through the skin. If swallowed do not induce vomiting. Vomiting may be harmful. Consult physician. Keep out of eyes. If contact occurs, wash eyes immediately with water. Avoid contamination of food and feeds. Do not use on horses intended for human consumption.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF INHALED: Remove victim to fresh air. Apply respiration if indicated.
- IF ON SKIN: Wash contaminated skin with soap and water.
- IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

BACK LABEL (Cont)

STORAGE AND DISPOSAL

Do not reuse empty container. Destroy it by perforating or crushing, wrap and throw in trash.

EPA REG. NO.: 270-148

EPA EST. NO. 34734-IA-1

Manufactured For
FARNAM COMPANIES, INC.

Omaha, Nebraska, USA

(c) 1989 Farnam Companies, Inc.

Printed in U.S.A.

8DD9