

FEB 26 1992

Dr. Leland Veith  
Farnum Companies, Inc.  
301 West Osborn  
Phoenix, AZ 85013

Dear Dr. Veith:

Subject: Revised Labeling-Declaration of Pine Oil as Inert  
Repel XP  
EPA Registration Number 270-150  
Resubmission dated February 12, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Submit one copy of the finished labeling prior to releasing the product for shipment.

1. Add the following statement as a footnote to the ingredients statement:

Contains petroleum distillate.

2. The IF SWALLOWED portion of the STATEMENT OF PRACTICAL TREATMENT should read as follows:

IF SWALLOWED: Do not induce vomiting due to aspiration hazard. Contains petroleum distillate. Contact a physician or Poison Control Center immediately.

The Confidential Statement of Formula, dated October 14, 1991, which was submitted in support of the amendment referred to above declaring Pine Oil as an inert ingredient, is acceptable and has been added to the record for the product referenced above.

Sincerely,

Richard F. Mountfort  
Product Manager (10)  
Insecticide-Rodenticide Branch  
Registration Division

NOT FOR SALE UNLESS PERMITTED BY AGENCY

FRONT PANEL

Page 1 of 3

Repels And Kills Deer Ticks  
That May Transmit Lyme Disease

FARNAM  
REPEL -XP  
EMULSIFIABLE FLY SPRAY

Repel-XP is a concentrate which when diluted with water according to label directions will provide economical protection from biting and bloodsucking Flies, Gnats and Mosquitos. Repels Horn Flies, House Flies and Stable Flies, also Horse and Deer Flies (Tabanids). Keeps them off the animal! Also kills on contact.

ACTIVE INGREDIENTS:

Pyrethrins.....0.40%  
Piperonyl Butoxide Technical\*.....1.00%

INERT INGREDIENTS:.....98.60%

ACCEPTED  
with COMMENTS  
in EPA Letter Dated  
FEB 26 1992  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
270-150

\*Equivalent to 0.80% (Butylcarbityl) (6-propylpiperonyl) ether and 0.20% of related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

NET CONTENTS: 32 FL OZ (1 QUART)

3/4

WINDTOWNS LIMITED  
DRENN

BACK PANEL

Page 2 of 3

**PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

For animal use only. Not for use on humans. Harmful if swallowed. Avoid contamination of food and feeds. Do not use on horses intended for human consumption.

**STATEMENT OF PRACTICAL TREATMENT**

IF SWALLOWED: Do not induce vomiting. Vomiting may be harmful. Consult a physician immediately.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Immediately flush eyes with plenty of water. Consult a physician if irritation persists.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water when disposing of equipment washwaters.

**PHYSICAL HAZARDS**

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**FOR USE ONLY ON SHOW, RACE, WORK OR PLEASURE HORSES**

**SHAKE WELL BEFORE USING**

BACK PANEL

Page 3 of 3

NOT REPRODUCED WITHOUT  
PERMISSION

Mix Repel-XP Emulsifiable Fly Spray with water at proper dilution. First put the required amount into sprayer or mixing container. Then add water according to directions, and mix thoroughly before using.

**IMPORTANT:** Mix fresh solution before each use. Apply with pressure sprayer, or you can sponge it on horses. Make sure animal's coat is thoroughly wet. Use approximately 8 oz. for each animal depending on size of horse or pony. Avoid getting solution into the animal's eyes.

**HORSES:** To protect horses from Horn Flies, House Flies, Gnats and Mosquitos apply at a 1 to 7 dilution. Each pint of concentrate makes a gallon of finished spray. Repeat application every 3 or 4 days or as often as needed. Where Horse Flies, Deer Flies (Tabanids), Stable Flies, Ticks, or Deer Ticks, that may transmit Lyme Disease, are a problem, apply 1 to 4 dilution and repeat as often as needed.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in cool, dry place, inaccessible to children and pets.

**DISPOSAL:** Do not reuse empty container. Wrap container and put in trash.

EPA REG NO: 270-150

EPA EST NO: 6175-LA-1

Manufactured For:

FARNAM COMPANIES, INC.

Omaha, Nebraska 68112

(c) 1988 Farnam Companies, Inc.

Printed in U. S. A.