

FARNAM
REPEL-XP
EMULSIFIABLE FLY SPRAY
SAME PROVEN FORMULA

CONCENTRATE - 8 OZ. MAKES 1/2 GAL.

Repels And Kills Deer Ticks That May Transmit Lyme Disease
Dilute with water per label directions for economical protection from biting,
bloodsucking flies, gnats and mosquitoes.

ACTIVE INGREDIENTS:

Pyrethrins 0.40%

Piperonyl Butoxide Technical* 1.00%

OTHER INGREDIENTS: 98.60%

Total 100.00%


Contains Petroleum Distillate.

*Equivalent to 0.80% (Butylcarbityl)(6-propylpiperonyl) ether and 0.20% of related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for additional precautionary statements

NET CONTENTS: 32 FL OZ

REPEL XP Emulsifiable Fly Spray provides economical fly protection for horses and ponies. Repels and kills horn, house, stable, horse, and deer flies (tabanids), plus gnats, mosquitoes and ticks - including deer ticks which may transmit Lyme Disease.



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

For animal use only. Not for use on humans. Harmful if swallowed. Avoid contamination of food and feeds. Do not use on horses intended for human consumption.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 602-285-1660</p>	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>	

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE ONLY ON HORSES AND PONIES

SHAKE WELL BEFORE USING

Mix Repel-XP Emulsifiable Fly Spray with water at proper dilution. First put the required amount into sprayer or mixing container. Then add water according to directions and mix thoroughly before using.

IMPORTANT: Mix fresh solution before each use. Apply with pressure sprayer or sponge it on horses. Make sure animal's coat is thoroughly wet. Use approximately 8 oz. for each animal depending on size of horse or pony. Avoid getting solution into the animal's eyes.

HORSES: To protect horses from horn flies, house flies, gnats and mosquitoes apply at a 1 to 7 dilution. Each pint of concentrate makes a gallon of finished spray. Repeat application every 3 or 4 days or as often as needed. Where horse flies, deer flies (tabanids) stable flies, ticks or Deer Ticks, that may transmit Lyme Disease, are a problem, apply a 1 to 4 dilution and repeat as needed.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place, inaccessible to children and pets.
DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain

EPA REG NO: 270-150

EPA EST NO: 6175-LA-1

FARNAM HORSE PRODUCTS
A Division of Farnam Companies, Inc.
P.O. Box 34820
Phoenix, AZ 85067-4820
©XXXX Farnam Companies, Inc.

Printed in U.S.A.