

DIRECTIONS FOR USE

STORAGE & DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IN LOAFING BARN, MILKING PARLORS AND MILK ROOMS: For fast control of House Flies, Mosquitoes, Gnats, Wasps and Small Flying Moths, close all doors and windows and spray at the rate of 1 to 2 seconds per 1000 cubic feet. Direct fogger upward and spray in all directions. Keep room closed for 10 to 15 minutes after spraying. Do not remain in treated areas. Ventilate after treatment is completed. Cover utensils and milk to prevent contamination from spray and dead or falling insects

FOR USE ON ANIMALS: To protect cattle from Stable Flies, House Flies, Deer Flies, Horn Flies, Horse Flies, Gnats and Mosquitoes, spray each animal thoroughly (approximately 3 seconds on each side) paying particular attention to back, withers, shoulders and forelegs. For protection from Face Flies spray face and head but do not spray into animal's eyes. Repeat treatment as necessary.

FOR STANCHION BARN USE: Walk behind animals and direct spray over backs allowing approximately 1 second per animal. For best results, apply each morning.

FARNAM

FLYS-AWAY II

Pyrethrin Dairy Insect Fogger WITH DUAL SYNERGISTS

KILLS AND REPELS: Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes and Gnats.

**FOR USE ON CATTLE
IN ANIMAL QUARTERS
AND MILK ROOMS**

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional precautions.

ACTIVE INGREDIENTS:
Pyrethrins 0.50%
Piperonyl butoxide technical* 1.00%
N-octyl bicycloheptene dicarboximide ... 1.87%
Refined petroleum oil 12.00%
INERT INGREDIENTS 88.83%
*Equivalent to 0.8% (Butylcarbitol) (6-Propyl-piperonyl) Ether and 0.2% of Related Compounds.

NET WEIGHT: 2 LB.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
CAUTION**

Avoid breathing of vapor. Avoid contact with skin, eyes, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not contaminate water, food or foodstuffs. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Use in food processing establishments should be confined to time periods when plant is not in operation. Remove all pets and birds. Cover fish tanks or remove before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARD

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

EPA REG. NO. 270-160 EPA EST. NO. 11715-TN-1

Manufactured for
FARNAM COMPANIES, INC.
Omaha, Nebraska 68112 U.S.A.

16

PRINTED IN U.S.A.

8A1

ACCEPTED

MAR 16 1981

U.S. Dept. of Agriculture
Animal and Plant Health Inspection
Federal Register
270-160