

270-164

7-14-2003

73

<p>(A)</p> <h1 style="text-align: center;">EPA</h1>	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
---	--	--	-----------------------

Application for Pesticide:

Section I

1. Company/Product Number 270-164	2. EPA Product Manager George LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Farnam Equitrol Feed Thru Fly Control	PM#	
5. Name and Address of Applicant (Include ZIP Code) Farnam Companies, Inc. 301 West Osborn Avenue Phoenix, AZ 85014 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRT Section 30(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.
---	---

NOTIFICATION

JUL 14 2003

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

REVISED DISPOSAL

This notification is consistent with the guidance of PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section III

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No.	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Unit Package wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes," Package wgt. No. per container	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container	
6. Manner In Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product Other ()	

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Cheryl Purcell	Title Regulatory Specialist	Telephone No. (Include Area Code) 602-664-1227
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Specialist	
4. Typed Name Cheryl Purcell	5. Date 6-19-03	

2-5

FARNAM
EQUITROL® FEED-THRU FLY CONTROL

NOTIFICATION
JUL 14 2003

Highly palatable feed additive to prevent the development of
Stable Flies and House Flies in the manure of treated horses

ACTIVE INGREDIENT

Tetrachlorvinphos: (CAS #961-11-5).....	2.468%*
OTHER INGREDIENTS.....	97.532%**
TOTAL.....	100.000%

*Contains 11.2 g RABON® per pound.
**Refers only to ingredients which are not larvicidal.

FEED INGREDIENTS: Wheat Middlings, Dehydrated Alfalfa Meal, Oat By-Product, Calcium Carbonate, Lignin Sulfonate, Sodium Chloride, Propionic and Acetic Acids (preservatives).

EPA REG. NO. 270-164

EPA EST. NO. 45277-MO-2

KEEP OUT OF REACH OF CHILDREN
CAUTION
See side panel for additional precautionary statements

NET WT: XX

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling.

Personal Protective Equipment

Applicators and Handlers must wear:

- Long-sleeved shirt and pants

- Shoes and socks
- Chemical resistant gloves

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations	
Users wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.	
Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.	
Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.	

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water when disposing of equipment wash water.

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call toll free: (800) 234-2269

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store tightly closed in cool, dry place inaccessible to children and pets.

DISPOSAL: **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL INSTRUCTIONS AND INFORMATION

Feed the recommended dosage to each horse separately to make certain he receives his full portion. This product should be fed top dressed on grain or mixed with the horse's total ration to provide 70 mg of Rabon® per 100 lbs. of body weight. For an occasional finicky eater who does not accept new feeds readily, mix EQUITROL with sweet feed or grain ration.

Start feeding EQUITROL early in the Spring before flies begin to appear and continue feeding throughout the Summer and into the Fall until cold weather restricts fly activity.

EQUITROL Feed-Thru Fly Control prevents the development of House Flies and Stable Flies in the manure of treated horses but is not effective against existing adult flies. In some cases, supplemental fly control measures may be needed in and around paddocks and buildings to control adult House Flies and Stable Flies which can breed not only in manure but in other decaying vegetable matter or silage on premises.

3-3

In order to achieve optimum fly control, EQUITROL should be used in conjunction with other good management and sanitation practices.

GENERAL PRECAUTIONS AND RESTRICTIONS

- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Only protected handlers may be in the area during application.
- Do not use on horses intended for slaughter.

DIRECTIONS FOR USE (Application Instructions)

DAILY DOSAGE

300-500 lb. Horse	Feed $\frac{2}{5}$ oz. (One EQUI-TROL measuring cup filled to the blue line) per horse per day.
500-700 lb. Horse	Feed $\frac{3}{5}$ oz. (One EQUI-TROL measuring cup filled to the red line) per horse per day.
700-900 lb. Horse	Feed $\frac{4}{5}$ oz. (One EQUI-TROL measuring cup filled to the green line) per horse per day.
900-1100 lb. Horse	Feed 1 oz. (One full EQUI-TROL measuring cup) per horse per day.

For larger horses over 1100 lbs. of body weight feed $\frac{1}{4}$ oz. for each 250 lbs. of body weight.

®RABON is a registered trademark of Boehringer Ingelheim.

FARNAM COMPANIES, INC.

Horse Products Division

P.O. Box 34820 • Phoenix, AZ 85067-4820

www.farnam.com

(602) 285-1660, M-F, 7am-3:45pm, MST

Product Code: 013920

©2001 Farnam Companies, Inc.

Printed in U.S.A.

XXX