20,16	3 (0.10	1 2 00 2				/	
EPA	United States Envir Agency Office of Pestic Washing		H7505C)	Registra Amendr Other		OPP Identifier Number	
	Application	on for Pes	نے :ticide:				
	Арриосия		tion I		•		
4 O ami/Dradical Number				et Manager	(2 D		
1. Company/Product Number 270-165			Marion Johnson		oposed Classification One Restricted		
Company/Product (Name) Famam Vita Plus with Equitrol			PM#				
5. Name and Address of Applicant	t (Include ZIP Code)		6. Expedited Review. In accordance with FIFRT Section 3©(3) (b)(I), my product is similar or identical in composition and labeling				
Farnam Companies, Inc. 301 West Osborn Avenue Phoenix, AZ 85014			to:	(is similal of identic	ан из сотпро	stion and tabeling	
Check if this is a new address EPA Reg. No. Product Name							
		Sec	tion II				
Amendment - Explain below Resubmission in response to Agency letter dated			Final printed labels in response to Agency letter dated NOTIFICATION "Me Too" Application.				
Notification - Explain below.				explain below.	0	CT 1 0 2002	
REVISED DISPOSAL SECTION This notification is consistent with the guidance of PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.							
		Sect	tion III				
1. Material This Product Will Be Pac							
Child-Resistant Packaging	Unit Packaging		Water Soluble P	ackaging 2.	¬ ``	Container	
Yes*	│		Yes	[_	Metal		
No.	∐ No		∐ No		Plastic		
					Glass		
*Certification must be	If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container	Paper		
submitted.	One i donago viga	Containe	r donogo mga	Container	Other (Specify)	
Location of Net Contents Inform	nation	4. Size(s) o	f Retail Container			abel Directions	
Label Containe	ər i				n Label n Labelina	accompanying product	
6. Manner In Which Label is Affixe		raph		Other ()	m Laboling	accompanying product	
Product	Paper	r glued					
	Stenci						
Section IV							
Contact Point (Complete items die Name	rectly below for identificati	ion of individual	<u>to be contacted, i</u> Title	f necessary, to proc€		lication.) Telephone No. (Include Area	
				W 4		Code)	
Cheryl Purcell Regulatory Specialist 602-664-1227 Certification 6 Date Application							
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. Received (Stamped)							
2. Signature Percif			Title Regulatory Speci	cialist	* * * * * * * * * * * * * * * * * * *		
Typed Name Cheryl Purcell			5. Date				
			9-27-0	9			



Farnam Companies, Inc. 301 W. Osborn Road Phoenix, AZ 85013 602/664-1227 Fax 602/207-2183

September 27, 2002

Marion J. Johnson, Jr. 7505*C* USEPA Headquarters Ariel Rio Building 1200 Pennsylvania Avenue, N.W. Washington, D.C. 20460

Re: EPA Reg. No. 270-165

Enclosed please find a Notification of updated/revised Disposal language.

If you have any questions, please contact me at 602-664-1227.

Sincerely,

Cheryl Purcell

Regulatory Specialist

Enclosure

FARNAM VITA PLUS® WITH EQUITROL®

NOTIFICATION
OCT 1 0 2002

FEED-THRU FLY CONTROL

Now contains Equitrol® Feed thru fly control to prevent the development of Stable Flies and Houseflies in the manure of treated horses

The Nutritional Feed Supplement for All Classes of Horses

Vitamins · Minerals · Amino Acids · Selenium · Coat Conditioner

With EQUITROL® Feed-Thru Fly Control

ACTIVE INGREDIENT

Tetrachlorvinphos: (CAS #961-11-5)		1.234%*
OTHER INGREDIENTS		<u>98.766%</u> **
	TOTAL	100.000%

^{*}Contains 5.597 g RABON® per pound.

FEED INGREDIENTS

Wheat Middlings, Dehydrated Alfalfa Meal, Wheat Germ Meal, Molasses, Corn, Dicalcium Phosphate, Salt, Dried Whey, Vitamin A Supplement, Vitamin D_3 Supplement, Vitamin E Supplement, Vitamin B_{12} Supplement, Riboflavin Supplement, Niacin, Calcium Pantothenate, Choline Chloride, Thiamine Mononitrate, Pyridoxide Hydrochloride (Vitamin B_6), Sodium Selenite, L Lysine Hydrochloride, dL-Methionine, Zinc Amino Acid Chelate, Manganese Amino Acid Chelate, Iron Amino Acid Chelate, Copper Amino Acid Chelate, Iodine Amino Acid Chelate, and Cobalt Amino Acid Chelate, Magnesium Sulfate, Potassium Chloride, propionic acid, and acetic acid (preservatives).

Keep out of Reach of Children CAUTION

See side panel for additional precautionary statements

NET WT: XX

EPA REG. NO. 270-165

EPA EST. NO. 45277-MC-2

^{**}Refers only to ingredients which are not larvicidal.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation.

Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

	FIRST AID
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	cal emergencies or health and safety inquiries, or in case of fire, g or damaged containers or for product use information, call toll free: (800) 234–2269
Have the product c	ontainer or label with you when calling a poison control center or doctor, or going for treatment.

Personal Protective Equipment

Applicators and Handlers must wear:

·Long-sleeved shirt and pants

·Shoes and socks

·Chemical resistant gloves

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water when disposing of equipment wash water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store tightly closed in cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL INSTRUCTIONS AND INFORMATION

Feed the recommended dosage to each horse separately to make certain he receives his full portion. This product should be fed top dressed on grain or mixed with the horse's total ration to provide 70 mg of Rabon® per 100 lbs. of body weight. For an occasional finicky eater who does not accept new feeds readily, mix VITA PLUS® WITH EQUITROL® with sweet feed or grain ration.

Begin feeding VITA PLUS® WITH EQUITROL® early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

VITA PLUS® WITH EQUITROL® Feed-Thru Fly Control prevents the development of House Flies and Stable Flies in the manure of treated horses but is not effective against existing adult flies. In some cases, supplemental fly control measures may be needed in and around paddocks and buildings to control adult House Flies and Stable Flies which can breed not only in manure but in other decaying vegetable matter or silage on premises.

In order to achieve optimum fly control, VITA PLUS® WITH EQUITROL® should be used in conjunction with other good management and sanitation practices.

GENERAL PRECAUTIONS AND RESTRICTIONS

DO NOT USE ON HORSES INTENDED FOR SLAUGHTER

CAUTION: Follow label directions. The addition to feed of higher levels of this premix containing Selenium is not permitted.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

Only protected handlers may be in the area during application.

GUARANTEED ANALYSIS

Each pound contains not less than:

Lysine	Per Ounce	Per Pound 0.05 %
Methionine		0.05 %
Calcium (min)	766 mg	2.75 %
Calcium (max)	836 mg	3.75 %
Phosphorous (min)	326 mg	1.15 %
Salt (min)	255 mg	0.9 %
Salt (max)	397 mg	1.4 %
Potassium (K)	241 mg	0.85 %
Magnesium (Mg)	12.5 mg	0.044 %
Copper (Cu)	4.0 mg	141 ppm
Selenium (Se)	120 mg	4 ppm
Zinc (Zn)	20.0 mg	705 ppm
Iodine (I)	1.0 mg	35 ppm
Iron (Fe)	100.0 mg	3,527 ppm
Cobalt (Co)	0.05 mg	18 ppm
Manganese (Mn)	10.0 mg	353 ppm
Vitamin A	25,000 IU	400,000 IU
Vitamin D ₃	2,500 IU	40,000 IU
Vitamin E	25 IU	400 IU
Vitamin B ₁₂	200 mg	3,200 mg/lb
Riboflavin (B ₂)	25 mg	400 mg/lb
d-Pantothenic Acid	62.5 mg	1,000 mg/lb
Thiamine (B_1)	12.5 mg	200 mg/lb
Niacin	125.0 mg	2,000 mg/lb
Vitamin B ₆	5.0 mg	80 mg/lb
Choline	106.0 mg	1,696 mg/lb 🕟 🕌
Polyunsaturated Fatty		2.75 %
Acids (as glycerides)		

DIRECTIONS FOR USE (Application Instructions)

DAILY DOSAGE

300-500 lb. Horse Feed 2/5 oz. (One EQUI-TROL measuring cup filled tathe

blue line) per horse per day.

500-700 lb. Horse Feed 3/5 oz. (One EQUI-TROL measuring cup filled to the

red line) per horse per day.

700-900 lb. Horse Feed 4/5 oz. (One EQUI-TROL measuring cup filled to the

green line) per horse per day.

900-1100 lb. Horse Feed 1 oz. (One full EQUI-TROL measuring cup) per horse

per day.

For larger horses over 1100 lbs. of body weight feed $\frac{1}{4}$ oz. for each 250 lbs. of body weight.

EPA REG. NO. 270-165

EPA EST. NO. 45277-MO-2

®RABON is a registered trademark of Boehringer Ingelheim.

FARNAM COMPANIES, INC.

Horse Products Division

P.O. Box 34820 • Phoenix, AZ 85067-4820

www.farnam.com

(602) 285-1660, M-F, 7am-3:45pm, MST

Product Code: 013920

©2001 Farnam Companies, Inc.

Printed in U.S.A.

XXX