

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-587) WASHINGTON, D.C. 20460		EPA REGISTRATION NO. 270-180	DATE OF ISSUANCE OCT 12 1982
NOTICE OF PESTICIDE: ☒ REGISTRATION ☐ RENEWAL (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)		TERM OF ISSUANCE Until Reregistration NAME OF PESTICIDE PRODUCT FARNAM Equibloc With Equitrol	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) FARNAM Companies Inc. 2230 E. Magnolia Phoenix, AZ 85036 72405			
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration in no way is to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA Sec. 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA Sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: a. Add the phrase "EPA Registration No. 270-180" b. Be sure to note the type size requirements for the front panel signal word, the "KEEP OUT OF REACH OF CHILDREN", and the heading "STORAGE AND DISPOSAL". c. Use the "STORAGE AND DISPOSAL" enclosure for proper text; the present text used is out of date. 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Sec. 6(e). Your release ☐ ATTACHMENT IS APPLICABLE			
SIGNATURE OF APPROVING OFFICIAL 		DATE 10/10/82	

EPA Form 8570-4 (Rev. 2-78)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

BEST DOCUMENT AVAILABLE

-2-

for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

BEST DOCUMENT AVAILABLE

FRONT LABEL

FARNAM
EQUIBLOC

NEW
EQUITROL™

WITH EQUITROL™

Feed-thru fly control

SALT & TRACE MINERAL BLOCK

in block form

FOR PASTURED HORSES

TO PREVENT THE DEVELOPMENT OF STABLE FLIES AND
HOUSE FLIES IN THE MANURE OF TREATED HORSES

ACTIVE INGREDIENT:

2-Chloro-1-(2,4,5-Trichlorophenyl)
vinyl dimethyl phosphate 0.308%†

INERT INGREDIENTS 99.692%*

* Refers only to ingredients which are not larvicidal.

† RABON (R) -- Registered T.M. of Shell Chemical Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional
precautionary statements

NET WEIGHT: 33 1/3 POUNDS

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 12 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended for the pesticide
regulation, EPA Reg. No.

270-180

BEST DOCUMENT AVAILABLE

BACK LABEL

**E Q U I B L O C
WITH EQUITROL™**

SALT & TRACE MINERAL BLOCK FOR PASTURED HORSES

For the first time the benefits of a feed-thru oral larvicide are available for pastured horses. Used as directed, Equibloc with Equitrol will prevent the development of stable flies and house flies in the manure of pastured horses.

The normal daily intake of Equibloc with Equitrol will prevent the development of fly larvae in the manure of treated horses. This product is not effective against existing adult flies.

In some cases supplemental fly control measures may be needed in and around paddocks and buildings in the vicinity of pastures to control stable flies and adult house flies which can breed not only in manure but in other decaying vegetable matter or silage on the premises. In order to achieve optimum fly control, Equibloc with Equitrol should be used in conjunction with other good management and sanitation practices.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To be fed daily at the rate of .07 grams of Equitrol™ in 0.9 ounce of block per 100 pounds of body weight. Example: 3 oz. (approximately 1/4 pound) of block for a 1000 pound horse daily.

BEST DOCUMENT AVAILABLE

BACK PANEL CONT'D

- * Provide at least one block per five horses so that timid and smaller horses can get their share.
- * Place the blocks where animals congregate -- loafing, grazing, feeding and watering areas.
- * Feed blocks continuously. Add one additional block when EACH block has been ONE-HALF consumed.
- * Do not feed salt or mineral supplements of any kind containing salt.
- * ^{Acclimation} ~~Acclimation~~ period of 20 to 40 days may be required, especially for young horses, before horses start consuming the required dosage of approximately $\frac{1}{2}$ lb. of block per 1000 lbs. body weight daily. For this reason, it is important to begin feeding Equibloc 40 to 60 days before fly season begins.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION.

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning equipment or disposal of wastes.

BACK PANEL CONT'D

GUARANTEED ANALYSIS

Crude Protein.	4.0% Min.
Crude Fat.	0.5% Min.
Crude Fiber.	12.5% Max.
Salt (NaCl).	19.5% Min 23.4% Max.
Total Sugars (as invert)	28.0% Min.
Vitamin A, USP Units/lb.	20,000 Min.
Vitamin D, USP Units/lb.	5,000 Min.
Manganese (Mn)	0.0239%
Zinc (Zn).	0.0196%
Iron (Fe).	0.0078%
Copper (Cu).	0.00078%
Iodine (I)	0.00047%
Cobalt (Co).	0.00025%

FEED INGREDIENTS

Cane Molasses, Soybean Mill Feed, Salt, Animal Fat, preserved with BHA (Butylated Hydroxyanisole), traces of Manganous Oxide, Iron Carbonate, Copper Oxide, Cobalt Carbonate, Calcium Iodate, Zinc Oxide.

STORAGE AND DISPOSAL) TIS. *Reine*

Do not contaminate water or food by storage or disposal. Open dumping is prohibited. Pesticide and container should be disposed of in an incinerator or landfill approved for pesticides and containers, or bury in a safe place.

E.P.A. Registration No. 270-

E.P.A. Est. No. 8540-IL-1

Manufactured for:

FARNAM COMPANIES, INC.

Omaha, Nebraska 68112 U.S.A.

BEST DOCUMENT AVAILABLE