

FARNAM
DIP QUIK
CONCENTRATE

**Controls Ticks, Fleas and Ear Mites
on Dogs and Cats**

**Protects Against Chiggers, Eye Gnats,
Biting Flies, and Mosquitoes**

ACTIVE INGREDIENTS:

Pyrethrins.....	1.18%
Piperonyl Butoxide, Technical*.....	11.84%

INERT INGREDIENTS:..... 86.98%

* Equivalent to 9.47% (butylcarbityl)(6-propylpiperonyl) ether and 2.37% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

NET CONTENTS: 16 Fl. Oz. (1 PINT)

Not Reviewed. This product is not intended for use with
livestock. For use only on dogs and cats.
Farnam Animal Health Company, Omaha, NE 68101

The insecticidal ingredients in FARNAM DIP-QUIK CONCENTRATE are highly and rapidly effective against insects. Dilute with water at recommended levels as a fast, effective dip for animals or in kennels as a space, surface or fogging spray.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dilutions of this concentrate should be made shortly before use in the quantity needed for the individual application. Water dilutions should not be kept for future use.

To Control Insects on Animals: Sponge Bath or Dip: Dilute this concentrate at a rate of 1 fluid ounce in 23 fluid ounces of water (2 tablespoons of concentrate in 2 3/4 cups of water) or 6 fluid ounces (12 tablespoons) in 1 gallon of water.

For rapid control of ticks, fleas, and lice on cats and dogs, sponge solution onto entire animal, thoroughly soaking the hair, or dip the animal. Do not rinse; allow solution to remain on animal. In cases of heavy tick infestations on long-haired cats or dogs, dilute 1 fluid ounce of concentrate in 1 1/4 cups water or 12 fluid ounces (24 tablespoons) of concentrate in one gallon of water.

Mist Spray: Dilute this concentrate at the rate of 7 fluid ounces in 1 gallon of water or 1 fluid ounce of concentrate in 18 fluid ounces of water.

For rapid control of ticks, fleas, and lice using a mist spray. To ensure thorough coverage, part the fur by stroking against the lay of the hair as spray is applied. Spray ticks directly. Apply to moisten the fur lightly.

To control spinose ear ticks and ear mites, syringe the ears with a few drops of this dilution so that it can penetrate the wax down to the surrounding tissues. Repeat treatment once or twice at 2 to 3 day intervals as necessary. For temporary protection from mosquitoes, eye gnats, biting flies, and chiggers, apply to cover the surface of the hair. Repeat treatment as necessary when insects are troublesome.

Ticks are only an occasional pest of cats. This product will control ticks on cats should they occur.

To Control Insects in Kennels and Animal Quarters: Dilute at the rate of 13 fluid ounces in 1 gallon of water or 2 fluid ounces in 18 fluid ounces of water.

Remove pets before treating area and ventilate thoroughly before allowing them to re-enter treated area.

For rapid cleanout of fleas and ticks in kennels, apply this dilution in a good machine adjusted to deliver coarse droplets. Apply to the point of runoff with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly.

To control flies, mosquitoes and gnats in kennels, apply this dilution in a good sprayer adjusted to deliver a fine mist. Use at the rate of approximately 1 ounce for 1000 cubic feet of space. Fill the enclosed area with

mist wherever practical. Keep doors and windows closed for 10 minutes or more after application. Do not remain in treated areas and ventilate after treatment is completed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately. Avoid contamination of feed and utensils by keeping them well covered while spraying the area. Remove pets, birds, and cover fish aquarium before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DISPOSAL

Do not reuse empty containers. Wrap container and put in trash collection.

E.P.A. REG. NO. 270-188

E.P.A. EST. NO. 6658-MO-1

Manufactured for:
FARNAM COMPANIES, INC.
Omaha, Nebraska 68112

(c) 1990 Farnam Companies, Inc. Printed in U.S.A.

9A0

FARNAM
DIP QUIK
CONCENTRATE

**Controls Ticks, Fleas and Ear Mites
on Dogs and Cats**

**Protects Against Chiggers, Eye Gnats,
Biting Flies, and Mosquitoes**

ACTIVE INGREDIENTS:

Pyrethrins.....	1.18%
Piperonyl Butoxide, Technical*.....	11.84%

INERT INGREDIENTS:..... 86.98%

* Equivalent to 9.47% (butylcarbityl)(6-propylpiperonyl) ether and 2.37% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

NET CONTENTS: 16 Fl. Oz. (1 PINT)

Not Reviewed. Product labeling to be in accordance with
Federal Insecticide, Fungicide, and Rodenticide Act, 24 USC 1452
and 7 USC 136. EPA Reg. 40 CFR 155.101. EPA Reg. 40 CFR 155.102.

The insecticidal ingredients in FARNAM DIP-QUIK CONCENTRATE are highly and rapidly effective against insects. Dilute with water at recommended levels as a fast, effective dip for animals or in kennels as a space, surface or fogging spray.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dilutions of this concentrate should be made shortly before use in the quantity needed for the individual application. Water dilutions should not be kept for future use.

To Control Insects on Animals: Sponge Bath or Dip: Dilute this concentrate at a rate of 1 fluid ounce in 23 fluid ounces of water (2 tablespoons of concentrate in 2 3/4 cups of water) or 6 fluid ounces (12 tablespoons) in 1 gallon of water.

For rapid control of ticks, fleas, and lice on cats and dogs, sponge solution onto entire animal, thoroughly soaking the hair, or dip the animal. Do not rinse; allow solution to remain on animal. In cases of heavy tick infestations on long-haired cats or dogs, dilute 1 fluid ounce of concentrate in 1 1/4 cups water or 12 fluid ounces (24 tablespoons) of concentrate in one gallon of water.

Mist Spray: Dilute this concentrate at the rate of 7 fluid ounces in 1 gallon of water or 1 fluid ounce of concentrate in 18 fluid ounces of water.

For rapid control of ticks, fleas, and lice using a mist spray. To ensure thorough coverage, part the fur by stroking against the lay of the hair as spray is applied. Spray ticks directly. Apply to moisten the fur lightly.

To control spinose ear ticks and ear mites, syringe the ears with a few drops of this dilution so that it can penetrate the wax down to the surrounding tissues. Repeat treatment once or twice at 2 to 3 day intervals as necessary. For temporary protection from mosquitoes, eye gnats, biting flies, and chiggers, apply to cover the surface of the hair. Repeat treatment as necessary when insects are troublesome.

Ticks are only an occasional pest of cats. This product will control ticks on cats should they occur.

To Control Insects in Kennels and Animal Quarters: Dilute at the rate of 13 fluid ounces in 1 gallon of water or 2 fluid ounces in 18 fluid ounces of water.

Remove pets before treating area and ventilate thoroughly before allowing them to re-enter treated area.

For rapid cleanout of fleas and ticks in kennels, apply this dilution in a good machine adjusted to deliver coarse droplets. Apply to the point of runoff with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly.

To control flies, mosquitoes and gnats in kennels, apply this dilution in a good sprayer adjusted to deliver a fine mist. Use at the rate of approximately 1 ounce for 1000 cubic feet of space. Fill the enclosed area with

mist wherever practical. Keep doors and windows closed for 10 minutes or more after application. Do not remain in treated areas and ventilate after treatment is completed.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS****CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately. Avoid contamination of feed and utensils by keeping them well covered while spraying the area. Remove pets, birds, and cover fish aquarium before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DISPOSAL

Do not reuse empty containers. Wrap container and put in trash collection.

E.P.A. REG. NO. 270-188

E.P.A. EST. NO. 6658-MO-1

Manufactured for:
FARNAM COMPANIES, INC.
Omaha, Nebraska 68112

(c) 1990 Farnam Companies, Inc. Printed in U.S.A.

9AC