

OPPOSITE LABEL - CENTER PANEL

BAIT

11/11/84

MADE IN U.S.A.

WITH BAIT

EFFECTIVE CONTROL OF WARFARIN RESISTANT NORWAY RATS
FOR USE IN AND AROUND INDUSTRIAL AND AGRICULTURAL BUILDINGS
NOT FOR DOMESTIC APPLICATION

Designed and engineered to lure rats and mice inside to feed on
bait formulation. Rodents may consume a lethal dose in one feeding
with first dead rodents appearing four to five days after treatment
begins.

ACTIVE INGREDIENT:

Brodifacoum-3-[3-(4'-bromo-[1,1'-biphenyl]-
4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-
4-hydroxy-2H-1-benzopyran-2-one.....9.995

INERT INGREDIENTS:.....99.995

TOTAL.....100.000

KEEP OUT OF REACH OF CHILDREN

CAUTION

May Be Harmful Or Fatal If Swallowed

Read Additional Precautionary Statements On Side Panel

NET CONTENTS: 10 gms. (1.76 oz.) Bait

*BRODIFACOU is a trademark of ICI Americas, Inc.,
Wilmington, Delaware 19897

0.001% BAIT - BAIT

PRELIMINARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS,
DOMESTIC ANIMALS AND PETS. WASH HANDS AFTER HANDLING BAIT.
IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE. IF BAIT IS
EATEN BY ANIMALS OR PETS, CALL A VETERINARIAN AT ONCE.

NOTE TO PHYSICIAN

This product may reduce the clotting ability of the blood and
cause hemorrhaging. If poisoning occurs, intra-muscular and oral
administration of K₁ are indicated, as in poisoning from overdose
of bishydroxycoumarin. For human cases, vitamin K₁ is antidotal
at doses of 10 to 20 mg. (not mg./kg.). Repeat as necessary
(based on monitoring of prothrombin times). In severe cases, blood
transfusions may be necessary.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and wildlife. This product
can pose a secondary hazard to birds of prey and mammals. Keep
out of any body of water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original container, in a dry place inaccessible
to children and pets.

DISPOSAL: Do not re-use empty container. Empty container and
discard in trash.

1-1-11-1

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: For control of Norway Rats, Roof Rats and Mice in and around industrial and agricultural buildings. Not for domestic application. Do not place in areas of high moisture or direct exposure to rainfall. Do not use in sewers. Farnam Rat Tube must be placed in locations not accessible to children, pets, domestic animals or wildlife. Do not place in areas where there is a possibility of contaminating food or surfaces that come in contact with food.

SELECTION OF TREATMENT AREA: Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible. In Mouse control operations, place tubes at 8 to 12 foot intervals. In Rat control operations, concentrate several tubes in areas of high rat activity and check tubes often early in the treatment phase. (Although the compound is very toxic, it will not suppress food intake for the first 2-4 days due to its delayed action. As bait placements for rats are normally 4-16 ounces, scattering of tubes could result in severe underbaiting). When application site has been determined, push perforated area on both ends of tube inward with thumb or hard object to open. Position tube and, if desired, secure it by twisting the tube ends to



100% Farnam Rat Tube

a 4" x 1/2" x 1/8" tube and nail it to each end of tube to
keep it in place. Keep in place for 10 days or until bait
is consumed. Replace if there are continuing signs of mouse or
rat activity.

Replace Farnam Rat Tube if bait becomes contaminated or spoiled.

Collect and dispose of all dead animals and unconsumed bait according
to 'Disposal' paragraph. To prevent reinfestation, eliminate food,
water and harborage as much as possible. If reinfestation does occur,
repeat treatment. Where a continuous source of infestation is present,
make use of Farnam Rat Tubes continually, setting out a new one when
bait is completely consumed from one in use.

E.P.A. REG. NO. 270-

E.P.A. EST. NO. 44976-NB-01

Manufactured for

FARNAM COMPANIES, INC.

Omaha, Nebraska 68112 U.S.A.

162 NOTICE OF PESTICIDE <i>Under the Federal Insecticide, Fungicide, and Rodenticide Act</i>	NAME AND ADDRESS OF REGISTRANT (Indicate the name of the person or company who is the registrant of the pesticide under this registration number.) 11/11/59
NOTE Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.	
☐ ATTACHMENT OF LABEL BEST DOCUMENT AVAILABLE SIGNATURE OF APPROVING OFFICIAL DATE	

2/1/84

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

W. H. Miller
William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures

DCR-05420:Miller:2/1/84:CBI-20:RD:IRB-217:557-2400:del.2/13/84:pac