FLY SPRAY CONCENTRATE

FOR HORSES

PROTECTS FOR 5 TO 7 DAYS!

CRASH! FLY SPRAY CONCENTRATE is a new formula insecticide/repellent which, when diluted with water, will provide your horse with effective, economical, 5 to 7 day protection from flies, such as House Flies, Face Flies, Horn Flies, Stable Flies, and Black Flies and from biting gnats such as Punkies and No-see-ums. Contains a sunscreening agent for added protection and beneficial conditioners for the skin and coat.

ACTIVE INGREDIENTS:

Cypermethrin, CAS # 52315-07-8	0.60%
Pyrenthrins	0.80%
Piperonyl Butoxide Technical*	6.40%
Di-n-propyl isocinchomeronate	2.00%
Butoxy Polypropylene Glycol	20.00%
OTHER INGREDIENTS: **	70.20%

- * Equivalent to 5.12% (butylcarbityl)(6-propylpiperonyl)ether and 1.28% of related compounds.
- ** Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS: 32 Fl Oz (1 Quart)

ACCEPTED

DEC - 4 2001

France the Federal Insecticide. Fungleine, and Rodenticitide Act, as amended, for the pesticide registered under EFA Reg. No. 200

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

For animal use only. Not for use on humans. Harmful if absorbed through skin or inhaled. Causes moderate eye damage. Contact with this product may cause transitory tingling sensation. Avoid contact with skin, eyes or clothing. Avoid breathing vapors. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

	FIRST AID
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
TF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
In case of medical	emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, Call 602-285-1660
Have the prod	duct container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Not for use on horses intended for human consumption.

To protect horses from House Flies, Face Flies, Horn Flies, Stable Flies, Black Flies, Horse Flies, Deer Flies, Lice and Ticks, and from biting gnats such as Punkies and No-see-ums: thoroughly brush the horse's coat prior to application to remove loose dirt and debris. For dirty horses, shampoo and rinse thoroughly. Wait until coat is completely dry before applying CRASH! FLY SPRAY CONCENTRATE. Dilute at the rate of one (1) part CRASH! FLY SPRAY CONCENTRATE to three (3) parts water. For one quart of finished spray, pour eight (8) ounces of CRASH! FLY SPRAY CONCENTRATE into a one (1) quart spray container and fill with clean water. Always mix fresh solution before each use. CRASH! FLY SPRAY CONCENTRATE may be applied either as a spray or as a wipe. For horse's face, always apply as a wipe using a piece of clean, absorbent cloth, toweling (Turkish) or sponge. Spray or wipe horse's entire body while brushing against the lay of the coat to ensure adequate coverage. Avoid getting spray into horse's eyes, nose or mouth. Wear protective gloves when applying as a wipe. Application should be liberal for best results. Reapply every 5 to 7 days under normal conditions for initial application. As protection builds, reapply every 10 to 14 days as needed. Also, reapply each time the animal is washed or exposed to rain.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

EPA REG. NO. 270-250

EPA Est. No. 67572-GA-1

Manufactured For:

FARNAM COMPANIES, INC. 301 W Osborn Road Phoenix, AZ 85013

©2001 Farnam Companies, Inc.

Printed in U.S.A.

DATE CODE