UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

February 16, 2012

Lorri Chavez Farnam Companies, Inc. 301 W. Osborn Road Phoenix, AZ 85013

Subject:

Amended Reregistration Label

Product Name: Farnam Crash Fly Spray Concentrate

EPA Registration Number: 270-250

EPA Decision Numbers: 437108, 412282, 411217, and 397735

Dear Ms. Chavez:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the pyrethrins, cypermethrin, BPG and piperonyl butoxide (PBO) REDs, and has concluded that your submission is acceptable.

NOTE: This product is <u>not</u> being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 2/16/12
- Alternate CSF, dated 2/16/12

A copy of your label stamped "Accepted" is enclosed along with copies of the acute

toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Jennifer Urbanski at 703-347-0156 or urbanski.jennifer@epa.gov.

Sincerely,

Richard J. Gebken Product Manager (10) Insecticide Branch

Registration Division (7504P)

Enclosures: Label stamped "Accepted," dated 2/16/12

Acute Toxicity Review, dated 8/4/10

Product Chemistry Reviews, dated 5/10/11 and 1/6/11

FARNAM CRASH! FLY SPRAY CONCENTRATE

FOR HORSES

PROTECTS FOR 5 TO 7 DAYS!

CRASH! FLY SPRAY CONCENTRATE is a formula insecticide/repellent which, when diluted with water, will provide your horse with effective, economical, 5 to 7 day protection from flies, such as House Flies, Face Flies, Horn Flies, Stable Flies, and Black Flies and from biting gnats such as Punkies and No-see-ums.

ACTI	VE	IN	IGR	ED	IEN	VTS:
------	----	----	-----	----	-----	------

Cypermethrin, CAS # 52315-07-8	0.60%
Pyrethrins	
Piperonyl Butoxide *	
Di-n-propyl isocinchomeronate	
Butoxy Polypropylene Glycol	
OTHER INGREDIENTS:**	
TOTAL	100.00%

^{*(}butyl carbityl)(6-propylpiperonyl) ether and related compounds.

EPA REG. NO. 270-250

EPA EST. NO.

NET CONTENTS: 32 Fl Oz (1 Quart)

KEEP OUT OF REACH OF CHILDREN CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured for: FARNAM COMPANIES, INC. Horse Products Division P. O. Box 34820 Phoenix, AZ 85067-4820

ACCEPTED

FEB 1 6 2012
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 270-250

^{**}Contains petroleum distillates

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

	FIRST AID
IF ON SKIN OF CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
	nergencies or health and safety inquiries, or in case of fire, leaking or or for product use information, call 800-234-2269.
	ontainer or label with you when calling a poison control center or
	NOTE TO PHYSICIAN
Contains petroleum d	istillates - vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow this product to drift to blooming crops or weeds while bees are actively visiting the treatment area. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. See Directions for Use for additional precautions and requirements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use on horses or foals intended for slaughter. Do not apply over cuts, wounds, or irritated skin. Do not apply near eyes and mouth. Apply sparingly around ears. Wash hands with soap and water promptly after use. Do not use in outdoor residential misting systems. Not for use on horses intended for slaughter. Not for use in farm structures or buildings housing food producing animals or poultry. Do not make application during rain. When used as a spray, removed feed and water prior to treatment. Do not use as a space spray. Except when applying to horses, do not allow adults, children, or pets to enter the treated area or contact treated surfaces until sprays have dried. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only spray in a well-ventilated area. Do not spray when food is present. Do not allow product to contact animal's eyes, nose, mouth, or sores during application. Do not use on foals under 12 weeks old. Do not apply to pets.

SHAKE WELL BEFORE USING.

To protect horses from House Flies, Face Flies, Horn Flies, Stable Flies, Black Flies, Horse Flies, Deer Flies, Lice and Ticks, and from biting gnats such as Punkies and No-see-ums: thoroughly brush the horse's coat prior to application to remove loose dirt and debris. For dirty horses, shampoo and rinse thoroughly. Wait until coat is completely dry before applying CRASH! FLY SPRAY CONCENTRATE. Dilute at the rate of one (1) part CRASH! FLY SPRAY CONCENTRATE to three (3) parts water. For one quart of finished spray, pour eight (8) ounces of CRASH! FLY SPRAY CONCENTRATE into a one (1) quart spray container and fill with clean water. Always mix fresh solution before each use. CRASH! FLY SPRAY CONCENTRATE may be applied either as a spray or as a wipe. For horse's face, always apply as a wipe using a piece of clean, absorbent cloth, toweling (Turkish) or sponge. Spray or wipe horse's entire body while brushing against the lay of the coat to ensure adequate coverage. The amount of spray to apply will vary according to animal size and coat, but do not apply more than 3.1 oz per animal per day. Wear protective gloves when applying as a wipe. Do not apply more than 1 time per day. Reapply every 5 to 7 days under normal conditions after initial application. As protection builds, reapply every 10 to 14 days as needed. Also, reapply each time the animal is washed or exposed to rain.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets. Always store pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Keep pesticide storage areas clean. Clean up any spills promptly. Store pesticides away from food, pet food, seed, fertilizers, and veterinary supplies.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable. Do not reuse or refill this container. If Empty: Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.