193

ACCEPTED

3限 24 35

Aerts de François Inches Science Contains Stinscreen

Repels & Kills 'Deer Ticks that may transmit Lyme Disease

**FARNAM** 

**CRASH** 

WATER BASE FORMULA

# **FLY SPRAY**

### For Use On Horses & Ponies

Farnam Crash Fly Spray insecticide/repellent/sunscreen formula provides repellency, quick knock-down and long lasting protection from flies, gnats and mosquitoes. The special suncreening agent in Crash Fly Spray protects against both forms of the suns harmful ultra-violet rays.

## **ACTIVE INGREDIENTS:**

Keep Out of Reach of Children

CAUTION

See Back Panel For Additional Precautionary Statements

shirley\flyspray

233

## **NET CONTENTS: 28 FLUID OUNCES**

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

HUMANS: For animal use only, Not for use on humans. Harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Avoid contamination of foods. Wash hands with soap and water after use.

HORSES: Avoid contact with eyes or mucous membranes. Harmful if swallowed. Avoid breathing spray mist. Avoid contamination of food.

# STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. IF INHALES: Remove victims to fresh air. Apply artificial respiration and/or seek medical attention if indicated. IF ON SKIN: Remove contaminated clothing and wash thoroughly with soap and water. IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention if irritant persists.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water when disposing of equipment washwater.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on horses intended for human consumption. Wash hands with soap and water after each use. Shake well before using.

To protect horses from Horse Flies, House Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, Gnats, Mosquitoes, Lice, Ticks and Deer Ticks that may transmit Lyme disease: thoroughly brush the horse's coat prior to application to remove loose dirt and debris. For dirty horses, shampoo and rinse thoroughly. Wait until coat is completely dry before applying FARNAM CRASH FLY SPRAY.

SCOT AWAII ADI C

shirley\flyspray

BEST AVAILABLE COPT

FARNAM CRASH FLY SPRAY may be applied either as a spray or as a wipe. For horse's face, always apply as a wipe using a piece of clean, absorbent cloth, toweling (Turkish) or sponge. Wear rubber glove or mitt when applying as a wipe. Spray or wipe horse's entire body while brushing against the lay of the coat to insure adequate coverage. Avoid getting spray into horse's eyes, nose or mouth.

Application should be liberal for best results. Reapply every 5 to 7 days under normal conditions for initial applications. As protection builds, reapply every 10 to 14 days as needed. Also, reapply each time animal is washed or exposed to heavy rain.

# STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Securely wrap empty original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty can. Wrap can and put in trash.

EPA REG. NO. 270-251

EPA EST. NO. 11715-TN-1

Manufactured For:


FARNAM COMPANIES, INC.

P.O. BOX 12068

Omaha, Nebraska 68112

@1990 Farnam Companies, Inc.

Printed in U.S.A.



shirley\flyspray

