FARNAM CRASH FLY SPRAY

- ❖ Gentle, sweat and water resistant fly repellent formula
- For Use On Horses & Ponies
- ❖ Repels & Kills Deer Ticks that may transmit Lyme Disease
- Contains Sunscreen
- ❖ Water-Base Formula
- For Horses and Ponies
- Water Base with Sun Screen
- ❖ Protects against Biting & Nuisance Flies, Gnats, Mosquitoes, Deer Ticks and Lice
- Up to 14 Days Fly Control
- Special conditioner binds to the hair shaft
- ❖ Won't sweat off

Ready-to-use, Farnam Crash Fly Spray insecticide/repellent/sunscreen formula provides repellency, quick knock-down and long lasting protection from flies, gnats and mosquitoes. Unique formulation stays active and keeps working even in wet conditions and when the horse sweats. The special sunscreening agent in Crash Fly Spray protects against both forms of the suns harmful ultra-violet rays.

ACTIVE INGREDIENTS:


Cypermethrin, CAS # 52315-07-8	0.15%
Pyrethrins, CAS # 8003-34-7	
Piperonyl Butoxide Technical*, CAS # 51-03-6	
Butoxy Polypropylene Glycol, CAS# 9003-13-8	
OTHER INGREDIENTS	
	Total 100.00%


^{*}Equivalent to 1.28% (butylcarbityl)(6-propylpiperonyl)ether and 0.32% of related compounds.

Keep Out of Reach of Children CAUTION

See Back Panel For Additional Precautionary Statements

NET CONTENTS: xx FLUID OUNCES





PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HUMANS: For animal use only. Not for use on humans. Harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Avoid contamination of food. Wash hands with soap and water after use.

HORSES: Avoid contact with eyes or mucous membranes. Harmful if swallowed. Avoid breathing spray mist. Avoid contamination of food.

FIRST AID	
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	 Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Take off contaminated clothing.
	cal emergencies or health and safety inquiries, or in case of damaged containers or for product use information, call:
Have the product co doctor, or going for t	ontainer or label with you when calling a poison control center or treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on horses intended for human consumption. Shake well before using. To protect horses from Horse Flies, House Flies, Stable Flies, Face Flies, Horn Flies, Deer Flies, Gnats, Mosquitoes, Lice, Ticks, and Deer Ticks that may transmit Lyme disease: Thoroughly brush the horse's coat prior to application to remove loose dirt and debris. For dirty horses, shampoo and rinse thoroughly. Wait until coat is completely dry before applying CRASH FLY SPRAY. CRASH FLY SPRAY's unique water resistant formula contains a special conditioner that binds to the hair shaft so it keeps working even in moist conditions or when the horse sweats.

CRASH FLY SPRAY may be applied either as a spray or as a wipe. For horse's face, always apply as a wipe using a piece of clean, absorbent cloth, toweling (Turkish) or sponge. Wear rubber glove or mitt when applying as a wipe. Spray or wipe horse's entire body while brushing against the lay of the coat to insure adequate coverage. Avoid getting spray into horse's eyes, nose or mouth.

Application should be liberal for best results. Reapply every 5 to 7 days under normal conditions for initial applications. As protection builds, reapply every 10 to 14 days as needed. Also, reapply each time animal is washed or exposed to heavy rain.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Securely wrap empty original container in several layers of

newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in

trash.

Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herein.

EPA REG. NO. 270-251

EPA EST. NO. 11715-TN-1

Manufactured For: FARNAM COMPANIES, INC. P. O. BOX 34820 Phoenix, AZ 85067-4820

© 2000 Farnam Companies, Inc.

Printed in U.S.A.