

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS 767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

May 5, 1989

TERM OF ISSUANCE

1 yr. reregistration

NOTICE OF PESTICIDE: REGISTRATION
 REREГИSTRATION

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended.

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (include ZIP code)

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Lawrence H. Edwards, Jr.

DATE

5/3/89

3. A 1-year storage stability study for this product must be submitted within 15 months from the date of this Registration Notice.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

FARNAM DIE FLY
FLY BAIT

- * Advanced Bait Formula Contains TRICOLURE^R Sex Attractant and Feeding Adjuvants
- * Attracts and Kills House Flies Plus Many Other Fly Species
- * Attracts Both Sexes of Flies To The Bait
- * Kills Quickly

ACTIVE INGREDIENTS:

Methomyl [S-Methyl N-[(methylcarbamoyl)oxy]thioacetimidate]	1.000%
Z-9 Tricosene	0.025%
INERT INGREDIENTS:.....	98.975%

**ACCEPTED
with COMMENTS
to EPA Label Draft**


Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the product registered under EPA Reg. No. 270-255

Keep Out Of Reach Of Children

CAUTION

See back panel for additional cautions

Net Wt. 1 lb (454 g)



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Do not contaminate water, feed or foodstuffs by use, storage or disposal. Do not apply where poultry, animals, pets or children can contact bait. Do not use in homes or where milk is processed or stored. Do not feed treated garbage. Do not use in areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician immediately.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. Wash contaminated clothing before reuse.

IF IN EYES: Flush with plenty of water, call a physician immediately.

NOTE TO PHYSICIAN: Methomyl is a cholinesterase inhibitor. Atropine is antidotal. Administer intravenously or intramuscularly if IV injection is not possible.

ENVIRONMENTAL HAZARDS

Exposed surfaces treated with this bait are hazardous to birds and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FARNAM DIE FLY is an advanced formula bait containing TRICOLURE sex attractant and feeding adjuvants which attract both sexes of the housefly and many other pest fly species directly to the bait. Bait should be applied to specified areas of high fly population daily or as needed to reduce fly populations. Scatter bait from container or other device at the rate of approximately 4 ounces per 500 square feet of fly feeding area. Do not allow food producing animals to have access to treated areas. Use FARNAM DIE FLY only around the outside of feedlots, dairies, stables,

broiler houses, hog houses, livestock barns, kennels, meat and poultry processing plants, canneries, supermarkets, refuse containers and dumps. Bait may be used on walkways in caged layer houses.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous.

Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

EPA REG. NO.: 270-

EPA EST. NO.: 44616-MO-01

(c) 1988 Farnam Companies, Inc.

Printed in U.S.A.

8CCS

Page 4 of 4