


front panel

Farnam DIE FLYtm
Fly Bait

label art/logo



- Advanced Bait Formula Contains TRICOLURE Sex Attractant and Feeding Adjuvants
- Attracts and Kills House Flies Plus Many Other Fly Species ~~Species~~ Listed on this Label
- Attracts Both Sexes of Flies to the Bait
- Kills Quickly

ACTIVE INGREDIENTS: Methomyl [S-Methyl N-[(methylcarbamoyl)oxy]	
thioacetimidate].....	1.000%
Z-9 tricosene.....	0.025%
INERT INGREDIENTS:.....	98.975%

KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for additional cautions.

NET WT. LB. (g)

back panel(s)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Do not contaminate water, feed or foodstuffs by use, storage or disposal. Do not apply where poultry, animals, pets or children can contact bait. Do not use in homes or where milk is processed or stored. Do not feed treated garbage. Do not use in serving areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed.

STATEMENT OF PRACTICAL TREATMENT

If ingested: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician immediately. If on skin: Remove contaminated clothing and wash affected areas with soap and water. Wash contaminated clothing before reuse. If in eyes: Flush with plenty of water, call a physician immediately.

Note to Physician: Methomyl is a cholinesterase inhibitor. Atropine is antidotal. Administer intravenously or intramuscularly if IV injection is not possible.

Environmental Hazards

Exposed surfaces treated with this bait are hazardous to birds and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIE FLY is an advanced formula bait containing Tricolure sex attractant and feeding adjuvants which attract both sexes of the housefly and many other pest fly species including little house flies, flesh flies, blow flies, and egnats directly to the bait.

For Use as a Scatter Bait: Bait should be applied to specified areas of high fly population daily or as needed to reduce fly populations.

Scatter bait from container or other device at the rate of approximately 4 ounces per 500 square feet of fly feeding area. Do not allow food producing animals to have access to treated areas.

For Use in the Apache TP Bait Station: Fill bait chamber to bottom of hopper by pouring two ounces of bait into hopper. Use at the rate of approximately two bait stations per 500 square feet of fly feeding area. Hang bait stations out of reach of food producing animals, or set on ground or other surface only in areas inaccessible to food producing animals, pets and children.

Use DIE FLY Bait only around the outside of feedlots, dairies, stables, broiler houses, hog houses, livestock barns, kennels, meat and poultry processing plants, canneries, supermarkets, refuse containers, and dumps. Bait may be used on walkways in caged layer houses.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage: Store in a cool dry place inaccessible to children and pets.
Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. ✓
Container Disposal: Do not reuse container. Rinse thoroughly before discarding in trash.

EPA REG. NO. 270-255

EPA EST. NO.: 44616-MO-03

PATENT PENDING

Manufactured for:
Farnam Companies, Inc.
Omaha, Nebraska 68112

Farnam APACHE TP Bait Station

When filled with Apache Fly Bait:

ACTIVE INGREDIENTS: Methomyl [S-Methyl N-[(methylcarbamoyl)oxy] thioacetimidate].....1.000% ✓
Z-9 tricosene.....0.025%
INERT INGREDIENTS:.....98.975%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Apache Fly Bait label for additional cautions.

Note to Physician: Methomyl is a cholinesterase inhibitor. Atropine is antidotal. Administer intravenously or intramuscularly if IV injection is not possible.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. The Apache TP Bait Station may be refilled with Apache Fly Bait only. Fill bait chamber to bottom of hopper by pouring two ounces of Apache Fly Bait into hopper. Use at the rate of approximately two bait stations per 500 square feet of fly feeding area. Hang bait stations out of reach of food producing animals, or set on ground or other surface only in areas inaccessible to food producing animals, pets or children. ✓

STORAGE & DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Bait Station disposal: Rinse thoroughly before discarding in trash. ✓

EPA REG. NO. 270-255

EPA EST. NO.:

PATENT PENDING

Manufactured for:
Farnam Companies, Inc.
Omaha, Nebraska 68112