

Douglas H. Ross, Ph.D.
 Farnam Companies, Inc.
 301 West Osborn Road
 Phoenix, AZ 85013-3928

**SUBJECT: EPA Reg. No. 270-255
 Farnam Die Fly
 Changed Use Pattern
 Your November 6, 1995 Application**

FEB 09 1996

Dear Dr. Ross:

The Agency has reviewed your November 6, 1995 application for an amendment (OPP Identifier No. 186147) to the registration for the above product. Your submission contains a proposed label in response to the mitigation measures identified by the Agency and reviewed during the September 26, 1995 meeting with the Special Review Branch.

The amendments referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable with the following provisions:

- (1) You must submit a letter canceling all other formulas for the product. The Confidential Statement of Formula for "FARNAM DIE FLY", dated December 26, 1991 and forwarded in your November 6 application, will then become the sole, valid formula.
- (2) Insert the correct the spelling of the word "adjuvants", and not "adjutants" in the area before "DIRECTIONS FOR USE."
- (3) The use directions must be changed to clarify that only bait stations may be used around stables. Scatter bait must NOT be used around stables. Also add that "Bait stations must be inaccessible to children and food producing animals."
- (4) Pursuant to the Office of Pesticide Programs Policy regarding existing stocks, the Agency establishes the following provisions for existing stocks of methomyl fly baits of yellow, or any other unacceptable color:
 - Sale of yellow (or any other unacceptable color) fly baits by registrants will be allowed until September 31, 1996.
 - Sale of yellow (or any other unacceptable color) fly bait by anyone other than the registrants will be allowed only until December 31, 1997.

CONCURRENCES

SYMBOL	7505C							
SURNAME	TF Chin							
DATE	2-9-96							

27

A stamped copy of the label, approved with comments, is enclosed for your records. You must submit the requested information prior to shipment of the revised product. If you have any questions, please contact Teung F. Chin of my Team, at (703) 305-5412.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager 19
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

270-255.BHF

Farnam DIE FLY™

Fly Bait

- ATTRACTS AND KILLS MORE FEMALE FLIES
- Advanced Bait Formula contains Tricolure™ Sex Attractant and Feeding Adjuvants
- Attracts and Kills House Flies, Plus Many Other Fly Species Listed on this Label
- Attracts Both Sexes of Flies to the Bait
- Kills Quickly

ACTIVE INGREDIENTS:

Methomyl [S-Methyl N-[(methylcarbamoyl) oxy] thioacetimidate] 1.000%
 Z-9 Tricosene 0.025%

INERT INGREDIENTS 98.975%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional cautions

NET WT. _____

ACCEPTED
 with COMMENTS
 in EPA Letter Dated

FEB 09 1996

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.

270-255



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Do not contaminate water, feed or foodstuffs by use, storage or disposal. Do not apply where poultry, animals, pets or children can contact bait. Do not use in homes or where milk is processed or stored. Do not feed treated garbage. Do not use in serving areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT

If ingested: Drink 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician immediately. **If on skin:** Remove contaminated clothing and wash affected areas with soap and water. Wash contaminated clothing before reuse. **If in eyes:** Flush with plenty of water, call a physician immediately.

Note to Physician: Methomyl is a cholinesterase inhibitor. Atropine is antidotal. Administer intravenously or intramuscularly if IV injection is not possible.

ENVIRONMENTAL HAZARDS

Exposed surfaces treated with this bait are hazardous to birds and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters.

DIE FLY is an advanced formula bait containing Tricolure sex attractant and feeding adjuncts which attract both sexes of the house fly and many other pest fly species including little house flies, flesh flies, blow flies, bazaar flies (*Musca sorbens*) and eye gnats directly to the bait.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: This product may not be used (as either a scatter bait or in a bait station) around or inside homes or any other places where children are likely to be present. Residential use of this product is prohibited.

For use as a Scatter Bait: Use of DIE FLY Bait as a scatter bait is limited to certain commercial agricultural production areas where children and pets are not likely to be present. Use only around the outside of feed lots, dairies, stables, broiler houses, hog houses, livestock barns, meat and poultry processing establishments, beverage plants, canneries and food processing establishments. Bait may be used on walkways in caged layer houses.

Bait should be applied to specified areas of high fly population daily or as needed to reduce fly populations. Scatter bait from container or other device at the rate of approximately 4 ounces per 500 square feet of fly feeding surface. Do not allow food producing animals to have access to treated areas.

For Use in the Apache TP Bait Station: For other commercial (non-residential) use sites not specified above, DIE FLY Bait must be used in a bait station. Fill bait chamber to bottom of hopper by pouring 2 ounces of bait into hopper. Use at the rate of approximately 2 bait stations per 500 square feet of fly feeding area. Hang bait stations out of reach of food producing animals at a height of at least 4 feet above the ground.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool dry place inaccessible to children and pets.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse container. Rinse thoroughly before discarding in trash.

EPA Reg. No. 270-255

EPA Est. No. 34704 - NB - 001

U. S. Patent 5,008,107.

Manufactured for
FARNAM COMPANIES, INC.
Omaha, Nebraska 68112