



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7504P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. #
270-255

Date of Issuance:

SEP 30 2011

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Terms of Issuance:
Unconditional

Name of Pesticide Product:
Farnam Die Fly

Farnam Companies, Inc.
301 West Osborn Road
Phoenix, Arizona 85013-3928

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

EPA grants this reregistration under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). With this accepted labeling, all requirements set forth in the Reregistration Eligibility Decision for **Methomyl and Tricosene** have been satisfied. Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of FIFRA, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product. The Basic CSF dated 08/06/03 has superseded all other basic CSF's on file.

Submit one copy of final printed labeling. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records. **Products shipped after 12 months from the date of this Notice or the next printing of your label, whichever occurs first, must bear the new revised label.** If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions regarding this label, please contact Jessica Rogala at (703) 347-0263 or via email at rogala.jessica@epa.gov.

John Hebert
Product Manager 07
Insecticide-Rodenticide Branch
Registration Division

SEP 30 2011

FARNAM DIE FLY™
FLY BAIT

- Bait Formula contains Tricolure™ Sex Attractant and Feeding Adjuvants
- Attracts and Kills House Flies, Plus Many Other Fly Species listed on this Label
- Kills Quickly

Non-refillable

ACTIVE INGREDIENTS:

Methomyl [S-Methyl N-[(methylcarbamoyl)oxy] thioacetimidate]..... 1.000%

Z-9 Tricosene 0.025%

INERT INGREDIENTS:..... 98.975%

TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION


See back panel for additional cautions

NET WT. _____

EPA REG. NO. 270-255

EPA EST. NO. 39578-TX-1

Farnam Companies, Inc.
P.O. Box 34820
Phoenix, AZ 85067-4820



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Do not contaminate water, feed or foodstuffs by use, storage or disposal.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators or other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as rubber or waterproof gloves)
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice,
IF IN EYES	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after first 5 minutes; then continue rinsing eyes. • Call a poison control center or doctor for treatment or advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • DO NOT give anything by mouth to an unconscious person.

Note to Physician: Methomyl is a cholinesterase inhibitor. Atrophine is antidotal. Administer intravenously or intramuscularly if IV injection is not possible.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish, aquatic invertebrates and mammals. Collect, cover, or incorporate granules spilled on the soil surface. **DO NOT** apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Runoff may be hazardous to aquatic organisms adjacent to treated areas. **DO NOT** contaminate water when disposing of equipment washwater or rinsate. Some of the chemicals in this product are known to leach through soil into groundwater under certain conditions of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIE FLY is formula bait containing TRICOLURE sex attractant and feeding adjuvants which attract the house fly and many other pest fly species including little house flies, flesh flies, blow flies, bazaar flies (*Musca sorbens*), and eye gnats directly to the bait.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. Use this product only for the sites, pests, and application methods described on this label.

Use Restrictions:

- **DO NOT** apply Farnam DIE FLY™ inside homes. Apply Farnam DIE FLY™ only in locations where children and pets cannot access or come into contact with bait granules.
- **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift.
- **DO NOT** apply in any area where livestock can ingest or contact the bait.
- Except for bait station use, **DO NOT** use in edible product areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed or in serving areas.

Insecticide Resistance Management

Farnam DIE FLY™ can be an important tool in the overall management of housefly populations. Incorporate an Integrated Pest Management program which includes: sanitation, proper manure management, elimination of breeding areas, physical barriers, liquid spray treatments, fly traps (mechanical, light, glue), and periodic rotation of baits with different modes of action.

Specific Use Directions:

Scatter Bait

Application Sites. Farnam DIE FLY™ can be used as a scatter bait around the outside of food and beverage processing plants, meat and poultry processing plants, warehouses, and inside the covered refuse dumpsters associated with these establishments.

Farnam DIE FLY™ can be used around the outside of livestock handling and feeding facilities including broiler and layer houses, swine production facilities, livestock barns, horse stables, milking parlors, dairy barns, feed lots, feed storage buildings, feed silos, and other animal handling and feeding facilities.

Farnam DIE FLY™ can be used as scatter bait indoors in livestock handling and feeding facilities, but only in areas where livestock cannot come in contact with or ingest bait granules; such as walkways or manure pits in caged layer houses, dairy barns, and swine facilities.

Bait Stations/Trays

Application Sites.

Farnam DIE FLY™ can be used in bait stations in and around areas infested with houseflies including food and beverage processing plants, meat and poultry processing plants, and warehouses.

Farnam DIE FLY™ can be used in bait stations in and around livestock handling and feeding facilities including broiler and layer houses, swine production facilities, livestock barns, horse stables, milking parlors, dairy barns, feed lots, feed storage buildings, feed silos, and other animal handling and feeding facilities.

Application Timing, Methods, and Rates.

Apply Farnam DIE FLY™ at the beginning of the season to prevent large infestations and to keep populations at manageable levels.

Use Farnam DIE FLY™ in any commercial fly bait station placed at least 4 feet above the ground. Spread 1 to 2 oz of bait evenly onto the station or tray surface in a thin uniform layer. **DO NOT** pile or heap bait in station or tray.

To insure adequate coverage, hang or place 2 stations per 500 sq ft of floor space in areas where flies are observed to be resting or feeding. **Reapply** as bait is consumed.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store in cool, dry, secure place and keep container tightly closed. Store container away from children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Handling:

Nonrefillable Container. **DO NOT** reuse or refill this container. After completely emptying container into application equipment, offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Bait Station Disposal:

The bait station is reusable. When the container becomes cracked or broken, and offer for recycling or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.