


Front Panel

EQUI-DUST

(Insecticide)

Contains Pyrethrins and Rotenone

For Control of Lice on Horses



Active Ingredients:

Rotenone .....	1.000%
Other Cube Resins .....	1.750%
Pyrethrins .....	0.025%
Piperonyl Butoxide Technical* .....	0.250%
Inert Ingredients: .....	96.975%
	<u>100.000%</u>

\* Equivalent to 0.20% (butylcarbityl) (6-propylpiperonyl) ether and 0.05% related compounds.

Keep Out Of The Reach Of Children  
CAUTION  
See Side/Back Panel for Additional  
Precautionary Statements

NET CONTENTS: 7 fl. oz. (207 ml)


EPA Reg. No.: 270-275

EPA Est. No.: 6175-LA-1

Horse Health Products  
A Division of Farnam Companies, Inc.  
P.O. Box 12068  
Omaha, NE 68112

(lot number statements as needed)

Mfg. & Printed in U.S.A. (label revision number) (product number)



Side/Back Panel



EQUI-DUST

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. Wash thoroughly with soap and water after handling. Harmful if inhaled. Avoid breathing dust. Remove contaminated clothing and wash contaminated clothing before reuse. Causes moderate eye irritation. Avoid contact with eyes.


**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF IN EYES:** Flush Eyes with plenty of water. Call a physician if irritation persists.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.



Side/Back Panel



EQUI-DUST

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**HORSES:** To control biting lice and sucking lice on horses, remove cap and dust directly to all parts of animal body. Brush well into hair. Pay particular attention to the neck, mane, tail, flanks and places where hair is long. Repeat application after two weeks if necessary. Apply to animals quarters and bedding to aid in prevention of reinfestation.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a cool dry place.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal (Plastic):** Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

HORSE HEALTH PRODUCTS MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THE LABEL.

