cat Spot-On Label (full) Version of 5/04/98	10-308	7 9 0	78 1/4	?
	full label - FR			
	FARNAM F724 P			
FOR USE ON CATS AND KITTENS				
 BREAKS FLEA LIFE CYCLE! KILLS FLEA EGGS FOR THRE KILLS HATCHING FLEA EGGS PREVENTS FLEA EGGS FROM ADULTS FOR THREE MONTH PREVENTS FLEAS ON TREATE YOUR HOME FOR THREE MO AIDS IN THE CONTROL OF F WATER BASED FORMULA WITH EASY TO APPLY SPOT-ON FO PREVENTS NEW FLEAS FROM ACTIVE INGREDIENTS Pyriproxyfen: 2-[1-methy1-2 INERT INGREDIENTS 	E MONTHS! 5 FOR THREE MONTHS! DEVELOPING INTO BIT IS! 2D CATS FROM INFESTIN ONTHS! 2LEA POPULATIONS! 1 NO SOLVENT ODOR! 0RMULATION! GROWING UP TO BITE!	ING, BREEDING NG (REINFESTING)		
K	EEP OUT OF THE REACH CAUTION	OF CHILDREN		
	SEE BACK PANEL FOR PRECAUTIONARY STA	1	NK 9 1998	
Net Contents: 1.5 mL EPA Reg. No.: 270-308	······	11	Inder the Federal Insecticide, Fundicide, and Rodenticide Act, as amonded, for the pesticide registered under EPA Reg. No. 270-308	
	Manufactured Farnam Companies Phoenix AZ, 8	, Inc.		
IN CASE OF AN EMERGENCY CALL	5: 602-285-1660 7:0	0am - 4:45Pm mst))) } /)) } /)	
	eded) (label revision	number) (prod	duct number)	2 3 2 3 2 3 2 3 2 3 2 3 2 3 2 3
	1		≢يونو د د د د د د د د	, ,
F724DL4A.DOC	·	. *		

.

17213 V

FARNAM F724 PRODUCT

READ ENTIRE LABEL BEFORE USING. USE ONLY ON CATS AND KITTENS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Hazards to Humans:

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Hazards to Domestic Animals: For external use only. Do not use on cats under 12 weeks of age. Consult a veterinarian before using this product on debilitated, aged pregnant, or nursing animals.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bath your pet with mild scap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals.

FIRST AID

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. IF PERSON IS UNCONSCIOUS, DO NOT GIVE ANYTHING BY MOUTH AND DO NOT INDUCE VOMITING.

If In Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not get this product in your pet's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 3 weeks. Do not use this product in or on electrical equipment due to the possibility of shock hazard. Do not use this with kittens under 12 weeks of age.

FARNAM F724 PRODUCT

HOW TO APPLY:

FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKING: Remove product tab by tearing along perforation. Holding tab with tube end pointed up and away from face and body, cut along dotted line. While gently holding cat, use the narrow end of the tab to part cat's hair, and apply product as a narrow stripe down cat's back from back of head to base of tail. Squeeze tube firmly to apply all of the solution directly to cat's skin. Continue to gently restrain cat for a few seconds until product absorbs into cats coat. Wrap tab and put in trash.

FOR SARAN TUBES IN BLISTER CARD: Remove product tube from package. Holding tube with notched end pointing up and away from face and body, cut off narrow end at notches. Invert tube over cat and use open end to part cat's hair. Squeeze tube firmly to apply all of the solution to the cat's skin. Wrap tube and put in trash."

** FOR MULTI-DOSE PACKAGING: Withdraw 1.5 ml of solution at a time. While gently holding cat, apply entire given dose directly to the cat's skin as a narrow stripe down the cat's back from the back of the head to the base of the tail. Continue to gently restrain cat for a few seconds until product absorbs into cats coat.

** FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to 1.5 ml line. While gently holding cat, position dropper tube end in cat's hair next to skin and squeeze bulb to apply entire given dose directly to the cat's skin. Apply as a narrow stripe down cat's back for the back of head to the base of the tail. Continue to gently restrain cat for a few seconds until product absorbs into cat's coat.

** FOR SALE TO VETERINARIANS ONLY

FARNAM F724 PRODUCT is an effective and easy to use product. FARNAM F724 PRODUCT prevents eggs from fleas on treated cats from developing into biting adults for three month. As with all flea and tick control products, FARNAM F724 PRODUCT should be used as part of a program aimed at reducing flea populations in the cat's environment (bedding, carpets, yard). For existing flea infestations, a premise treatment including an adulticide and larvacide should be used prior to treating your cat with FARNAM F724 PRODUCT. Consult your veterinarian or entomologist or retailer for program recommendations.

STORAGE AND DISPOSAL

Storage: Store in cool, dry place. Protect from freezing.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse empty container. Wrap container and put in trash.

NOTICE OF WARRANTY

FARNAM COMPANIES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

. .

3 2 3 Š i

· •

)

}

TUBE LABEL (folging card and flat card packaging designs)

FARNAM F724 PRODUCT

• •

۰.

PYRIPROXYFEN 5.3% W/W

.

KEEP OUT OF THE REACH OF CHILDREN READ DIRECTIONS AND PRECAUTIONS BEFORE USING

EPA Reg. No. 270-XXX

د د د د **,** ,

 $\overline{\Im}\varphi$

TAB LABEL (folding card and tabbed card packaging designs)

FARNAM F724 PRODUCT

Active Ingredients: Pyriproxyfen: 2-[1-methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine..... 5.3%

> KEEP OUT OF THE REACH OF CHILDREN SEE MAIN LABEL FOR ADDITIONAL PRECAUTIONS AND INSTRUCTIONS FOR USE

> > EPA Reg. No.: 270-XXX

