

270-308

11/27/2002

1/7

FARNAM F724

FOR USE ON CATS & KITTENS, DOGS & PUPPIES, OVER 12 WEEKS OF AGE
FOR USE ON FERRETS & FERRET KITS OVER 16 WEEKS OF AGE

- BREAKS FLEA LIFE CYCLE!
- KILLS FLEA EGGS FOR THREE MONTHS!
- KILLS HATCHING FLEA EGGS FOR THREE MONTHS!
- PREVENTS FLEA EGGS FROM DEVELOPING INTO BITING, BREEDING ADULTS FOR THREE MONTHS!
- PREVENTS FLEAS ON TREATED CATS (DOGS, FERRETS, PETS) FROM INFESTING (REINFESTING) YOUR HOME FOR THREE MONTHS!
- AIDS IN THE CONTROL OF FLEA POPULATIONS!
- WATER BASED FORMULA WITH NO SOLVENT ODOR!
- EASY TO APPLY SPOT-ON FORMULATION!
- PREVENTS NEW FLEAS FROM GROWING UP TO BITE!
- EASY TO APPLY, WATER-BASED FORMULA

ACTIVE INGREDIENTS

Pyriproxyfen: 2-[1-methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine (Nylar®).....	5.3%
Other Ingredients.....	94.7%
Total	100.0%


Nylar® is a registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents: _____
 EPA Reg. No.: 270-308
 Manufactured For:
 Farnam Companies, Inc.
 P.O. Box 34820
 Phoenix, AZ 85013



EPA Est. No. _____

(lot number statements as needed)

Mfg. & Printed in U.S.A.

(label revision number)

(product number)

READ ENTIRE LABEL BEFORE USING
USE ONLY ON CATS & KITTENS, DOGS & PUPPIES, FERRETS & FERRET KITS

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Hazards to Humans: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Hazards to Domestic Animals: For external use only. Do not use on kittens or puppies under 12 weeks of age or on ferrets or ferret kits under 16 weeks of age. Consult a veterinarian before using this product on debilitated, aged, pregnant, or nursing animals.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated animals.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers, or for product use information, call 602-285-1660. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read entire label completely before using. Do not get this product in your pet's eyes or mouth. Repeat applications may be made if necessary, but do not apply more often than once every 3 weeks. Do not use this product in or on electrical equipment due to the possibility of shock hazard. Do not use on kittens or puppies under 12 weeks of age or on ferret kits under 16 weeks of age.

HOW TO APPLY:

Dosage: For cats, kittens, dogs, puppies, ferrets, and ferret kits weighing less than 33 lbs. apply one tube (dose)(1.5 ml). For dogs and puppies weighing more than 33 lbs. apply two tubes (doses)(total 3 ml).

FOR FOLDING CARD OR TABBED CARD UNIT-DOSE PACKING: Remove product tab by tearing along perforation. Holding tab with tube end pointing up and away from face and body, cut along dotted line. While gently holding cat (dog, ferret, pet), use the narrow end of the tab to part cat's (dog's, ferret's, pet's) hair, and apply product as a narrow stripe down cat's (dog's, ferret's, pet's) back from back of head to base of tail. Squeeze tube firmly to apply all of the solution directly to cat's (dog's, ferret's, pet's) skin. Continue to gently restrain cat (dog, ferret, pet) for a few seconds until product absorbs into cat's (dog's, ferret's, pet's) coat. Wrap tab and put in trash.

FOR SARAN TUBES IN BLISTER CARD: Remove product tube from package. Holding tube with notched end pointing up and away from face and body, cut off narrow end at notches. Invert tube over pet and use open end to part cat's (dog's, ferret's, pet's) hair. Squeeze tube firmly to apply all of the solution to the cat's (dog's, ferret's, pet's) skin. Wrap tube and put in trash.

BLISTER CARD WITH TRI-LAYER TUBES: Remove product tube(s) from package. Fold along perforation between tubes and tear off one tube. [Return unused tubes to package.] Holding tube with notched end pointing up and away from face and body, snap off narrow end at notches. Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin. Wrap tube and put in trash.

*FOR MULTI-DOSE PACKAGING: Withdraw 1.5 ml of solution at a time. While gently holding cat (dog, ferret, pet), apply entire given dose directly to the cat's (dog's, ferret's, pet's) skin as a narrow stripe down the cat's (dog's, ferret's, pet's) back from the back of the head to the base of the tail. Continue to gently restrain cat (dog, ferret, pet) for a few seconds until product absorbs into cat's (dog's, ferret's, pet's) coat.

*FOR DROPPER BOTTLE MULTI-DOSE PACKAGING: Insert dropper tube into insecticide solution, squeeze bulb and then release to fill tube barrel to 1.5 ml line. While gently holding cat (dog, ferret, pet), position dropper tube end in cat's (dog's, ferret's, pet's) hair next to skin and squeeze bulb to apply entire given dose directly to the cat's (dog's, ferret's, pet's) skin. Apply as a narrow stripe down cat's (dog's, ferret's, pet's) back from the back of the head to the base of the tail. Continue to gently restrain cat (dog, ferret, pet) for a few seconds until product absorbs into cat's (dog's, ferret's, pet's) coat.

*FOR SALE TO VETERINARIANS ONLY

FARNAM F724 is an effective and easy to use product. FARNAM F724 prevents eggs from fleas on treated cats (dogs, ferrets, pets) from developing into biting adults for three months. As with all flea control products, FARNAM F724 should be used as a part of a program aimed at reducing flea populations in the cat's (dog's, ferret's, pet's) environment (bedding, carpet, yard). For existing flea infestations, a premise treatment including an adulticide and larvicide should be used prior to treating your pet with FARNAM F724. Consult your veterinarian or entomologist or retailer for program recommendations.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Protect from freezing.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

5/7

NOTICE OF WARRANTY

FARNAM COMPANIES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR OTHERWISE, EXPRESSED OR IMPLIED CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORDANCE WITH THE STATEMENTS MADE ON THIS LABEL.

270-308
August 2002
Page 5 of 7

6/7


TUBE LABEL (Folding card and flat card packaging designs)

FARNAM F724

PYRIPROXYFEN 5.3% W/W

**KEEP OUT OF REACH OF CHILDREN
READ DIRECTIONS AND
PRECAUTIONS BEFORE USING**

EPA Reg. No. 270-308



TAB LABEL (Folding card and tabbed card packaging designs)

FARNAM F724

Active Ingredients: Pyriproxyfen:
2-[1-methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine.....5.3%

**KEEP OUT OF REACH OF CHILDREN
SEE MAIN LABEL FOR ADDITIONAL
PRECAUTIONS AND INSTRUCTIONS FOR USE**

EPA Reg. No.: 270-308