

270-309

5/28/2002

1/3

0.25% Permethrin Dust

For use on Beef & Dairy Cattle, Swine and Horses

Also for Use on Dogs & Cats to control Fleas, Ticks and Lice for up to 10 days

Mild Fresh Citrus Scent

Non-Staining Formulation

ACTIVE INGREDIENT:

*Permethrin..... 0.25%

OTHER INGREDIENTS:..... 99.75%

Total..... 100.00%

*(3-phenoxyphenyl) methyl (±) cis, trans-3-(2,2-dichloro-ethenyl)-2,2-dimethylcyclopropanecarboxylate; Cis/trans ratio: min 35% (±) cis max 65% (±) trans

KEEP OUT OF REACH OF CHILDREN
CAUTION
See Back Panel for Precautionary Statements

EPA Reg. No. 270-309

EPA Est. No. _____

Net Contents ____ oz.

This container is sold by weight, NOT by volume. You can be assured of the proper weight even though some settling of contents normally occurs during transportation and handling.

FARNAM COMPANIES, INC.
Horse Products Division
P.O. Box 34820
Phoenix, AZ 85067-4820

ACCEPTED
MAY 28 2002
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 270-309

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON HORSES, BEEF AND DAIRY CATTLE, SWINE, DOGS AND CATS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEEF AND DAIRY CATTLE AND HORSES

For use in dust bags, shaker can and mechanical dust applicator

Horn Flies, Lice, Face Flies: Place contents of this package in any commercially available dust bag. Suspend bag in areas frequented by cattle or in gateways or lanes through which the animals must pass daily for water, feed, or minerals. Bags may also be placed in loafing sheds or in front of mineral feeders.

For dairy cows, bags may be suspended in the exit through which the cows leave the milking barn. The bags should hang 4 to 6 inches below the back line of the cattle.

For reduction of Face Flies, bags must be located so animals will be forced to use them daily and hung at a height so that the face is dusted.

Direct Application: Apply 2 oz. of dust per animal by shaker can or dust glove over the head, neck, shoulders, back, legs and tailhead. Repeat as necessary.

SWINE

Direct Application for Lice: Apply only 1 ounce per head as a uniform coat to the head, shoulder and back by use of a shaker can or suitable mechanical dust applicator. Repeat as necessary but not more often than once every 10 days. In severe infestation, both animals and the bedding may be treated. Do not ship animals for slaughter within 5 days of treatment.

PETS

To control Fleas, Ticks and Lice on Dogs and Cats: Apply powder liberally over the entire body. Work dust into hair and around the feet, pads and between the toes by rubbing against the lay of the hair until dust penetrates to skin. Contact ticks with powder. Take care not to get the powder in pet's eyes, nose or mouth. Dust bedding, kennel, sleeping areas, carpeting and furniture used by infested animals regularly, applying at a rate of 3 to 6 ounces per 100 square feet. Repeat as needed, but not more often than once weekly. **DO NOT USE ON DOGS OR CATS LESS THAN 12 WEEKS OF AGE.**

Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing or medicated animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

<p>PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with eyes and skin. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs.</p>	
<p>PHYSICAL AND CHEMICAL HAZARDS Do not store near heat or open flame.</p>	
<p>ENVIRONMENTAL HAZARDS This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.</p>	

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.