270-309

08 12 2013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

8-12-13

James McFadden Agent for Farnam 301 W. Osborn Road Phoenix, AZ 85013

Subject:

Amended Reregistration Label

Product Name: Horse Lice Duster EPA Registration Number: 270-309

Dear Mr. McFadden:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the permethrin RED(s), and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

Basic CSF and Alternate CSF dated 3-8-13

A copy of your label stamped "Accepted" is enclosed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

Page 2 EPA Reg. 270-309

If you have any questions about this letter, please contact either Erik Kraft at (703-308-9358) or via email at Kraft.Erik@epa.gov or Richard J. Gebken at (703) 305-6701 or via e-mail at Gebken.Richard@epa.gov.

Sincerely yours,

Richard J. Gebken

Product Manager (10)

Insecticide Branch

Registration Division (7504P)

Under the Federal Insecticide, Fungicide, and Rodenticide Act,

as amended, for the pesticide

registered under EPA Reg. No.

HORSE LICE DUSTER

For use on Beef & Diary Cattle, Swine and Horses

Also for Use on Dogs to control Fleas, Ticks and Lice for up to 10 days

Mild Fresh Citrus Scent

Non-Staining Formulation

	INGREDIENT:	•	
*Permethrin		0,25%	
OTHER :	INGREDIENTS	<u>99.75%</u>	
TC	OTAL	100.00%	
•	• • • •	cis, trans-3-(2,2-dichloro-ethenyl)-2,2- rans ratio: min 35% (±) cis max 65% (±)	
		ACH OF CHILDREN	
	I CAU	TION	

See Back Panel for Precautionary Statements

 EPA Reg. No. 270-309
 EPA Est. No. ______

 Net Contents ____oz.
 Batch/Lot No. ______

This container is sold by weight, NOT by volume. You can be assured of the proper weight even though some settling of contents normally occurs during transportation and handling.

FARNAM COMPANIES, INC. Horse Products Division P.O. Box 34820 Phoenix, AZ 85067-4820

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON HORSES, BEEF AND DAIRY CATTLE, SWINE, DOGS AND CATS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

Except when applying to dogs and livestock, do not allow adults, children, or pets to enter until dusts have settled. Except when applying to pets and livestock, do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during the application. Do not breathe dusts. Use of handheld power duster equipment is prohibited

Personal Protective Equipment:

Loaders, applicators, and other handlers must wear: Long-sleeve shirt and long pants, shoes plus socks, chemical-resistant gloves, and NIOSH-approved respirator with: a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any N, R, P, or HE filter.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Deleted: "

(in Text Box)

User Safety Recommendations,

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

270-309 Page 2 of 6 Rev 04-10

BEEF AND DAIRY CATTLE AND HORSES

For use in dust bags, shaker can and mechanical dust applicator *

*(may not be handheld)

Horn Flies, Lice, Face Flies: Place contents of this package in any commercially available dust bag. Suspend bag in areas frequented by cattle or in gateways or lanes through which the animals must pass daily for water, feed, or minerals. Bags may also be placed in loafing sheds or in front of mineral feeders.

For dairy cows, bags may be suspended in the exit through which the cows leave the milking barn. The bags should hang 4 to 6 inches below the back line of the cattle.

For reduction of Face Flies, bags must be located so animals will be forced to use them daily and hung at a height so that the face is dusted.

Direct Application: Apply 2 oz. of dust per animal by shaker can or dust glove over the head, neck, shoulders, back, legs and tailhead. Repeat as necessary.

SWINE

Direct Application for Lice: Apply only 1 ounce per head as a uniform coat to the head, shoulder and back by use of a shaker can or suitable mechanical dust applicator. Repeat as necessary but not more often than once every 10 days. In severe infestation, both animals and the bedding may be treated. Do not ship animals for slaughter within 5 days of treatment.

DOGS

To control Fleas, Ticks and Lice on Dogs: Apply powder liberally over the entire body. Work dust into hair and around the feet, pads and between the toes by rubbing against the lay of the hair until dust penetrates to skin. Contact ticks with powder. Take care not to get the powder in Dog's eyes, nose or mouth. Dust bedding, kennel, sleeping areas, carpeting and furniture used by infested animals regularly, applying at a rate of 3 to 6 ounces per 100 square feet. Repeat as needed, but not more often than once weekly. DO NOT USE ON DOGS LESS THAN 12 WEEKS OF AGE

Do not use on Cats. May be toxic or potentially fatal if applied to or ingested by cats. Accidental application to cats and / or grooming a recently treated dog may

270-309 Page 3 of 6 result in tremors and / or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.".

Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing or medicated animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

PHYSICAL AND CHEMICAL HAZARDS Do not store near heat or open flame.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

FIRST AID		
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. 	
	 Have person sip a glass of water if able to swallow. 	
	 Do not induce vomiting unless told to do so by the poison control center or doctor. 	
	 Do not give anything by mouth to an unconscious person. 	
IF INHALED:	Move person to fresh air.	
	 If person is not breathing, call 911 or an ambulance, then 	
	270 200	

Page 4 of 6

give artificial respiration, preferably mouth-to-mouth if possible.

• Call a poison control center or doctor for further treatment advice.

IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 800-234-2269.

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

STORAGE AND DISPOSAL

Do not contaminate feed of foodstuffs by storage or disposal.

STORAGE: Store in a cool, dry area away from children.

DISPOSAL: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.