


**CROSSFIRE® Multi Purpose
Insecticide Pressurized Spray**

- Quick Knockdown & Kill
- A Combination of Insecticides Offering Quick Knockdown and Kill of Flying and Crawling Insect Pests
- Controls Crawling Insects on Contact
- Use Indoor and Outdoor
- Controls Fleas
- Kills on Contact
- Indoor/Outdoor

KILLS
 Ants
 Bees
 Centipedes
 Cockroaches
 Crickets
 Earwigs
 Flies
 Gnats
 Hornets
 Mosquitoes
 Pillbugs
 Silverfish
 Spiders
 Wasps
 Waterbugs
 Yellow Jackets
 And 9 More



ACTIVE INGREDIENTS:

Cypermethrin	0.50%
Esbiothrin.....	0.10%
Piperonyl Butoxide, Technical F	0.40%
OTHER INGREDIENTS:	<u>99.45%</u>
Total	100.00%

F Equivalent to 0.32% (butylcarbityl)(6-propylpiperonyl) ether and 0.08% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION See Back Panel For Additional Precautionary Statements

EPA Reg. No. 270-316

EPA Est. No. 11715-TN-01

NET CONTENTS:
 Farnam Companies, Inc.
 301 West Osborn Road
 Phoenix, AZ 85013

FIRST AID	
IF INHALED:	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, Call 602-285-1660	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION

Harmful if inhaled or absorbed through skin. Avoid breathing spray mist and contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

Do not use in food/feed areas of food handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where food may be prepared or held. In the home, cover all food handling surfaces and cover or remove all

food and cooking utensils, or wash thoroughly after treatment. Exposed food/feed should be covered or removed.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Drift from treated area may be hazardous to organisms in adjacent aquatic sites.

Physical and Chemical Hazards

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperature above 130°F (54.5°C) may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Can be used in non-food/non-feed areas of food handling establishments such as garbage rooms, lavatories, floor drains (to sewers), entries, vestibules and hallways, offices, locker rooms, machine rooms, basements, boiler rooms, garages, utility rooms, mop closets and storage rooms (after canning or bottling).

Shake well before use. Point valve away from face. Remove protective cap. Aim spray opening away from person. Push button firmly and spray.

In preschools and nurseries, do not apply when classrooms are occupied nor when children are present.

NOT FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.

For use in non-food/non-feed areas indoors and outside premises of hotels, motels, homes, preschools, nurseries, day camps, greenhouses (non-commercial), seed houses, food handling establishments, packaging and processing plants, commercial, industrial, office, institutional and storage buildings, dairies, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries and hospitals. IN HOSPITALS, patients should be removed prior to treatment. Also for use in dog kennels and horse stables. IN HORSE STABLES, not for application as a space spray while horses are present, if horses will be used for food/feed. Also for use in campers, mobile homes, buses, automobiles, trucks and boxcars.

Do not use in food/feed areas of food handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse.

Exposed food/feed should be covered or removed.

INDOOR USE

Wasps, Hornets, Yellow Jackets, Bees: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible. Repeat as necessary.

Ants: To kill ants, spray directly on these pests for fast action. Spray trails, nests and points of entry such as cracks and crevices where ants may hide. Repeat treatment as necessary.

TO KILL CRAWLING INSECTS: Cockroaches, Waterbugs, Palmetto Bugs, Crickets, Silverfish, Earwigs, Sowbugs, Centipedes, Millipedes, Pillbugs and Firebrats: Spray thoroughly in areas where insects are found, such as cracks, crevices, moist areas, openings around pipes and sinks, baseboards, corners, behind and under refrigerators, cabinets, sinks, furnaces, stoves, underside of shelves, drawers and similar areas. Spray directly on insects when possible. Repeat as necessary.

Fleas: Thoroughly spray animals' bedding and other resting places until the surface is slightly moist contacting as many insects as possible. Do not allow pets to use these areas until spray has dried. Treat floor areas, cracks and crevices in the floor and along baseboards at the rate of 2 seconds per linear foot (30 cm) at a distance of 12 to 18 inches (30-45 cm). Also spray the entire inside surface of dog houses.

TO KILL FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths: Directly contact as many insects as possible. Direct spray mist to all parts of the room, especially around windows. Do not remain in treated area. Ventilate the room after treatment is complete. Repeat as necessary.

Carpenter Ants: Apply spray to the point of runoff around doors, door frames, windows, and other areas where these ants enter the premises or hide.

OUTDOOR USE

Do not apply this product to edible crops. For use around residential, commercial and institutional buildings, patios, mobile homes, campers, boats and swimming pools for controlling household and other pests.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control Cockroaches, Crickets, Ants, Millipedes, Earwigs, Spiders and Sowbugs on the outside surface of buildings. To help prevent infestation of buildings, treat the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Also apply to outside surfaces of building, including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate. Apply spray thoroughly but do not let runoff occur. Repeat as necessary to maintain effectiveness.

House Flies, Mosquitoes, Cluster Flies, Gnats, Flying Moths: For outdoor use only as an aid in reducing annoyance from these insects. Contact as many insects as possible. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter. Treat surfaces around light fixtures on porches, in garages and other places where these insects congregate. Repeat as necessary.

Wasps, Hornets, Yellow Jackets, Bees: Application should be made late in the evening when insects are at rest. Aim spray at nest openings in ground, bushes, and in cracks and crevices which may harbor nests, saturating nests and contacting as many insects as possible. Repeat as necessary.

Ants and Carpenter Ants: Same as directed for indoor use.

Fleas: Apply as a spray to areas where fleas are most likely to be found, such as, but not limited to, dog houses, kennels, runways, cracks and crevices in sidewalks, paths or patios, under plants, shrubs, bushes, trees, or other shaded moist area where pests may rest.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Do not store near heat or open flame. Do not store this water based formulation at temperatures below 32°F (0°C).

Do Not Puncture or Incinerate!

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

