	270-325	12/21/200	
	WIRONMENTAL PROTECTION AGENCY	EPA Reg.	Date of Issuance:
	ice of Pesticide Programs stration Division (H7505C)	Number:	DEC 2 1 2001
	401 "M" St., S.W. Washington, D.C. 20460	270-325	2 1 200
	-	Term of Issuance):
	PESTICIDE:	Condition	9]
<u></u>	Registration		
·	Reregistration	Name of Pesticio	le Product:
(under FIFRA, as amended)		Farnam X-	5368-99
Name and Address of Registrant (ind			
Farnam Companies, Inc	2.		
301 West Osborn Phoenix, AZ 85013			
Note: Changes in labeling differing be submitted to and accepted by the correspondence on this product alw	e Registration Division prior to ays refer to the above EPA regist	use of the label in com tration number.	merce. In any
On the basis of information furnish registered/reregistered under the l			Ьу
Registration is in no way to be con In order to protect health and the cancel the registration of a pestic with the registration of a product exclusive use of the name or to it:	environment, the Administrator, cide in accordance with the Act. under this Act is not to be cons	on his motion, may at a The acceptance of any strued as giving the reg	ny time suspend or name in connection
FIFRA sec. 3(c)(7)(A)			
 Submit and/c reregistration of you Agency requires all r data; and submit acce of your product under 	registrants of simil eptable responses re	RA sec. 3(c)(5 ar products to) when the submit suc
2. Make the lat the product for shipm	oeling changes liste ment:	d below before	you releas
a. Add the	phase "EPA Registra	tion No. 270-3	25".
	he Pesticide Dispos	al section in	accordance
b. Revise t with PR Notice 2001-6			
with PR Notice 2001-6	5. protect horses fro eded." to " Repeat		change
with PR Notice 2001-6 c. Under To "or as often as nee	5. protect horses fro eded." to " Repeat		change
with PR Notice 2001-6 c. Under To "or as often as nee not more than one tre	5. protect horses fro eded." to " Repeat	as often as n	change
with PR Notice 2001-6 c. Under To "or as often as nee not more than one tre Signature of Approving Official:	5. protect horses fro eded." to " Repeat	as often as n	change
with PR Notice 2001-6 c. Under To "or as often as nee not more than one tre	5. protect horses fro eded." to " Repeat	as often as n	change
with PR Notice 2001-6 c. Under To "or as often as nee not more than one tre Signature of Approving Official:	5. protect horses fro eded." to " Repeat	as often as n	change
with PR Notice 2001-6 c. Under To "or as often as nee not more than one tre Signature of Approving Official:	5. protect horses fro eded." to " Repeat	as often as n	change
with PR Notice 2001-6 c. Under To "or as often as nee not more than one tre Signature of Approving Official:	5. protect horses fro eded." to " Repeat	as often as n	change
with PR Notice 2001-6 c. Under To "or as often as nee not more than one tre Signature of Approving Official:	5. protect horses fro eded." to " Repeat	as often as n	change
with PR Notice 2001-6 c. Under To "or as often as nee not more than one tre Signature of Approving Official:	5. protect horses fro eded." to " Repeat	as often as n	change
with PR Notice 2001-6 c. Under To "or as often as nee not more than one tre Signature of Approving Official:	5. protect horses fro eded." to " Repeat	as often as n	change
with PR Notice 2001-6 c. Under To "or as often as nee not more than one tre Signature of Approving Official:	5. protect horses fro eded." to " Repeat	as often as n	change

page 2 EPA Reg. No. 270-325

d. Under directions give the amount of concentrate in ounces to make one gallon of spray for the 1-7 and 1-4 dilutions.

e. Under Precautionary Statements change "Avoid treatment of foals under xxx etc", to "Do not treat foals under 12 weeks of age unless prescribed by a veterinarian.".

f. Change the heading to "Physical/Chemical Hazards". Also delete combustible since the flash point for the product does not require warning.

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

FARNAM X-5368-99

EMULSIFIABLE FLY SPRAY

FARNAM X-5368-99 is a concentrate which when diluted with water according to label directions will provide economical protection from biting and bloodsucking Flies, Gnats and Mosquitoes. Repels Horn Flies, House Flies and Stable Flies, also Horse and Deer Flies (Tabanids). Keeps them off the animal! Also kills on contact.

ACTIVE INGREDIENTS:

Prallethrin *	0.27%
Piperonyl Butoxide **	1.00%
INERT INGREDIENTS***	<u>98.73%</u>
TOTAL	100.00%

* (RS)-2-Methyl-4-oxo-3-(2-propynyl)cyclopent-2-enyl (1R)-cis, trans chrysanthemate
 ** Equivalent to 0.80% (Butylcarbityl)(6-propylpiperonyl) ether and 0.20% of related compounds

***Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured for:

Farnam Horse Products A Division of Farnam Companies, Inc. P. O. Box 34820 Phoenix, AZ 85067-4820

EPA Reg. #270-GEL

EPA Est. #XXXX-XX-XX

NET CONTENTS:

ACCEPTED with CONDENTS in EPA Letter Dated

DEC 2 1 2001

Under the Foderal Insecticite, Fungioide, and Bodentickite Act as amended, for the positicite regimered under EIA Rep. No. 370-325

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON HORSES, PONIES AND FOALS NOT FOR USE ON HORSES INTENDED FOR SLAUGHTER

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Mix FARNAM X-5368-99 Emulsifiable Fly Spray with water at proper dilution. First put the required amount of FARNAM X-5368-99 into sprayer or mixing container. Then add water according to directions, and mix thoroughly before using.

IMPORTANT: Mix fresh solution before each use. Apply with pressure sprayer, or you can sponge it on horses. Make sure animal's coat is thoroughly wet. Use approximately 8 oz. for each animal depending on size of horse or pony. Avoid getting solution into the animal's eyes.

To protect horses from Horn Flies, House Flies, Gnats and Mosquitoes apply at a 1 to 7 dilution. Each pint of concentrate makes a gallon of finished spray. Repeat application every 3 or 4 days or as often as needed. Where Horse Flies, Deer Flies (Tabanids), Stable Flies, Ticks, or Deer Ticks, that may transmit Lyme Disease, are a problem, apply 1 to 4 dilution and repeat as often as needed.

	FIRST AID
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice Have a person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center of doctor Do not give anything by mouth to an unconscious person
In case	e of emergency or for product information, call (602) 285-1660
Have the product co going for treatment.	ontainer or label with you when calling a poison control center or doctor, or
• • •	NOTE TO PHYSICIAN
This product may	pose an aspiration pneumonia hazard. Contains petroleum distillate.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION

HUMANS: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. ANIMALS: Avoid contact with eyes, or mucous membranes. Avoid treatment of foals under 12 weeks of age unless prescribed by a veterinarian.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place, inaccessible to children and pets. Do not store near heat or open flame.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash.