



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

December 22, 2023

Nancy Huebl
Sr. Registration Specialist
Farnam Companies, Inc.
1501 E. Woodfield Rd. 200W
Schaumburg, IL 60173

Subject: Notification per PRN 98-10 – Addition of optional marketing graphics
Product Name: Bromadiolone Bait Pellets
EPA Registration Number: 270-372
Application Date: January 21st, 2022
Case Number: 475424

Dear Ms. Huebl:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “NOTIFICATION” and placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, please contact Scott Campbell at Campbell.scott@epa.gov

Sincerely,

A handwritten signature in black ink, appearing to read "Gene Benbow". The signature is fluid and cursive, with the first name "Gene" and last name "Benbow" clearly distinguishable.

for Gene Benbow, Acting Product Manager 07
Invertebrate and Vertebrate Branch 3
Registration Division (7505T)
Office of Pesticides Programs

SUBLABEL A: AGRICULTURAL USE LABEL

(Greater than or equal to 8 lbs.)

Bromadiolone Bait Pellets – Outer Label

[Front Label]

NOTIFICATION

270-372

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

12/22/2023

BROMADIOLONE BAIT PELLETS

[ABN: Just One Bite II* Place Packs (Pellets)]

*[Norway rats and house mice] may consume a lethal dose in a single night's feeding with first dead rats and mice appearing four or five days after feeding begins.

This product may only be used inside and within 100 feet of agricultural buildings and manmade agricultural structures

For indoor and outdoor rat, house mouse, and meadow vole** control.

Kills Norway rats, roof rats, house mice, meadow voles** and warfarin resistant Norway rats.

Kills [Rats] [Warfarin-resistant Norway Rats][&] [House Mice][Meadow Voles**]

Rat, House Mouse, and Meadow Vole** Control Place Packs

Pellet Place Pack

With grains and seeds

Formulated with grains and seeds

Palatable [formulation][formula]

Rat, House Mouse, and Meadow Vole** Killer

(Farnam®) Rat, House Mouse, and Meadow Vole** Control

(Do not open Place Packs). Just position Place Packs in desired location. (Rats, house mice, and meadow voles** will open Place Pack themselves.)

Rats, house mice, and meadow voles** will eat (right) through the (place pack) wrapper

[Ready-to-use][Easy to use] Place Pack(s)

Place packs protect bait

Stay-fresh pellet pack(s)

Place Packs help to keep (product) (pellets) fresh

Fits in tight areas

Effective indoor and outdoor rodent control

Helps provides control of rats, house mice, and meadow voles**

Helps control rats, house mice, and meadow voles**

Helps provide effective control of rats, house mice, and meadow voles**

EZ tote (package) [design] for loading bait stations)

Grab and go ((box) (package) (design) for bait stations)

Portable grab and go ((box) (design) for bait stations)

(Economical) [Great Value (Value Pack) (Size) contains (8, 9, 10, 11, 12, 13, 14, 15, 16) pounds of product

(Economical) [Great value] (Value Pack) (Size) contains (86) (90) (95) (100)

(105) (110) (115) (120) (125) (130) (135) (140) (145) (150) (155) (160) (165)

(170) Place Packs!

No need to touch bait when applying

ACTIVE INGREDIENT:

Bromadiolone 0.005%

OTHER INGREDIENTS*:** 99.995%

TOTAL: 100.000%

***Contains denatonium benzoate

***This product has been treated with S-methoprene to protect the bait from infestation by insects.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panels for additional precautionary statements

EPA Reg. No. 270-372

EPA Est. No. 75806-AZ-001

Net Contents: 129 oz (86, 1.5 oz place packs) or 135 oz (90, 1.5 oz place packs) or 142.5 oz (95, 1.5 oz place packs) or 150.0 ozs. (100, 1.5 oz place packs), or 157.5 oz (105, 1.5 oz place packs) or 165 oz (110, 1.5 oz place packs) or 172.5 oz (115, 1.5 oz place packs) or 180 oz (120, 1.5 oz place packs) 187.5 ozs. (125, 1.5 oz place packs) 195 oz (130, 1.5 oz place packs) or 202.5 oz (135, 1.5 oz place packs) or 210 oz (140, 1.5 oz place packs) or 217.5 oz (145, 1.5 oz place packs) or 225 oz (150, 1.5 oz place packs) or 232.5 oz (155, 1.5 oz place packs) or 240 oz (160, 1.5 oz place packs) or 247.5 oz (165, 1.5 oz place packs) or 255 oz (170, 1.5 oz place packs)

**Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat.

Manufactured for:

Farnam Companies, Inc.

1501 East Woodfield Road 200W

www.farnam.com, www.justonebitebrand.com

Call with comments or questions:

1-800-234-2269

[Back Label]

FIRST AID Have label with you when obtaining treatment advice.	
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.
NOTE TO PHYSICIAN: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K ₁ intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.	
TREATMENT FOR PET POISONING: If animal eats bait, call veterinarian or 1-800-234-2269 [optional] at once. NOTE TO VETERINARIAN: Anticoagulant Bromadiolone: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K ₁ . If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. All handlers (including applicators) must wear long pants and shoes plus socks. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should remove clothing/PPE immediately if pesticide gets inside. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

ENVIRONMENTAL HAZARDS:

This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. This pesticide is toxic to fish. Do not apply this product directly to water or areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: READ THIS ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH USE DIRECTIONS, USE RESTRICTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. USE ONLY FOR THE SITES, PESTS, AND APPLICATION METHODS DESCRIBED ON THIS LABEL.

It is illegal to sell these place packs individually.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent exposure:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooved livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor above-ground use. Tamper-resistant bait stations must be used wherever children, pets, nontarget mammals, or birds may have access to the bait placement location.

USE RESTRICTIONS: This product may only be used to control the following rodent pests in and around agricultural structures: House mouse (*Mus musculus*), Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton rat** (*Sigmodon hispidus*), Eastern harvest mouse** (*Reithrodontomys humuli*), Golden mouse** (*Ochrotomys nuttalli*), Polynesian rat** (*Rattus exulans*), Meadow vole** (*Microtus pennsylvanicus*), White-throated woodrat** (*Neotoma albigula*), Southern plains woodrat** (*Neotoma micropus*), and Mexican woodrat** (*Neotoma mexicana*). This product must be used in and within 100 feet of agricultural buildings and manmade agricultural structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Fence and perimeter baiting beyond 100 feet from an agricultural structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

Burrow baiting with [product name] is prohibited.

Do not use in homes or human residences. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. Do not broadcast bait. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations.

Do not sell this product in individual containers holding less than 8 pounds of bait.

SELECTION OF TREATMENT AREAS

Determine areas where rats, mice, or meadow voles** will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floor and walls, or in locations where rats, mice, or meadow voles** or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS

RATS: Place 2 to 10 packs (at intervals of 15 to 30 feet) per placement in infested areas. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease to appear.

MICE AND MEADOW VOLES:** Place one pack at 8 to 12 feet intervals in infested areas. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse or meadow vole** activity cease to appear.

FOLLOW-UP: Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead exposed animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Dispose of wastes resulting from the use of this product in trash or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **[Plastic:]** Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration. In most states, burning is not allowed. **[Paper:]** Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

CONDITIONS OF SALE

To the extent consistent with applicable law, FARNAM COMPANIES, INC. warrants this product in its unopened package conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions as specified on this label. There are no other warranties, expressed or implied, concerning the use of this product other than as indicated on the label. To the extent consistent with applicable law, this warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.

Bromadiolone Bait Pellets – Agricultural Use Individual Pouch Label

[Front Label]

BROMADIOLONE BAIT PELLETS

[ABN: Just One Bite II* Place Packs (Pellets)]

For Use In and Around Agricultural Buildings Only

For indoor and outdoor rat, house mouse, and meadow vole** control

Kills Norway rats, roof rats, house mice, meadow voles** and warfarin resistant Norway rats

*[Norway rats and house mice] may consume a lethal dose in a single night's feeding with first dead rats and mice appearing four or five days after feeding begins

ACTIVE INGREDIENT:

Bromadiolone 0.005%

OTHER INGREDIENTS*:** 99.995%

TOTAL: 100.000%

***Contains denatonium benzoate

***This product has been treated with S-methoprene to protect the bait from infestation by insects.

KEEP OUT OF REACH OF CHILDREN CAUTION

If swallowed, call a physician at once.

See side panels for additional precautionary statements.

EPA Reg. No. 270-372

EPA Est. No. 75806-AZ-001

**Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat.

Net Contents: 1.5 oz. (43 grams)

Manufactured for:

Farnam Companies, Inc.

1501 East Woodfield Road 200W

www.farnam.com, www.justonebitebrand.com

Call with comments or questions:

1-800-234-2269

[Back Label)

FIRST AID Have label with you when obtaining treatment advice.	
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.
NOTE TO PHYSICIAN: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K ₁ intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.	
TREATMENT FOR PET POISONING: If animal eats bait, call veterinarian or 1-800-234-2269 [optional] at once. NOTE TO VETERINARIAN: Anticoagulant Bromadiolone: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K ₁ . If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. All handlers (including applicators) must wear long pants and shoes plus socks. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should remove clothing/PPE immediately if pesticide gets inside. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. This pesticide is toxic to fish. Do not apply this product directly to water or areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: READ THIS ENTIRE LABEL, AND USE STRICTLY IN ACCORDANCE WITH USE DIRECTIONS, USE RESTRICTIONS AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. USE ONLY FOR THE SITES, PESTS, AND APPLICATION METHODS DESCRIBED ON THIS LABEL.

REFER TO THE OUTER LABEL FOR COMPLETE DIRECTIONS FOR USE.

It is illegal to sell these place packs individually.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Dispose of wastes resulting from the use of this product in trash or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **[Plastic:]** Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration. In most states, burning is not allowed. **[Paper:]** Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

CONDITIONS OF SALE

To the extent consistent with applicable law, FARNAM COMPANIES, INC. warrants this product in its unopened package conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions as specified in the label. There are no other warranties, expressed or implied, concerning the use of this product other than as indicated on the label. To the extent consistent with applicable law, this warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.

SUBLABEL B: PEST CONTROL OPERATOR/INDUSTRIAL/COMMERCIAL LABEL
(GREATER THAN OR EQUAL TO 16 LBS. OF BAIT)

Bromadiolone Bait Pellets – Outer Label-PCO/Industrial/Commercial Label

BROMADIOLONE BAIT PELLETS

For Use In and Around Industrial and Commercial Buildings

For indoor and outdoor rat, house mouse, and meadow vole* control

Kills Norway rats, roof rats, house mice, meadow voles* and warfarin resistant Norway rats.

[Norway rats and house mice] may consume a lethal dose in a single night's feeding with first dead rats and mice appearing four or five days after feeding begins

Kills [Rats] [&] [House Mice][Meadow Voles*]

Rat, House Mouse, and Meadow Vole* Control Place Packs

Pellet Place Pack

Formulated with grains and seeds

Palatable formulation

Rat, House Mouse, and Meadow Vole* Killer

(Farnam®) Rat, House Mouse, and Meadow Vole* Control

Do not open Place Packs. Just position Place Packs in desired location.

Rats, House Mice, and Meadow Voles* will open Place Pack themselves.

Rats, house mice, and meadow voles* will eat (right) through the (place pack) wrapper

No touch pellet packs

No need to touch the bait

Ready-to-use Place Pack[s] [Stay-fresh pellet pack(s)]

Place Packs help to keep (product) (pellets) fresh

Helps provide (effective) control

Helps control rats,house mice, and meadow voles*

Helps provide effective control of rats, house mice, and meadow voles*

EZ tote (package) [design] for loading bait stations)

Grab and go ((box) (package) (design) for easy loading of bait stations)

Portable grab and go ((box) (design) for easy loading of bait stations)

(Economical) (Value Pack) (Size) contains (8, 9, 10, 11, 12, 13, 14, 15, 16, pounds of product

Great value! Contains (8, 9, 10, 11, 12, 13, 14, 15, 16) pounds of product!

(Economical) (Value Pack) (Size) contains (86) (90) (95) (100) (105) (110) (115) (120) (125) (130) (135) (140) (145) (150) (155) (160) (165) (170) Place Packs!

Great value! Contains (86) (90) (95) (100) (105) (110) (115) (120) (125) (130) (135) (140) (145) (150) (155) (160) (165) (170) Place Packs!

Graphics included on subregistrant label



Image may not be representative of a label-consistent bait placement.



ACTIVE INGREDIENT:

Bromadiolone 0.005%

OTHER INGREDIENTS:** 99.995%

TOTAL: 100.000%

**Contains denatonium benzoate

**This product has been treated with S-methoprene to protect the bait from infestation by insects.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panels for additional precautionary statements.

EPA Reg. No. 270-372

EPA Est. No. 75806-AZ-001

Net Contents: 258 oz (172, 1.5 oz place packs) or 262.5 oz (175, 1.5 oz place packs) or 270 oz (180, 1.5 oz place packs) or 277.5 oz (185, 1.5 oz place packs) or 285 oz (190, 1.5 oz place packs) or 300 oz (200, 1.5 oz place packs) or 307.5 oz (205, 1.5 oz place packs) or 315 oz (210, 1.5 oz place packs) or 322.5 oz (215, 1.5 oz place packs) or 330 oz (220, 1.5 oz place packs) or 337.5 oz (225, 1.5 oz place packs) or 345 oz (230, 1.5 oz place packs) or 352.5 oz (235, 1.5 oz place packs) or 360 oz (240, 1.5 oz place packs) or 367.5 oz (245, 1.5 oz place packs) or 375 oz (250, 1.5 oz place packs) or 382.5 oz (255, 1.5 oz place packs) or 390 oz (260, 1.5 oz place packs) or 397.5 oz (265, 1.5 oz place packs) or 405 oz (270, 1.5 oz place packs)

*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat.

Manufactured for:

Farnam Companies, Inc.

1501 East Woodfield Road 200W

www.farnam.com

Call with comments or questions:

1-800-234-2269

[Back Label]

FIRST AID Have label with you when obtaining treatment advice.	
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.
NOTE TO PHYSICIAN: If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K ₁ intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.	
TREATMENT FOR PET POISONING: If animal eats bait, call veterinarian or 1-800-234-2269 [optional] at once. NOTE TO VETERINARIAN: Anticoagulant Bromadiolone: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times, give Vitamin K ₁ . If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Keep away from children, domestic animals and pets. All handlers (including applicators) must wear long pants and shoes plus socks. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should remove clothing/PPE immediately if pesticide gets inside. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. This pesticide is toxic to fish. Do not apply this product directly to water or areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: READ THIS ENTIRE LABEL, AND USE STRICTLY IN ACCORDANCE WITH USE DIRECTIONS, USE RESTRICTIONS, AND WITH

APPLICABLE STATE AND FEDERAL REGULATIONS. USE ONLY FOR THE SITES, PESTS, AND APPLICATION METHODS DESCRIBED ON THIS LABEL.

It is illegal to sell these place packs individually.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent exposure:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooved livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor above-ground use. Tamper-resistant bait stations must be used wherever children, pets, nontarget mammals, or birds may have access to the bait placement location.

USE RESTRICTIONS: This product may only be used to control the following rodent pests in and around manmade structures: House mouse (*Mus musculus*), Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton rat* (*Sigmodon hispidus*), Eastern harvest mouse* (*Reithrodontomys humuli*), Golden mouse* (*Ochrotomys nuttalli*), Polynesian rat* (*Rattus exulans*), Meadow vole* (*Microtus pennsylvanicus*), White-throated woodrat* (*Neotoma albigula*), Southern plains woodrat* (*Neotoma micropus*), and Mexican woodrat* (*Neotoma mexicana*). This product must be used in and within 100 feet of manmade structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port or terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

Burrow baiting with [product name] is prohibited.

Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use this product in sewers.

Do not sell this product in individual containers holding less than 16 pounds of bait.

SELECTION OF TREATMENT AREAS

Determine areas where rats, mice, or meadow voles* will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floor and walls, or in locations where rats, mice and meadow voles* or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS

RATS: Place 2 to 10 packs (at intervals of 15 to 30 feet) per placement in infested areas. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease to appear.

MICE AND MEADOW VOLES*: Place one pack at 8 to 12 foot intervals in infested areas. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse or meadow vole* activity cease to appear.

FOLLOW-UP: Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead exposed animals and leftover bait. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Dispose of wastes resulting from the use of this product in trash or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **[Plastic:]** Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration. In most states, burning is not allowed. **[Paper:]** Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

CONDITIONS OF SALE

To the extent consistent with applicable law, FARNAM COMPANIES, INC. warrants this product in its unopened package conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions as specified on this label. There are no other warranties, expressed or implied, concerning the use of this product other than as indicated on the label. To the extent consistent with applicable law, this warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.