



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

August 13, 2024

Nancy Huebl  
nhuebl@central.com  
FARNAM COMPANIES, INC.

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment - Correcting the rates approved 1/10/18  
Product Name: BROMADIOLONE BAIT BAR  
Admin Number: 270-373  
EPA Receipt Date: 06/05/2023  
Action Case Number: 00605329

Dear Nancy Huebl:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

The label submitted with the application has been stamped "Accepted Only Indicated Revisions Reviewed" and is enclosed for your records.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have questions, please contact Elizabeth Danon via email at [danon.elizabeth@epa.gov](mailto:danon.elizabeth@epa.gov).

Sincerely,

A handwritten signature in a cursive script that reads "Kable Bo Davis".

Kable Bo Davis, Senior Advisor  
IVB3, RD  
Office of Pesticide Programs

**SUBLABEL A: AGRICULTURAL USE LABEL  
(GREATER THAN OR EQUAL TO 8 LBS. OF BAIT)**

**BROMADIOLONE BAIT BAR**

[ABN: JUST ONE BITE\* II BAR]

[ABN: JUST ONE BITE\* II BAIT CHUNKS]

**ACCEPTED**

Aug 13, 2024

Under the Federal Insecticide, Fungicide  
and Rodenticide Act as amended, for the  
pesticide registered under  
EPA Reg. No. 270-373

\*[NORWAY RATS, ROOF RATS AND HOUSE MICE] MAY CONSUME A LETHAL DOSE IN A SINGLE NIGHT'S FEEDING WITH FIRST DEAD RATS AND MICE APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

This product may only be used inside and within 100 feet of agricultural buildings and manmade agricultural structures

For indoor and outdoor rat, house mouse and meadow vole\*\* control

Kills Norway rats, roof rats, house mice, meadow voles\*\* and warfarin resistant Norway rats

Kills house mice [and meadow voles\*\*]

Kills [rats], [warfarin-resistant Norway rats] [house mice], and [meadow voles]\*\*

Rat and house mouse control chunks [bar]

With grains and seeds

Palatable [formulation][formula]

[Ready][Easy] to Use

Can be used indoors or outdoors

Effective indoor and outdoor rodent control

Rat, House Mouse, and Meadow Vole\*\* Killer

(Farnam®) Rat, House Mouse, and Meadow Vole\*\* Control

(Features) nibble ridges (to promote rat, house mouse, and meadow vole\*\* chewing)

Multi-edge shape gives rats, house mice, and meadow voles\*\* gnawing edges

2 [1] oz Bait chunks for bait stations

2 oz Bar pieces for bait stations

Bars break into 2 oz pieces

Bars break into 2 oz mini-bars for bait stations

The hole through the middle allows for mounting in bait stations

Includes center mounting holes for use in bait stations

Helps provide (effective) control

Helps control rats, house mice, and meadow voles\*\*

(Bait Chunks) (Bars) (Bait Bars)

Individually wrapped 1 pound Bars (helps to keep product fresh.)

Bars are individually wrapped to keep product fresh.

(Contains) (8) (9) (10) (11) (12) (13) (14) (15) one pound (1 lb) Bars

(Contains) (64)(128) (72)(144) (80)(160) (88)(176) (96)(192) (104)(208) (112)(224) (120)(240) 2

[1] oz Bait Chunks

(Economical) Value (Pack) (Size) contains (8, 9, 10, 11, 12, 13, 14, 15) pounds of product!

Great value! Contains (8, 9, 10, 11, 12, 13, 14, 15) pounds of product!

OPTIONAL GRAPHICS (BELOW)



Image of bait may not be representative of a labeled bait placement

**ACTIVE INGREDIENT:**

Bromadiolone .....0.005%

**OTHER INGREDIENTS\*\*\*:** .....99.995%

**TOTAL:** .....100.000%

\*\*\*Contains denatonium benzoate

\*\*\*This product has been treated with S-methoprene to protect the bait from infestation by insects.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See side panel for additional Precautionary Statements

EPA Reg. No. 270-373

EPA Est. No. 75806-AZ-1

NET CONTENTS: 8 lbs (64 (128), 2 [1] oz chunks) or 9 lbs (72 (144), 2 [1] oz chunks) or 10 lbs (80 (160), 2 [1] oz chunks) or 11 lbs (88 (176), 2 [1] oz chunks) or 12 lbs (96 (192), 2 [1] oz chunks) or 13 lbs (104 (208), 2 [1] oz chunks) or 14 lbs (112 (224), 2 [1] oz chunks) or 15 lbs, (120 (240), 2 [1] oz chunks) or 8 lbs (8, 16 oz bars) or 9 lbs (9, 16 oz bars) or 10 lbs (10, 16 oz bars) or 11 lbs (11, 16 oz bars) 12 lbs, (12, 16 oz bars) or 13 lbs (13, 16 oz bars) or 14 lbs (14, 16 oz bars) or 15 lbs (15, 16 oz bars)

\*\*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat

<b>FIRST AID</b>	
Have label with you when obtaining treatment advice.	
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER:</b> Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN:</b> If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K <sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.	
<b>TREATMENT FOR PET POISONING:</b> If animal eats bait, call veterinarian or 1-800-234-2269 [optional] at once. <b>NOTE TO VETERINARIAN: Anticoagulant Bromadiolone:</b> For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K <sub>1</sub> . If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.	

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

Harmful if swallowed. Keep away from children, domestic animals and pets. Causes moderate eye irritation. Do not get in eyes or on clothing. All handlers (including applicators) must wear long pants, shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

**User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should remove clothing/PPE immediately if pesticide gets inside. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

## **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. This pesticide is toxic to fish. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater or rinsate.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its label.

**READ THIS LABEL: READ THIS ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH USE DIRECTIONS, USE RESTRICTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. USE ONLY FOR THE SITES, PESTS, AND APPLICATION METHODS DESCRIBED ON THIS LABEL.**

**It is illegal to sell these bars/chunks individually.**

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent exposure:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooved livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used wherever children, pets, nontarget mammals, or birds may have access to the bait placement location.

**USE RESTRICTIONS:** This product may only be used to control the following rodent pests in and around agricultural buildings and manmade agricultural structures: House mouse (*Mus musculus*), Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton rat\*\* (*Sigmodon hispidus*), Eastern harvest mouse\*\* (*Reithrodontomys humuli*), Golden mouse\*\* (*Ochrotomys nuttalli*), Polynesian rat\*\* (*Rattus exulans*), Meadow vole\*\* (*Microtus pennsylvanicus*), White-throated woodrat\*\* (*Neotoma albigula*), Southern plains woodrat\*\* (*Neotoma micropus*), and Mexican woodrat\*\* (*Neotoma mexicana*). This product must be used in and within 100 feet of agricultural buildings and manmade agricultural structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Fence and perimeter baiting beyond 100 feet from an agricultural structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

Burrow baiting with [product name] is prohibited.

Do not use in homes or other human residences. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. Do not broadcast bait. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations.

Do not sell this product in individual containers holding less than 8 pounds of bait.

### **SELECTION OF TREATMENT AREAS**

Determine areas where rats, mice, or meadow voles\*\* will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where rats, mice, or meadow voles\*\* or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

### **APPLICATION DIRECTIONS**

#### **APPLICATION DIRECTIONS – BAR**

Each [name] Bait Bar weighs one pound and is scored to be broken into 2-oz pieces.

**RATS:** Place two to eight 2-oz pieces of bar (or one entire BAR) per placement in infested areas. **For above ground treatment, space bait placements 15 to 30 feet apart.** Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

**MICE AND MEADOW VOLES\*\*:** Break bar into 2 oz pieces and place one 2-oz bar piece per placement in infested areas. Space placements at intervals of 8-12 feet in infested areas. **Two 2-oz bar pieces may be needed at points of very high activity.** Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse or meadow vole\*\* activity cease.

**FOLLOW-UP:** Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead exposed animals and leftover bait. To prevent reinfestation, eliminate sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

#### **APPLICATION DIRECTIONS – BAIT CHUNKS/BLOCKS**

Each [name] weighs 2 (1) -oz.

**RATS:** **{for 1 oz size chunks}** Place 3 to 16 bait blocks/chunks (at intervals of 15 to 30 feet) per placement in infested areas. **{for 2 oz size chunks} Place 2 to 8 bait blocks/chunks (at intervals of 15 to 30 feet) per placement in infested areas.** Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

**MICE AND MEADOW VOLES\*\*** **{for 1 oz or 2 oz size chunks}** Place one block/chunk per placement. Space placements at 8 to 12 foot intervals in infested areas. **{for 1 oz size chunks only}** **[Two blocks/chunks may be needed at points of very high activity.]** Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse or meadow vole\*\* activity cease.



**FOLLOW-UP:** Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all exposed dead animals and leftover bait properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store only in original container, in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Dispose of wastes resulting from the use of this product in trash or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container.

**[Plastic:]** Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration. In most states, burning is not allowed. **[Paper:]** Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

#### **CONDITIONS OF SALE**

To the extent consistent with applicable law, FARNAM COMPANIES, INC. warrants this product in its unopened package conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions as specified on this label. There are no other warranties, expressed or implied, concerning the use of this product other than as indicated on the label. To the extent consistent with applicable law, this warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.

Manufactured for:

**FARNAM COMPANIES, INC.**

1501 East Woodfield Road 200W

Schaumburg, IL 60173

[www.farnam.com](http://www.farnam.com), [www.justonebitebrand.com](http://www.justonebitebrand.com)

Call with comments or questions: 1-800-234-2269

**[Front Label]**

**AGRICULTURAL USE**

**INDIVIDUAL POUCH LABEL**

**BROMADIOLONE BAIT BAR**

[ABN: JUST ONE BITE\* II BAR]

[ABN: JUST ONE BITE\* II BAIT CHUNKS]

\*[Norway rats, roof rats and house mice] may consume a lethal dose in a single night's feeding with first dead rats and mice appearing four or five days after feeding begins

This product may only be used inside and within 100 feet of agricultural buildings and manmade agricultural structures

For indoor and outdoor rat, house mouse and meadow vole\*\* control

Kills Norway rats, roof rats, house mice, meadow voles\*\* and warfarin resistant Norway rats

Kills rats, mice and meadow voles\*\*

**ACTIVE INGREDIENT:**

Bromadiolone ..... 0.005%

**OTHER INGREDIENTS\*\*\*:** ..... 99.995%

**TOTAL:** ..... 100.000%

\*\*\*Contains denatonium benzoate

\*\*\*This product has been treated with S-methoprene to protect the bait from infestation by insects.

EPA Reg. No. 270-373

EPA Est. No. 75806-AZ-001

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

Net Contents: 1 lb/16 ozs. (453.6 grams)

Manufactured for:

**Farnam Companies, Inc.**

1501 East Woodfield Road 200W

Schaumburg, IL 601713

[www.farnam.com](http://www.farnam.com), [www.justonebitebrand.com](http://www.justonebitebrand.com)

Call with comments or questions:

1-800-234-2269

\*\*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat

[Back Label)

<b>FIRST AID</b>	
Have label with you when obtaining treatment advice.	
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>HOT LINE NUMBER</b> Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN</b> If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K <sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.	
<b>TREATMENT FOR PET POISONING</b> If animal eats bait, call veterinarian or 1-800-234-2269 [optional] at once.	
<b>NOTE TO VETERINARIAN</b> <b>Anticoagulant Bromadiolone:</b> For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K <sub>1</sub> . If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.	

### **PRECAUTIONARY STATEMENTS**

#### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Keep away from children, domestic animals and pets. Causes moderate eye irritation. Do not get in eyes or on clothing. All handlers (including applicators) must wear **and**-long pants, shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

#### **User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should remove clothing/PPE immediately if pesticide gets inside. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. This pesticide is toxic to fish. Do not apply this product directly to water or areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater or rinsate.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH USE DIRECTIONS, USE RESTRICTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. REFER TO THE OUTER LABEL FOR COMPLETE DIRECTIONS FOR USE.**

**It is illegal to sell these bait bars individually.**

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Dispose of wastes resulting from the use of this product in trash or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container.

**[Plastic:]** Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration. In most states, burning is not allowed. **[Paper:]** Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

#### **CONDITIONS OF SALE**

To the extent consistent with applicable law, FARNAM COMPANIES, INC. warrants this product in its unopened package conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions as specified on this label. There are no other warranties, expressed or implied, concerning the use of this product other than as indicated on the label. To the extent consistent with applicable law, this warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.

**SUBLABEL B: PEST CONTROL OPERATOR/INDUSTRIAL/COMMERCIAL USE LABEL  
(GREATER THAN OR EQUAL TO 16 LBS. OF BAIT)**

**BROMADIOLONE BAIT BAR**

\*[NORWAY RATS, **ROOF RATS** AND HOUSE MICE] MAY CONSUME A LETHAL DOSE IN A SINGLE NIGHT'S FEEDING WITH FIRST DEAD RATS AND MICE APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS.

For use in and around homes and buildings  
For Use In and Around Industrial and Commercial Buildings  
For indoor and outdoor rat, house mouse, and meadow vole\*\* control  
Can be used indoors or outdoors  
Kills rats, mice and meadow voles\*\*  
Kills Norway rats, roof rats, house mice, meadow voles\*\* and warfarin resistant Norway rats  
Kills house mice  
Kills [rats] [house mice][meadow voles\*\*]  
Rat, house mouse, and meadow vole\*\* control chunks [bars]  
Ready to Use  
With grains and seeds  
Palatable formulation  
Rat, House Mouse, and Meadow Vole\*\* Killer  
(Farnam®) Rat, House Mouse, and Meadow Vole\*\* Control  
Features nibble ridges rats, house mice, and meadow voles\*\* love to chew  
Features nibble ridges to promote rat, house mouse, and meadow voles\*\* chewing  
Multi-edge shape gives rats house mice, and meadow voles\*\* gnawing edges  
2 oz [1 oz]. Bait Chunks for bait stations  
2 oz. Bar pieces for bait stations  
Bars break into 2 oz. pieces  
Bars break into 2 oz. Mini-Bars for bait stations  
The hole through the middle allows for mounting in bait stations  
Helps Provide (effective) control  
Helps Control rats, house mice, and meadow voles\*\*  
Helps provide effective control of rats, house mice, and meadow voles\*\*  
(Bait Chunks) (Bars) (Bait Bars)  
Individually wrapped 1 pound Bars (helps to keep product fresh.)  
(Economical) Value (Pack) (Size) contains (16, 17, 18, 19, 20, 25) pounds of product!  
Great value! Contains (16, 17, 18, 19, 20, 25) pounds of product!

~~\*\*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat~~

OPTIONAL GRAPHICS (BELOW)



Image of bait may not be representative of a labeled bait placement

ACTIVE INGREDIENT:	
Bromadiolone .....	0.005%
<b>OTHER INGREDIENTS***:</b> .....	<u>99.995%</u>
<b>TOTAL:</b>	100.000%

\*\*\*Contains denatonium benzoate

\*\*\*This product has been treated with S-methoprene to protect the bait from infestation by insects.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See side panel for additional Precautionary Statements

EPA Reg. No. 270-373  
EPA Est. No. 75806-AZ-1

NET CONTENTS: 16 lbs (128, 2 oz/256 1 oz chunks) or 17 lbs (136, 2 oz/272 1 oz chunks) or 18 lbs (144, 2 oz/288 1 oz chunks) or 19 lbs (152, 2 oz/304 1 oz chunks) or 20 lbs (160, 2 oz/320 1 oz chunks) or 21 lbs (168, 2 oz/336 1 oz chunks) or 22 lbs (176, 2 oz/352 1 oz chunks) or 23 lbs (184, 2 oz/368 1 oz chunks) or 24 lbs (192, 2 oz/384 1 oz chunks) or 25 lbs (200, 2 oz/400 1 oz chunks) or 16 lbs (16, 16 oz bars) or 17 lbs (17, 16 oz bars) or 18 lbs (18, 16 oz bars) or 19 lbs (19, 16 oz bars) or 20 lbs, (20, 16 oz bars) or 21 lbs (21, 16 oz bars) or 22 lbs (22, 16 oz bars) or 23 lbs (23, 16 oz bars) or 24 lbs (24, 16 oz bars) or 25 lbs (25, 16 oz bars)

**\*\*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat**

<b>FIRST AID</b>	
Have label with you when obtaining treatment advice.	
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER:</b> Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-234-2269 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN:</b> If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K <sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.	
<b>TREATMENT FOR PET POISONING:</b> If animal eats bait, call veterinarian or 1-800-234-2269 [optional] at once.	
<b>NOTE TO VETERINARIAN: Anticoagulant Bromadiolone:</b> For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K <sub>1</sub> . If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.	

## **PRECAUTIONARY STATEMENTS**

### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

#### **CAUTION**

Harmful if swallowed. Keep away from children, domestic animals and pets. Causes moderate eye irritation. Do not get in eyes or on clothing. All handlers (including applicators) must wear long pants, shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

#### **User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should remove clothing/PPE immediately if pesticide gets inside. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.



## **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. This pesticide is toxic to fish. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater or rinsate.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its label.

**READ THIS LABEL: READ THIS ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH USE DIRECTIONS, USE RESTRICTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. USE ONLY FOR THE SITES, PESTS, AND APPLICATION METHODS DESCRIBED ON THIS LABEL.**

**It is illegal to sell these bars/chunks individually.**

**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent exposure:

1. Store unused product out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to hooved livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.

**Note:** Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used wherever children, pets, nontarget mammals, or birds may have access to the bait placement location.

**USE RESTRICTIONS:** This product may only be used to control the following rodent pests in and around manmade structures: House mouse (*Mus musculus*), Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton rat\*\* (*Sigmodon hispidus*), Eastern harvest mouse\*\* (*Reithrodontomys humuli*), Golden mouse\*\* (*Ochrotomys nuttalli*), Polynesian rat\*\* (*Rattus exulans*), Meadow vole\*\* (*Microtus pennsylvanicus*), White-throated woodrat\*\* (*Neotoma albigula*), Southern plains woodrat\*\* (*Neotoma micropus*), and Mexican woodrat\*\* (*Neotoma mexicana*). This product must be used in and within 100 feet of manmade structures constructed in a manner so as to be vulnerable to commensal rodent invasions and/or to harboring or attracting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port or terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

Burrow baiting with [product name] is prohibited.

Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait. Do not use this product in sewers. Do not sell this product in individual containers holding less than 16 pounds of bait.

#### **SELECTION OF TREATMENT AREAS**

Determine areas where rats, mice, or meadow voles\*\* will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where rats, mice, or meadow voles\*\* or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

#### **APPLICATION DIRECTIONS**

##### **APPLICATION DIRECTIONS – BAR**

Each [name] Bait Bar weighs one pound and is scored to be broken into 2-oz pieces.

**RATS:** Place two to eight 2-oz pieces of bar (or one entire BAR) per placement in infested areas. **For above ground treatment, space bait placements 15 to 30 feet apart.** Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

**MICE AND MEADOW VOLES\*\*:** Break bar into 2 oz pieces and place one 2-oz bar piece per placement in infested areas. Space placements at intervals of 8-12 feet in infested areas. **Two 2-oz bar pieces may be needed at points of very high activity.** Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse or meadow vole\*\* activity cease.

**FOLLOW-UP:** Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead exposed animals and leftover bait. To prevent reinfestation, eliminate sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

#### **APPLICATION DIRECTIONS – BAIT CHUNKS/BLOCKS**

Each [name] weighs 2 [1] -oz.

**RATS:** {for 1 oz size chunks} Place 3 to 16 bait blocks/chunks (at intervals of 15 to 30 feet) per placement in infested areas. {for 2 oz size chunks} Place 2 to 8 bait blocks/chunks (at intervals of 15 to 30 feet) per placement in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

**MICE AND MEADOW VOLES\*\*:** {For 1 oz or 2 oz size chunks} Place one block/chunk per placement. Space placements at 8 to 12 foot intervals in infested areas. [For 1 oz size chunks only] Two blocks/chunks may be needed at points of very high activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse or meadow vole\*\* activity cease.

**FOLLOW-UP:** Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead exposed animals and leftover bait. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**PESTICIDE STORAGE:** Store only in original container, in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Dispose of wastes resulting from the use of this product in trash or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container.

**[Plastic:]** Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration. In most states, burning is not allowed. **[Paper:]** Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

**CONDITIONS OF SALE**

To the extent consistent with applicable law, FARNAM COMPANIES, INC. warrants this product in its unopened package conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions as specified on this label. There are no other warranties, expressed or implied, concerning the use of this product other than as indicated on the label. To the extent consistent with applicable law, this warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.

Manufactured for:

**FARNAM COMPANIES, INC.**

1501 East Woodfield Road 200W

Schaumburg, IL 60173

[www.farnam.com](http://www.farnam.com)

Call with comments or questions: 1-800-234-2269