

BIOBAN CS-1135

PRESERVATIVE FOR LATEX PAINTS AND EMULSIONS

ACTIVE INGREDIENTS

4,4-Dimethyloxazolidine 74.7%

3,4,4-Trimethyloxazolidine 2.5%

INERT INGREDIENTS

..... 22.8%

TOTAL 100.0%

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

DANGER!

CAUSES EYE DAMAGE AND SKIN IRRITATION
HARMFUL IF INHALED OR SWALLOWED
COMBUSTIBLE LIQUID

Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds, or public waters, unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA. Do not contaminate waters by cleaning of equipment and disposal of waste. Apply this pesticide only as directed on the label.

KEEP OUT OF REACH OF CHILDREN

DANGER!

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse. Do not use contaminated shoes.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, or gelatin solution if these are not available, drink large quantities of water. Induce vomiting, avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Emergency treatment may necessitate the use of gastric lavage. Measures should be taken to prevent dehydration and convulsions may be needed.

SEE PANEL AND TECHNICAL BULLETIN FOR ADDITIONAL PRECAUTIONS AND OTHER INFORMATION

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation inconsistent with

STORAGE AND DISPOSAL

STORAGE: Do not contaminate. Dumping is prohibited.

DISPOSAL: Pesticide should be disposed of away from water of containers in landfills. Consult federal state procedures.

USE AS A PRESERVATIVE

Bioban CS 1135 is effective as latex paints and emulsions. Total formulation weight.

Bioban CS 1135 may be used at the recommended rate for preservation. The recommended rate is 0.1%.

International Minerals and Chemical Corporation
this product is not to be used in the above



INTERNATIONAL MINERALS
& CHEMICAL CORPORATION

NP

234

C 523-D

