

INERT INGREDIENTS 96.24%] -

dipel 4L

EMULSIFIABLE CONCENTRATE
ROACHES AND CRICKETS

Active Ingredient ^{96.24%}
Diphenyl ether dimethyl phosphorothioate ^{96.24%}

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

EPA Registration No. 100-100-01
EPA EST. NO. 100-100-01

Roaches (Blattellidae) - Dipel 4L is highly effective against roaches (Blattellidae) in and around homes, hotels, restaurants, and other structures. It is also effective against crickets (Gryllidae) in and around homes, hotels, restaurants, and other structures. Dipel 4L is also effective against cockroaches (Blattellidae) in and around homes, hotels, restaurants, and other structures.

For Further Spray Volume
If Rate is 1.0 oz/gal
1.0 oz/gal x 100 gal = 100 oz
100 oz x 1.25 = 125 oz

CAUTION
Avoid contact with skin, eyes or clothing. In case of contact immediately flush eye or skin with plenty of water. Get medical attention if irritation persists.

BENEFICIAL INSECTS
There is no danger to beneficial insects from Dipel 4L use.
Dipel 4L does not affect the activities of beneficial soil predators or other predators in pest management programs.

DIRECTIONS FOR USE
Dipel 4L is a highly effective insecticide for roaches and crickets. It is used by spraying or dusting. It is most effective when applied to the insect's hiding places. It is also effective when applied to the insect's food sources. Always follow the directions on the label.

- Treat when infestation is first noticed. Do not wait until the infestation is severe.
- Dipel 4L is most effective when applied to the insect's hiding places.
- Dipel 4L is also effective when applied to the insect's food sources.
- Repeat applications at an interval of 7-14 days, depending on the severity of the infestation. It may be necessary to repeat applications more frequently in severe infestations.
- A spreader-sticker which has been approved for use on growing and harvested crops should be added to the spray or dust mixture to improve coverage.

with comments of
EPA letter dated

275-36

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
STORAGE - Reseal containers of Dipel 4L. At temperatures below 90°F and greater than 100°F Dipel 4L should be stored under cover.

DISPOSAL - Do not reuse 1 qt. or 15 gal. container. Puncture or crush and dispose of empty container according to local trash disposal regulations.
Thoroughly clean and rinse empty drum with water and remove labeling. Unused product or dilute spray and rinse should be disposed of by burial.

Days to harvest - There are no restrictions on applying Dipel 4L up to the time of harvest.
Sites - Dipel 4L may be used for any labeled pest in both field and greenhouse uses.

After using a label of Dipel 4L for roach or cricket control, the label should be discarded within several days. Do not reuse the label. Do not reuse the label for other uses. Do not reuse the label for other uses.

Dipel 4L may be applied to growing and harvested crops. It is most effective when applied to the insect's hiding places. It is also effective when applied to the insect's food sources. Dipel 4L is also effective when applied to the insect's food sources.

DIPEL 4L for Insect Control

- *Rate for hydraulic sprayer in California. In other states, less water may be used if adequate coverage is provided. For mist blowers, mix the applicable amount (pints) in zero to 10 gallons of water; except in California, mix the applicable amount (pints) in 10 gallons of water.
- **For aerial application against all pests except Spruce Budworms, use zero to ten gallons (except in California use in one to ten gallons) of water depending on type and density of trees. For best results, spray systems which deliver droplet size of 200 microns or less should be used.
- ¹Use only the low rate in California.
 - ²All states except California.
 - ³Use rates greater than 2 pints in Northern states for heavy populations. Tank-mix ratio of DIPEL 4L may be approximately 50:50 (except in California, must be no less than 50:50) depending on adequate coverage.
-

NOTICE TO USER

For more information on the use of this product, contact the manufacturer or distributor. For more information on the product, contact the manufacturer or distributor. For more information on the product, contact the manufacturer or distributor.



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(and Domestic Animals)**

CAUTION

Avoid contact with the product. Wash hands thoroughly with soap and water after use. Do not eat, drink, or smoke while using this product.

Beneficial Insects

Do not apply to plants or animals that are being treated with other insecticides.

Do not apply to plants or animals that are being treated with other insecticides.

Directions for Use

GENERAL CLASSIFICATION

It is a biological insecticide.

Refer to Package and Label for Use, Storage, and Precautions.

STORAGE AND DISPOSAL

Store in original container. Do not use if container is damaged.

Do not use if container is damaged.

Do not use if container is damaged.

List No. 5129

EPA Registration No. 275-07

EPA Est. No. 33762-1A-1

Lot No.

012000-2PA



Chemical and Agricultural
Products Division
Abbott Laboratories
North Chicago, IL 60064

Net Contents:
1 Quart

dipel^{4L}
WORM KILLER

EMULSIFIABLE SUSPENSION,
BIOLOGICAL INSECTICIDE

Active ingredient: *Bacillus thuringiensis* **NEU-KRISTAKI**

8,800 International Units of Potency

per mg. 32 billion International

Units per gallon. 1.76%

Inert ingredients 98.24%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STORAGE: Reclose containers of unused DipeL^{4L}. At temperatures less than 0°F and greater than 100°F, DipeL^{4L} should be stored under cover.

DISPOSAL: Do not use for disposal in container. Perforate or crush and discard empty container according to local trash disposal regulations.

Container: Thoroughly clean and rinse empty container with water and remove labeling. Unused pesticide or dilute spray and tankate should be disposed of by burial.

NOTICE TO USER

Seller makes no warranty, expressed or implied, of merchantability, fitness for a particular purpose, or otherwise, concerning use of this product other than as indicated on the label. User assumes all risks of use. For sale in accordance with strict accordance with accompanying directions.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with Item Sec. 9(c). Your release for shipment of the product bearing the amended labeling complies with the requirements of these conditions.

Leave the product for shipment.

3. Submit Item (c) copies of your final printed labeling for your

4. Your storage and disposal statement needs updating.

5. You must note the variety of rice that is being

for shipment bearing the amended labeling:

7. Make the labeling changes listed below before you release the product

8. Registrants of similar products to submit such data.

9. Submit and/or cite any data required for registration/re-registration of your product under Item Sec. 9(c) when the labeling is updated and

10. Submit and/or cite any data required for registration/re-registration of your product under Item Sec. 9(c) when the labeling is updated and

The amendment criteria to Item 9, submitted in connection with registration of your product under Item Sec. 9(c) are:

11. The registration for Item 9

12. The registration for Item 9

Label the product

13. The registration for Item 9

14. The registration for Item 9

15. The registration for Item 9

17472

A stamped copy of the label is enclosed for your records.

Sincerely,

RICHARD L. ...
PRODUCT Manager (17)
Insecticide-Fungicide Branch
Registration Division (16-707)

enclosure

Reference: CAS-33857-06-0940; Title: Avenol 472-2013; 8/16/82