

win 4/11/87

BENEFICIAL INSECTS

Honey bees foraging treated areas are not harmed by Dipel 2X use.

Dipel 2X does not interrupt the activities of beneficial and predacious arthropods in pest management programs.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Refer to Package Enclosure for crops, rates and general directions.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Reclose containers of unused Dipel 2X. Store in a dry place.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

CONTAINER DISPOSAL: Do not reuse container. Perforate or crush and discard empty container according to local trash disposal regulations.

NOTICE TO USER

Seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

List No. 5209

E.P.A. Registration No. 275-37

E.P.A. Est. No. 33762-IA-1

Chemical and Agricultural
Products Division
Abbott Laboratories
North Chicago, IL 60064

01-0000-2/R1

IMPROVED FORMULATION WITH TWICE THE POTENCY.

WETTABLE POWDER
BIOLOGICAL INSECTICIDE

Active Ingredient:

Bacillus thuringiensis, var.
kurstaki, 32,000 International Units
of Potency per mg. (14.52 billion
International Units per
pound) 6.4%

Inert Ingredients 93.6%

KEEP OUT OF REACH OF
CHILDREN

CAUTION

Net Wt. 1 lb.

BEST DOCUMENT AVAILABLE



**IMPROVED
FORMULATION
WITH TWICE
THE POTENCY.**

WETTABLE POWDER
BIOLOGICAL INSECTICIDE

Active Ingredient:

Bacillus thuringiensis, var.
kurstaki, 32,000 International Units
of Potency per mg. (14.52 billion
International Units per
pound)


Inert Ingredients 93.6%

KEEP OUT OF REACH OF
CHILDREN

CAUTION

4-11-83 Net Wt. 1 lb.

TABLE



BEST DOCUMENT AVAILABLE

BENEFICIAL INSECTS

Honey bees foraging treated areas are not harmed by Dipel 2X use.

Dipel 2X does not interrupt the activities of beneficial and predaceous arthropods in pest management programs.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Refer to Package Enclosure for crops, rates and general directions.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Reclose containers of unused Dipel 2X. Store in a dry place.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities. If bag cannot be reused, dispose of in the same manner.

NOTICE TO USER

Seller makes no warranty, express or implied, or merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

List No. 5209

EPA Registration No. 275-37

EPA Est. No. 33762-1A-1

Chemical and Agricultural
Products Division
Abbott Laboratories
North Chicago, IL 60064

**IMPROVED
FORMULATION
WITH TWICE
THE POTENCY.**

**WETTABLE POWDER
BIOLOGICAL INSECTICIDE**

Active Ingredient:

Bacillus thuringiensis,

var. kurstaki, 32,000

International Units of Potency

per mg. (14.52 billion

International Units per

pound) 8.4%

Inert Ingredients 93.6%

KEEP OUT OF REACH OF

CHILDREN

CAUTION

Net Wt. 10 lbs.

BEST DOCUMENT AVAILABLE

01-0000-3/R1