


PM 11 21 37 112



SUPPLEMENTAL LABELING
FOR
PUERTO RICO AND HAWAII

DIPEL 2X WORM KILLER
WETTABLE POWDER
BIOLOGICAL INSECTICIDE

Active Ingredient:

Bacillus thuringiensis, var. kurstaki, 32,000 International
Units of Potency per mg.

(14.52 billion International
Units per pound). 6.4%
Inert Ingredients 93.6%

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA REGISTRATION NO. 275-37
EPA EST. NO. 33762-IA-1

STORAGE AND DISPOSAL
See container label.

BENEFICIAL INSECTS
Honeybees foraging treated areas are not harmed by DIPEL 2X
use.

DIPEL 2X does not interrupt the activities of beneficial and
predacious arthropods in pest management programs.

DIRECTIONS FOR USE
It is violation of Federal law to use this product in a
manner inconsistent with its labeling.

Days to harvest: There are no restrictions on applying
DIPEL 2X up to the time of harvest.

Sites: DIPEL 2X may be used for any labeled pest in both
field and greenhouse uses.

For Smaller Spray Volumes:

<u>If Rate is</u>	<u>Use This Amount Per Gallon</u>
1/4 lb/acre or 100 gals.	1/2 tsp.
1/2 lb/acre or 100 gals.	1 tsp.
1 lb/acre or 100 gals.	2 tsps.
2 lb/acre or 100 gals.	4 tsps.

<u>Crop</u>	<u>Pest</u>	<u>Pounds/ Acre</u>	<u>Grams/ Hectare</u>
Pineapple	Gummosis-Batrachedra comosae (Hodges) Thecla-Thecla basalides (Geyr)	1/4 to 1/2	250-500

First application should be made at the initiation of the flowering stage. A second application should be made at an interval of 12-16 days and repeat applications at an interval of 12-16 days to maintain control depending on plant growth rate, insect activity, rainfall following treatment, and other factors.

A spreader sticker which has been approved for use on growing and harvested crops should be added to improve wetting and weather fastness of the spray deposit.

DIPEL 2X can be applied in conventional ground equipment with a quantity of water sufficient to provide thorough coverage of infected plant parts. The recommended amount of water needed per acre will be approximately 300-350 gallons/acre (740-860 gallons/hectare).

NOTICE TO USER

Seller makes no warranty, express or implied, of merchantability fitness or otherwise concerning use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions

Chemical and Agricultural Products Division
Abbott Laboratories
North Chicago, Illinois 60064