

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid contact with eyes. Wash thoroughly after use. Do not contaminate food, feed, or drinking water.

ENVIRONMENTAL HAZARDS

Do not contaminate any body of water by direct application, cleaning of equipment, or disposal of wastes. Keep out of lakes, streams and ponds.

GENERAL INFORMATION

Dipel® 1815 Dust is for the control and prevention of Almond Moth and Indian Meal Moth in stored grains, soybeans, sunflower seed, peanuts and crop seed. The dust formulation is applied as a top dressing surface treatment or may be, if so desired, mixed through the entire mass of stored product.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For top dressing/surface treatment: Apply Dipel® 1815 Dust to the surface at the rate of 4 lbs per 500 square feet. Mix thoroughly with a scoop or rake to a depth of 2-4 inches. If more thorough coverage is desired, the dosage may be divided into three applications with mixing between applications.

For treatment of entire mass: Apply Dipel® Dust to the stored product at the rate of 30 lbs per 1000 bushels. Apply the material such that it becomes thoroughly mixed.

For protection of bagged grains or other products: Apply Dipel® 1815 Dust at the rate of 30 lbs per 1000 bushels. Mix thoroughly prior to bagging.

STORAGE & DISPOSAL:


Storage: Reclose container of unused material. Store in a dry place.

Disposal: Do not reuse container. Perforate or crush and discard empty container according to local trash disposal regulations.

Lot No



List 5373



DIPEL® 1815 DUST
(Bacillus thuringiensis)
BIOLOGICAL INSECTICIDE

FOR CONTROL AND PREVENTION OF INDIAN MEAL MOTH AND ALMOND MOTH IN STORED GRAINS, SOYBEANS, SUNFLOWER SEED, PEANUTS, AND CROP SEED

KEEP OUT OF REACH OF CHILDREN

CAUTION

ACTIVE INGREDIENT Bacillus thuringiensis, Berliner
4000 International Units of Potency Per Mg of Product
(1 815 Billion International Units Per Pound) 0.8%
INERT INGREDIENTS 99.2%

EPA Reg No 275-46

EPA Est No 275-IL-1

NET WEIGHT: 25 LBS.

Dipel® 1815 Dust is exempt from tolerance restrictions and the treated agricultural products can be used at any time after treatment for any use.

Treatments can be applied to the stored agricultural products at any time, but for best results, make application immediately after harvest before moth activity occurs. In areas where late fall harvested products are not subject to infestation because of low temperatures, application can be delayed until late winter or early spring before moth activity begins. Control for a full storage season should normally be expected, however repeat application if infestation recurs.

This treatment controls the moth larvae. If an infestation is present when the product is treated, moth emergence may continue for several days. If immediate control of severe infestations is desired, fumigation should be carried out where applicable and prior to treatment with Dipel® 1815 Dust.

**DIPEL® 1815 DUST WILL NOT CONTROL
WEEVILS OR OTHER BEETLES**

Bacillus thuringiensis is exempt from the requirement of a tolerance on raw agricultural commodities when applied to growing crops or after harvest in accordance with good agricultural practices.



Chemical & Agricultural Products Division
Abbott Laboratories
North Chicago, Illinois 60064