

100

APPLICATION DIRECTIONS

MOSQUITOES

Habitat	Suggested Rate Range*
Irrigation ditches, roadside ditches, flood water, standing ponds.	2-10 lb/acre
Catch basins, storm water retention areas, tidal water, salt marshes and rice fields.	2-10 lb/acre
Polluted water, sewage lagoons, etc.	10-20 lb/acre

*Use higher rate when late 3rd and 4th instar larvae predominate, mosquito populations are high, water is heavily polluted, and/or algae are abundant.

Apply uniformly by aerial or ground conventional equipment.

A 7 to 14 day interval between applications should be employed. Where non-target aquatic invertebrate parasites and predators are present longer periods of suppression may result since these beneficials would be conserved to aid in mosquito population management.

NOTICE TO USER

Seller makes no warranty, express or implied of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

Lot No.

EPA Est. No.

Size Code

BEST AVAILABLE COPY



GRANULES

Active Ingredient: *Bacillus thuringiensis*
 Serotype H-14, 200 International Toxic Units (ITU)
 per milligram (Equivalent to 0.091 billion ITU's per
 pound) 0.2%
 Inert Ingredients 99.8%

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Registration No. 275-50
 Filled by weight, not volume.
 List No. 5108

NET WEIGHT: 50 LBS.

01-3187-2/73

Vectobac®-G is a highly selective insecticide for use against mosquito larvae.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


STORAGE AND DISPOSAL

Do not contaminate potable water, food, or feed by storage or disposal.



STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



Chemical & Agricultural
 Products Division
 Abbott Laboratories
 North Chicago, Illinois 60064



Habitat

Suggested Rate Range *

Irrigation ditches, roadside ditches, flood water, standing ponds, woodland pools, snow melt pools, pastures, catch basins, storm water retention areas, tidal water, salt marshes and rice fields.

2.5 - 10 lbs/acre

* Use 10-20 lbs/acre when late 3rd and early 4th instar larvae predominate, mosquito populations are high, water is heavily polluted, (sewage lagoons, animal waste lagoons), and/or algae are abundant.

ACCEPTED
JUN 3 1985
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 275-50

Draft Labeling
February 12, 1985