

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(and Domestic Animals)**

CAUTION
Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Beneficial Insects
Honeybees foraging treated areas are not harmed by Dipel 8L use.
Dipel 8L does not interrupt the activities of beneficial and protective arthropods in pest management programs.

Directions for Use
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Refer to Package Enclosure for crops, rates and general directions.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal.

STORAGE Keep containers tightly closed when not in use. At temperatures less than 0°F and greater than 100°F, Dipel 8L should be stored under cover.

PESTICIDE DISPOSAL Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures. Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.


CONTAINER DISPOSAL Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not reuse container.

NOTICE TO USER
Seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

List No. 5283-55

EPA Registration No. 275-51

EPA Est. No. 33782-1A-1

 **Chemical and Agricultural
Products Division
Abbott Laboratories
North Chicago, IL 60064**

Lot No.

013098 2 112

BEST DOCUMENT AVAILABLE



**EMULSIFIABLE SUSPENSION
BIOLOGICAL INSECTICIDE**

Active Ingredient:

**Bacillus thuringiensis, var.
kurstaki**, 17,600 International Units
of Potency per mg (64 billion
International Units per gallon) ... 3.5%
Inert Ingredients 96.5%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

NET CONTENTS: 55 GALLONS

Storage and Disposal: Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool, dry place

Pesticide Disposal: Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures

Container Disposal: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities

General Information: Dipel® 10G is a granular formulation of Bacillus thuringiensis, variety kurstaki, designed specifically as a selective insecticide for control of first generation European Corn Borer infesting seed and field corn. For practical determinations of active ingredient, Dipel 10G can be expressed as a 10% formula of Dipel WP

Directions for Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application:

Crop	Pest	Rate
Seed Corn, Field Corn, Popcorn, and Sweet Corn	European corn Borer (<u>Ostrinia nubilalis</u>), First Generation	10 lbs/acre

BEST DOCUMENT AVAILABLE

Apply Dipel® 10G directly to corn whorls using ground or aerial equipment. Treat seed corn when 25 percent of plants show shot hole feeding in the whorls and field corn when 35 percent of whorls show feeding. Larvae should be small and present at this time. Satisfactory control cannot be expected if treatment is delayed to higher injury levels or after larvae have begun stalk boring.

The active ingredient in Dipel 10G is a stomach poison and therefore must be eaten by larvae to be effective. Climatic extremes such as heavy rain or strong wind shortly after treatment may act to remove Dipel 10G from the feeding zone making re-treatment necessary.

NOTICE

Local conditions may affect the use of DIPEL 10G. Consult State Agricultural Extension or Experiment Station specialists for specific recommendations related to local crop protection problems. Abbott makes no warranty, express or implied, including the warranties of commercially acceptable quality and or fitness for any particular purpose concerning this material, other than those which are contained on this label.

DIPEL® 10G (Granular)

(Bacillus thuringiensis, var. kurstaki)
BIOLOGICAL INSECTICIDE

For control of European Corn Borer
First Generation Larvae on Seed Corn,
Field Corn, Popcorn, and Sweetcorn

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Active Ingredient: Bacillus thuringiensis,
var. kurstaki, 1600 International Units of
Potency per mg. * 0.32%
Inert ingredients 99.68%

*This product contains 0.726 Billion IU/lb.

EPA Reg. No. 275-55
EPA Est. No. 34704-NB-1


Net Weight

Lot No.



Chemical and Agricultural Products Division
Abbott Laboratories
North Chicago, Illinois 60064

Com No 95M-56-R1



D
0 1384
275-55