UNITED ST SENVIRONMENTAL PROTECTION

MAY 2 0 1993

Daniel J. Rushforth Abbott Laboratories Chemical and Agricultural Products Division 1401 Sheridan Road North Chicago, Illinois 60064

Dear Mr. Rushforth:

Subject: ProGibb 4% and ProGibb Plus 2X EPA Reg. Nos. 275-61 and 275-62 Re: Supplemental Labeling Your submission dated December 31, 1992

The review of the supplemental labeling, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is complete, and the labeling is acceptable subject to the comments listed below. Please submit five (5) copies of your final printed labeling before releasing your product for shipment. A stamped copy is enclosed for your records.

Under "Directions for Use" add a "Misuse Statement".

Note that this acceptance of your label does not relieve you of your obligation to comply with the Worker Protection Standard (WPS). If any of your products are covered by the WPS, you are required to submit, and receive the Agency's approval by April 21, 1994, of a revised label reflecting the required label statements of 40 CFR 156, published in the FEDERAL REGISTER on August 21, 1992 (57 FR 38102). Further guidance will be issued. According to 40 CFR 156, subpart K, specifically 156.200(c)(3): "No product to which this subpart applies shall be distributed or sold without amended labeling by any registrant after April 21, 1994."

Sincerely,

Cynthia Giles-Parker Product Manager (22) Fungicide-Herbicide Branch Registration Division (H7505C)

CONCURRENCES								
SYMBOL	H.1515G							
	CALA							
BATE	5/20/13				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		

EPA Parm 1380-1A (1/80)

Printed on Recycled Paper

OFFICIAL FILE COPY

275-61 PH 22

. . :

PROGIBB[®] 4%

EPA Reg. No. 275-61

SUPPLEMENTAL LABEL

Refer to main labeling for precautionary statements, environmental hazard statement and disposal instructions.

This label must be in possession of user at all times.

DIRECTIONS FOR USE

For use on peppers to stimulate fruit set and increase yield.

(For all states except California)

To Promote Plant Growth

Guide: Apply one to two sprays of 1 to 3 grams active (1 to 3 ounces ProGibb 4%) in 25 to 50 gallons of water per acre at two week intervals. Start sprays at least 2 weeks after transplanting. This spray is recommended for areas with short growing seasons, or when low temperatures slow plant growth. Do not apply to plants under soil moisture or nutrient stress.

To Increase Fruit Set and Promote Fruit Growth.

Guide: Apply one to two sprays of 1 to 3 grams active (1 to 3 ounces ProGibb 4%) in 25 to 50 gallons of water per acre at weekly intervals during the fiowering period. The high rate is recommended for areas and/or varieties with pollination and/or fruit set problems. Do not apply to plants under soil moisture or nutrient stress.

ACCEPTED with COMMENTS in IIPA Letter Dated:

MAY 20 1903

Under the Federal Insecticide-Fundride, and Rodenticide Acts as easterdad, for the pesticide registered under EPA Reg. No. 275-61 To Increase Fruit Size.

ł

ĺ

Guide: Apply 1 to 3 grams active (1 to 3 ounces ProGibb 4%) in 25 to 50 gallons of water per acre at the beginning of the picking period. The high rate is recommended for plants with heavy fruit loads. Do not apply to plants under soil moisture or nutrient stress.

> 1993 Abbott Laboratories Chemical and Agricultural Products Division 1401 Sheridan Road North Chicago, Illinois 60064





(