

PM 10 275-177

1 of 2

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS 767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	EPA REGISTRATION NO. 275-77	DATE OF ISSUANCE
	TERM OF ISSUANCE Unconditional registration	
	NAME OF PESTICIDE PRODUCT Biological Mosquito Larvicide	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Abbott Laboratories
 Chemical and Agricultural Products
 1400 Sheridan Road
 North Chicago, IL 60064

131/381936
17/1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(5), since you have agreed to the provisions in our letter of February 10, 1991.

A stamped copy of the label is enclosed for your records.

Phil Hutton
 Product Manager, PM-18
 Insecticide-Rodenticide Branch
 Registration Division (H7505C)

Enclosure

ATTACHMENT IS APPLICABLE

Computer dated 8/29/91

SIGNATURE OF APPROVING OFFICIAL 	DATE 8/29/91
--	-----------------

VECTOLEX G

Biological Mosquito Larvicide

ACTIVE INGREDIENT:

Bacillus sphaericus serotype H5a5b dried concentrate
(average activity = 4000 B.s. ITU/mg..... 2.5%

INERT INGREDIENTS97.5%
TOTAL.....100.00

This product provides 45×10^6 B.s. ITU/lb
Packaging: 25 lb. polyethylene bags

KEEP OUT OF REACH OF CHILDREN

WARNING


EPA Registration No. 275-77
EPA Establishment No. 33762-1A-1

Lot No.

© 1991

Abbott Laboratories
Chemical and Agricultural Products Division
North Chicago, IL 60064

275-77



PRECAUTIONARY STATEMENT

**HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

Causes skin irritation. May cause eye injury. Do not get in eyes, on skin or on clothing. Wear eye protection (such as goggles or safety glasses) and gloves when handling. Do Not touch the eyes while handling or attaching the dispensers. Wash thoroughly with soap and water after handling.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not contaminate water when disposing of equipment washwaters.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

APPLICATION DIRECTIONS

Mosquito Habitat

Suggested Rate

(For the control of Culex species in habitats such as the following):

High organic:

Sewage lagoons, septic ditches, animal waste lagoons, and other similar sites.

5 to 10 lbs/acre

In infested areas where extended residual control is necessary, or in habitats having deep water or dense surface cover, use rates of 10 to 20 lbs/acre.

Apply uniformly by aerial or ground conventional equipment. Reapply as needed after 1-4 weeks.