

275-77

04/14/1997

1/4

VECTOLEX CG

Biological Larvicide

ACTIVE INGREDIENT:

Bacillus sphaericus Serotype H5a5b, strain 2362 Technical Powder
(670 /BsITU/mg).....7.5%

INERT INGREDIENTS.....92.5%

TOTAL.....100.0%

Potency: This product contains 50 BsITU/mg or 0.023 Billion BsITU/lb
Expiration Date: (Two years from date of manufacture).

KEEP OUT OF REACH OF CHILDREN

CAUTION

Chemical and Agricultural Products Division
Abbott Laboratories
North Chicago, Illinois 60064

EPA Reg. No. 275-77
EPA Est. 33762-1A-1

Lot No.

ACCEPTED
APR 14 1997
Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 275-77

96 NOV 18 P3:23

REC'D ... 7/0PDI

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.

If on skin: Wash thoroughly with plenty of soap and water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not contaminate water when disposing of equipment washwaters.

PESTICIDE STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

APPLICATION DIRECTIONS

MOSQUITO CONTROL

For control of larvae of *Culex* species in the following non-crop sites:

<u>Habitat</u>	<u>Rate Range</u>
<p>Wastewater: Sewage effluent, sewage lagoons, oxidation ponds, septic ditches, animal waste lagoons, impounded wastewater associated with fruit and vegetable processing.</p>	5-20 lbs/acre*
<p>Stormwater/Drainage Systems: Storm sewers, catch basins, drainage ditches, retention, detention, and seepage ponds.</p>	5-20 lbs/acre*
<p>Marine/Coastal Areas: Salt marshes, mangroves, estuaries.</p>	5-20 lbs/acre*
<p>Water Bodies: Natural and manmade aquatic sites such as lakes, ponds, rivers, canals and streams.</p>	5-20 lbs/acre*
<p>Dormant Rice Fields: Impounded water in dormant rice fields. (For application only during the interval between harvest and preparation of the field for the next cropping cycle.)</p>	5-20 lbs/acre*
<p>*Use higher rates (10 to 20 lbs/acre) in areas where extended residual control is necessary, or in habitats having deep water or dense surface cover.</p>	
<p>Waste Tires: Tires stockpiled in dumps, landfills, recycling plants, and other similar sites.</p>	20-80 lbs/acre ⁽¹⁾

⁽¹⁾ .5-2 lbs/1000 sq. ft.

Apply uniformly by aerial or conventional ground equipment. Reapply as needed after 1-4 weeks.

NOTICE TO USER

Seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

©1996