



Sanygen

super shock

(liquid, *disinfectant*)

ACTIVE INGREDIENT: Sodium Hypochlorite	10.5%
INERT INGREDIENTS:	89.5%
	100%

DANGER:

Keep Out of Reach of Children.

See Side Panel for First Aid Statement and Additional Precautions.

Keep Bottle Upright To Prevent Spillage.

ONE GALLON

EPA REG. NO. 278-43 EPA EST. NO. 278-01-1

273

104
07

DIRECTIONS for use. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE and disposal. Store this product in a cool, dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

SWIMMING pool water disinfection. For a new pool or spring start-up, superchlorinate with 1/2 gallon to 1 gallon of SANYGEN SUPER SHOCK for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 11 oz. of SANYGEN SUPER SHOCK for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 1/2 gallon to 1 gallon of SANYGEN SUPER SHOCK for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from the pool by a water line discharge. Do not chlorinate the pool within 24 hours prior to discharge.

WINTERIZING POOLS: While water is still clear & clean, apply 3 oz. of SANYGEN SUPER SHOCK per 1000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturer's instructions.

SPAS, HOT-TUBS, IMMERSION TANKS, ETC.; SPAS/HOT-TUBS: Apply 6 oz. of SANYGEN SUPER SHOCK per 1000 gallons of water to obtain a free available chlorine concentration of 5 ppm.

ACCEPTED
DEC 16
OPTIONAL FORM NO. 10
MAY 1962 EDITION
GSA GEN. REG. NO. 278-49

(Handwritten signature)

as determined by a suitable chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product.

To maintain the water, apply 6 oz. of SANYGEN SUPER SHOCK per 1000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm.

After each use, shock treat with 9 oz. of SANYGEN SUPER SHOCK per 500 gallons of water to control odor and algae.

During extended periods of disuse, add 4 oz. of SANYGEN SUPER SHOCK daily per 1000 gallons of water to maintain a 3 ppm chlorine concentration.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. May cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear face shield or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waterways or less in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)*

IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes. Get prompt medical attention.

IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water.

IF SWALLOWED, drink large quantities of milk or gelatin solution, if these are not available, drink large quantities of water. DO NOT give vinegar or other acids. DO NOT induce vomiting. Get prompt medical attention.

NOTICE: APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

Buyer assumes all responsibility for use of this chemical if used contrary to directions.

MANUFACTURED BY MIAMI PRODUCTS & CHEMICAL CO. DAYTON, OHIO 45403

