

[279-79] 1 of 2

CODE:
366

SUSPENSO[®] LEAD ARSENATE

INSECTICIDE

NET WEIGHT
50 LBS.

DIRECTIONS FOR USE

DO NOT USE IN UNDILUTED FORM.

APPLES, PEARS: Codling Moth, Curculio, Red-banded Leaf Roller, Apple Maggot - Use at the rate of 2 to 3 pounds per 100 gallons of water including the proper amount of arsenical safener. Apply at petal-fall and every 10 to 14 days thereafter or as necessary to maintain control. Do not apply within 30 days of harvest. Remove excess residue at harvest by washing, brushing or other effective means. Do not graze livestock on treated areas.

PEACHES, CHERRIES, PLUMS, PRUNES: Curculio, Cherry Fruit Fly - Use at the rate of 2 pounds per 100 gallons of water including the proper amount of arsenical safener. For Curculio control, start application at shoot-splitting stage and re-apply as necessary to maintain control. For Cherry Fruit Fly control, make 2 applications at 10 day intervals starting with fly emergence. Do not apply within 30 days of harvest (4 days on processing cherries). Remove excess residue at harvest. Do not graze livestock on treated areas.

LAWNS, GOLF GREENS: Japanese, Asiatic and Oriental Beetles, Earthworms - Apply 10 pounds per 1000 square feet of surface, working it into soil during the preparation of the seed bed. For Earthworm control on established turf, apply at the rate of 10 pounds per 1000 square feet of surface and follow with thorough watering.

NOTE: KEEP CHILDREN AND PETS OFF TREATED AREAS UNTIL THIS MATERIAL IS WASHED INTO THE SOIL AND THE GRASS IS DRY

GRAPEFRUIT: Maturity spray to reduce acidity. Spray within 1 to 6 weeks after bloom. Use 2.0 to 5.5 pounds of Suspenso Lead Arsenate per 500 gallons of water for white varieties and 2.0 to 2.5 pounds for pink and red grapefruit. The lower amount is used for a high ratio of solids to acids in mid-season, and the higher amount for a high ratio in the early season.

091

⚠ DANGER-POISON ⚠

KEEP OUT OF REACH OF CHILDREN

E.P.A. Reg. No. 279-79

ACTIVE INGREDIENT:

Lead Arsenate-----94.0%
INERT INGREDIENTS:-----6.0%
100.0%

Arsenic expressed as metallic-----20.3%
Arsenic in water soluble forms expressed as
metallic-----0.5%
Lead expressed as metallic-----56.0%

DANGER: Poisonous if swallowed. Avoid contact with skin, eyes and clothing. Wash thoroughly after using. Avoid breathing dust or spray mist.

This package contains ARSENIC or combination thereof for agricultural purposes only. Do not keep or use in a room where food is being manufactured or prepared or where powdered food is stored.

FIRST AID

Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Then give two tablespoons of epsom salt or milk of magnesia in water, and plenty of milk and water. Have victim lie down and keep quiet. Call a Physician Immediately.


USAGE CAUTIONS

Birds and other wildlife feeding on treated areas may be killed. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse or burn container; bury with wastes.

CAUTION; LEAD ARSENATE WILL CAUSE CROP INJURY UNLESS CORRECTIVE MEASURES ARE EXERCISED. HYDRATED LIME OR ANOTHER ARSENICAL SAFENER RECOMMENDED BY YOUR AGRICULTURAL EXPERIMENT STATION OR EXTENSION SERVICE SHOULD BE USED AT THE RECOMMENDED RATES. IN SPITE OF THESE PRECAUTIONS, ARSENICAL INJURY MAY STILL OCCUR AS THE RESULT OF EXCESSIVE MOISTURE AND SLOW DRYING CONDITIONS THAT MIGHT OCCUR ANYTIME THROUGHOUT THE GROWING SEASON.



Printed in U. S. A.

ADDITIONAL INFORMATION APPEARING ON BAGS TO WHICH THIS LABEL WILL BE ATTACHED.



[279-79] 2 of 2



Dealers Should Sell in Original Packages Only.

DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROPS OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH LABEL DIRECTIONS BECAUSE ANIMAL, PLANT OR CROP INJURY, ILLEGAL RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

TERMS OF SALE: FUSE (OR THE BEST AVAILABLE) FOR THE PRODUCT AND PACKAGING MATERIALS ONLY.

WARRANTY: NIAGARA MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, AS TO THE MERCHANTABILITY OF THE PRODUCT OR THE FITNESS OF THE PRODUCT FOR ANY PARTICULAR PURPOSE. EXCEPT AS WARRANTED BY THE PRODUCT LABEL, NIAGARA MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED.

DAMAGES: NIAGARA IS NOT RESPONSIBLE FOR DAMAGES OF ANY KIND, INCLUDING CONSEQUENTIAL DAMAGES, ARISING FROM THE USE OF THIS PRODUCT. NIAGARA IS NOT RESPONSIBLE FOR DAMAGES OF ANY KIND, INCLUDING CONSEQUENTIAL DAMAGES, ARISING FROM THE USE OF THIS PRODUCT. NIAGARA IS NOT RESPONSIBLE FOR DAMAGES OF ANY KIND, INCLUDING CONSEQUENTIAL DAMAGES, ARISING FROM THE USE OF THIS PRODUCT.

EXCLUSION FROM NON-CONSEQUENTIAL DAMAGES: NIAGARA IS NOT RESPONSIBLE FOR DAMAGES OF ANY KIND, INCLUDING CONSEQUENTIAL DAMAGES, ARISING FROM THE USE OF THIS PRODUCT. NIAGARA IS NOT RESPONSIBLE FOR DAMAGES OF ANY KIND, INCLUDING CONSEQUENTIAL DAMAGES, ARISING FROM THE USE OF THIS PRODUCT.

MANUFACTURED IN U.S.A. BY



NIAGARA CHEMICAL DIVISION
FMC CORPORATION
MIDDLEPORT, NEW YORK

