



Code: 645

30 Gallons Net Contents

# LIME SULPHUR SOLUTION

### DIRECTIONS FOR USE

Apply the following recommended rates in sufficient water to thoroughly cover one acre. With ground application equipment on Apples and Pears use a minimum of 300 gallons; on Stone fruits and bushberries a minimum of 200 gallons of diluted spray per acre. Do not use in undiluted form.

**APPLY AT THE RATE OF 10-12 GALS. PER 100 GALLONS OF WATER IN DELAYED DORMANT:** On Apples and Pears to prevent apple or pear scab infections and to aid in the control of hatching eggs and young nymphs of green apple aphid, rosy aphid, and pear psylla.

On Apples, Pears, Plums and Prunes to control San Jose Scale. **APPLY AT THE RATE OF 4-5 GALS. PLUS 3-4 GALS. OF DORMANT OIL EMULSION PER 100 GALS. OF WATER:**

On Apple, Pear, Plum, Prunes and Cherries for the control of San Jose Scale, European Red Mite, and Brown Almond Mite in the dormant or delayed dormant.

On Peaches in the Colder Areas of the Northwest where the trees go completely dormant, treat in the dormant period for the control of the above pests, Leaf Curl and Peach Blight.

**APPLY AT THE RATE OF 5 GALS. PER 100 GALS. OF WATER IN COMBINATION WITH 2 GALS. SUMMER FLOWABLE EMULSION OR 6 LBS. OF WETTABLE SULFUR:** On Pears to control Pear Blister Mite at Post harvest.

**APPLY AT THE RATE OF 1-1½ GALS. PER 100 GALS. OF WATER:** On Peaches in pre-blossom sprays for the control of Brown Rot and Peach Blight. On Peaches to control Brown Rot and Powdery Mildew use 1 to 2.5 gallons and 5 pounds of Niagara Kolo-spray or Niagara Wettable Sulfur per 100 gallons of water. Apply when conditions are optimum for disease development. Keep new growth covered throughout these periods.

**APPLY AT THE RATE OF 1½-2½ GALS. PLUS 4-5 LBS. OF WETTABLE SULFUR PER 100 GALS. OF WATER:** On Apples and Bartlett Pears in pre-blossom sprays to control Apple and Pear Scab and Powdery Mildew.

**APPLY AT THE RATE OF 8 GALS. PER 100 GALLONS OF WATER:** On Bushberries (Blackberries and Raspberries) for the control of Redberry Mite, Boysenberry Mite, Blackberry Leaf Mite, Rose Scale, Oyster Shell Scale, San Jose Scale and Yellow Rust just before Leafbuds begin to open. When new growth is 1½ inches long use 5 gals. per 100 gallons of water for the control of the above pests and Yellow Rust.

**APPLY AT THE RATE OF 2½ GALS. PER 100 GALLONS OF WATER:** On Bushberries (Blackberries and Raspberries) as a preharvest application for Redberry Mite, Boysenberry Mite and Blackberry Leaf Mite.

**APPLY AT THE RATE OF 1-2½ GALLONS PER 100 GALLONS OF WATER, DEPENDING ON THE SEASON OF THE YEAR AND AIR TEMPERATURES:** On Citrus to control Rust Mites and aids in the control of Scale Crawlers and Six-Spotted Mites. Use less Lime Sulfur Solution in warm seasons. Early and mid-season oranges are susceptible to damage from Lime-Sulfur sprays during summer and early fall months. Do not use this material on Tangerine trees during late winter and early spring.

### FUNGICIDE - INSECTICIDE

U.S.D.A. REGISTRATION NO. 279-87 AA

ACTIVE INGREDIENT:	BY WT.
Calcium Polysulphide	29.00%
INERT INGREDIENTS:	71.00%
	100.00%

Baume 31° at 60° F.  
(10.60 lbs./gallon at 68° F.)

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Avoid Skin Contact. Keep away from domestic animals, feed and foodstuffs.


### USAGE CAUTIONS

Application of materials containing sulphur should not be made just prior to or during periods of excessively high temperatures.

Do not allow this material to drift onto sulfur sensitive crops.

Do not store below 40° F.

**DISPOSE OF WASTES** by burying in non-crop land away from water supplies. Empty one and 5 gallons cans should be smashed and buried with wastes. Empty drums should be returned to your pesticide supplier. Do not reuse.



279-87

Do not allow this material to drift onto neighboring crops or non-crop areas or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues or other undesirable results may occur.

**Dealer Should Sell in Original Packages Only.**

**TERMS OF SALE OR USE:** On purchase or use of this product buyer and user agree to the following conditions:

**WARRANTY:** Niagara warrants that this product, as of the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

**DAMAGES:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 10 days of discovery by buyer or user, failing which buyer or user waives any claim for such damage.

**EXCUSE FROM NON-CONTROLLABLE CONDITIONS:** Because of certain critical conditions created or incurred by buyer or user or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from, liability arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

NIAGARA CHEMICAL DIVISION  
FMC CORPORATION



MIDDLEPORT, N. Y.



FRESNO, CALIF.      RICHMOND, CALIF.  
RIVERSIDE, CALIF.      YAKIMA, WASHINGTON

279-87  
1-18-1973

11