

ACCEPTED

NOV 6 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 279-391

Code 156

Pounds Net Weight

# Kolodust® Xtra Dust or Spray

## Fungicide

EPA Reg. No. 279-391

EPA Est., 279-

Active Ingredient:

By Wt.

\*Sulfur ..... 53.0%

Inert Ingredients: ..... 47.0%

100.0%

\*Sulfur fineness 99.7% through 325 mesh.

This product contains bentonite sulfur.

KEEP OUT OF REACH OF CHILDREN

### CAUTION

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans (& Domestic Animals)

Caution *inhalation or absorption through*  
Harmful if swallowed. Avoid breathing dust or spray mist.  
Avoid contact with eyes, skin and clothing.

Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

##### Statement of Practical Treatment

If swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

If on skin: Wash with plenty of soap and water. *Get medical attention.*

For Emergency Assistance Call 716-735-3765  
See other panels for additional precautionary information.

##### PHYSICAL OR CHEMICAL HAZARDS

from heat, sparks, or flame. Do not smoke while applying this product. *Keep away*



FMC Corporation  
Agricultural Chemical Group  
2000 Market Street  
Philadelphia Pennsylvania 19103

7/30/86 - k

#### ENVIRONMENTAL HAZARDS

Do not apply directly to water.  
Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas for 24 hours unless appropriate protective clothing is worn.

Protective clothing means, at least, a hat or other suitable head covering, a long sleeved shirt and long legged trousers or a coverall type garment (all of closely woven fabric covering the body, including the arms and legs), shoes and socks.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Inform workers of areas or fields that may not be entered without specific protective clothing, period of time field must be vacated and appropriate actions to take in case of accidental exposure. An example of such information is given under written warnings. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

#### CAUTION

Area treated with Kolodust® Xtra Dust or Spray on (insert date). Do not enter treated areas for 24 hours unless appropriate protective clothing is worn (insert State Department of Agriculture's re-entry interval, if more restrictive).

In case of accidental exposure to pesticide spray or dust, wash the skin thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If in eyes, flush with plenty of water. If inhaled, go to an area where the pesticide has not been applied. Get medical attention if needed.

#### STORAGE AND DISPOSAL

##### Pesticide Storage

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, fold and roll back bags, clamp and close tightly. Do not put concentrate or dilute material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills. Call FMC collect: (716) 735-3765.

To confine spill: If liquid, dike surrounding area or absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

##### Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

##### Container Disposal

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

## KOLODUST XTRA DUST OR SPRAY CODE 156

Kolodust Xtra Dust or Spray is a dual purpose formulation which may be applied directly as a dust or diluted with water for a foliar spray.

Do not use within 2 weeks before or after the application of an oil spray. Application of spraying and dusting materials containing sulfur should not be made prior to or during periods of excessively high summer temperatures.

For use as a dust, apply this material when rain begins and just prior to infection. Dust in such a manner that all parts of the tree or plant will be covered with a thin film. Cover the top and upper part of each tree as thoroughly as the lower half. Make repeat applications frequently enough to keep new growth protected throughout the season. Use higher rates for dense foliage and full size trees.

Apples, Pears: To control Scab -- Use Kolodust Xtra Dust at 30 to 50 pounds per acre. For Scab control on apples during prolonged rains, this product may be applied in the rain.

Peaches: To control Scab and Brown Rot -- Use Kolodust Xtra Dust at 30 to 50 pounds per acre.

Cherries: To control Brown Rot and Leaf Spot -- Use Kolodust Xtra Dust at 30 to 50 pounds per acre.

Prunes: To control Brown Rot -- Use Kolodust Xtra Dust at 30 to 50 pounds per acre.

Strawberries: To control Leaf Spot -- Use Kolodust Xtra Dust at 30 to 50 pounds per acre.

For use as a foliar spray, mix this product with water. Fill the spray tank with water until the agitator blades are covered. With agitator running, sift in slowly the required amount of Kolodust Xtra Spray. Continue filling with agitator running and apply immediately.

Apples, Pears: To control Scab -- Use Kolodust Xtra Spray at 5 to 8 pounds per 100 gallons of water. Apply in the delayed dormant (silver tipped), early pre-pink (green tipped) stages, during the bloom period, in the Calyx and early cover applications. Under severe Scab conditions, up to 8 pounds per 100 gallons of water may be used up to and including Calyx application. After the Calyx application if the Scab is under control, and ahead of and during periods of high temperature the dose may be reduced 2 to 4 pounds per 100 gallons of water depending on the temperature and severity of the disease to be controlled. Sulfur may injure certain apple varieties. Check plant tolerance prior to use. Apply at 10-14 day intervals.

Apples: To control Powdery Mildew -- Use Kolodust Xtra Spray at 2 to 4 pounds per 100 gallons of water. Apply 3 to 4 pounds during the delayed dormant (silver tipped) and early pre-pink (green tipped) stages of plant growth. Reduce rates to 2 to 3 pounds from

petal fall through to period when new growth ceases. Apply at 7 to 10 days intervals. Sulfur may injure certain apple varieties. Check plant tolerance prior to use.

Peaches: To control Brown Rot and Scab -- Use Kolodust Xtra Spray at 5 to 8 pounds per 100 gallons of water. Apply in the pink, bloom, and petal fall stages and at 10 to 14 day intervals as long as necessary.

**Dealers Should Sell in Original Packages Only.**

**Terms of Sale or Use:** On purchase of this product buyer and user agree to the following conditions:


**Warranty:** FMC makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

**Directions and Recommendations:** Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

**Use of Product:** FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

**Damages:** Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall not include incidental or consequential damages.

Kolodust and ~~FMC~~ FMC -- FMC Trademarks



Page 3 of 3  
279-391