

Code 30060

p.1 of 2

Net Weight  
Pounds

### RESTRICTED USE PESTICIDE

For use only by and for the use of certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certificate.

# Phoskil® 2 Dust

## Insecticide

### DANGER—POISON— PRECAUTIONS



#### POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



#### POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



#### POISONOUS IF BREATHED


Breathing vapors, spray mist or dust may be fatal.

#### POISONOUS TO FISH AND WILDLIFE

#### POISON SIGNS (Symptoms)

PARATHION is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.



STOP! READ THE LABEL.



CAN KILL YOU

### NOT FOR HOME USE

#### DANGER

Keep out of reach of children

#### POISON

See side panels for antidote and precautions

#### USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes (2) Wear safety goggles (3) Wear a mask or a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11 (4) Wear heavy duty, natural rubber gloves

#### WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT:** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK:** take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

#### FIRST AID TREATMENT

Call a doctor (physician) clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

#### NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

# FMC

FMC Corporation  
Agricultural Chemical Group  
2000 Market Street  
Philadelphia PA 19103

FOR EMERGENCY ASSISTANCE CALL  
716-235-3765

POST TREATED AREA

ENVIRONMENTAL HAZARDS

This product is toxic to fish and shellfish. Birds and other wildlife in treated areas may be killed. Keep out of water streams, rivers, lakes, ponds, and apply where runoff is likely to occur. Do not apply when rainfall is expected within 48 hours. Do not contaminate water by cleaning the equipment or disposing of container waste. Apply this product only as directed on the label.

This product contains the active ingredient chlorpyrifos. Treatment of this product may be restricted in some states. For more information, contact your State Agricultural Experiment Station.

DIRECTIONS FOR USE

Always read the entire label for use of this product in a manner consistent with the label.

**Storage and Disposal**

Do not contaminate water, food, or feed by storage or disposal. Open containers should be kept upright and sealed. Pesticide sprays should be kept away from children and pets. For more information, contact your State Agricultural Experiment Station. Do not mix with other pesticides. Do not use in areas where it may be harmful to humans or animals. Do not use in areas where it may be harmful to humans or animals. Do not use in areas where it may be harmful to humans or animals.

Apply when pests first appear and repeat as required. May be applied by ground or air. Observe days interval between last application and harvest indicated by number in following crop.

- Artichokes (7):** Artichoke Plume Moth - Use 25 pounds per acre.
- Beans (7):** Aphids, Whitefly, Leafhopper and Mexican Bean Beetle - Use 25 pounds per acre.
- Broccoli (7), Brussels Sprouts (7), Cabbage (7), Cauliflower (7), Kohlrabi (7):** Aphids, Vegetable Weevil, Armyworms, Diamondback Moth Larvae and Imported Cabbageworm - Use 15 to 20 pounds per acre. Climbing Cutworms, Cabbage Loopers - Use 25 pounds per acre.
- Carrots (15):** Aphids, Vegetable Weevil and Petrosia Mite - Use 25 pounds per acre. Do not use treated carrot tops for food or feed.
- Celery (10):** Aphids, Celery Leather, Climbing Cutworms - Use 20 to 25 pounds per acre. Leafhoppers - Use 20 pounds per acre. Do not apply within 21 days of harvest. Leafminer, Loopers, Whiteflies - Use 35 pounds per acre. Do not apply within 30 days of harvest.
- Collards (10), Kale (10), Mustard Greens (10):** Aphids, Vegetable Weevil, Cabbage Looper, Armyworms, Climbing Cutworms, Diamondback Moth Larvae, Imported Cabbageworm - Use 25 pounds per acre.
- Corn (12):** Spider Mites - Use 25 pounds per acre. Do not apply within 12 days of cutting the forage.
- Cucumbers (15) and Squash (15):** Aphid, Climbing Cutworms, Cucumber Beetle, Squash Bug, Leafminer, Thrips and Flea Beetle - Use 25 pounds per acre. Do not apply before vining on cucumbers.
- Eggplant (15):** Aphid, Whitefly, and Leafminer - Use 25 pounds per acre.
- Grapes (14):** Thrips, Hop-A-Bee, Grape Leafhopper - Use 25 to 30 pounds per acre. Grape Mealybug - Use 30 to 35 pounds per acre. Ground application preferred.
- Hops (15):** Aphids - Use 25 to 50 pounds per acre.
- Lettuce (Head 7, Leaf 21):** Aphids, Leafhoppers, Leafminer, Armyworms, Cabbage Looper, Imported Cabbageworm - Use 25 pounds per acre.
- Melons (7):** Aphids, Leafhopper, Leafminer, Thrips, Petrosia Mite and Cucumber Beetles - Use 25 pounds per acre.
- Onions (15):** Leafminer, Thrips and Petrosia Mite (California) - Use 25 pounds per acre.
- Peaches, Nectarines, Oriental Fruit Moth, European Red Mite, Two Spotted Spider Mites and Brown Mite:** Use 50 pounds per acre. Apply by ground or air. Apply when insects are in damaging numbers. In California, do not apply within 21 days of harvest. Do not apply more than once per bloom. Do not apply more than 5 pounds actual parathion per acre between January 1 and harvest. In areas other than California, do not apply within 14 days of harvest. Do not apply more than 5 pounds actual parathion per acre per year.
- Peas (10):** Aphid, Pea Weevil, Thrips, Climbing Cutworms, Armyworms and Leafminer - Use 25 pounds per acre.
- Peppers (15):** Aphids - Use 10 to 15 pounds per acre.
- Pumpkins (10):** Aphids, Cucumber Beetle - Use 20 pounds per acre. Climbing Cutworms and Squash Bugs - Use 25 pounds per acre.
- Small Grains (Barley, Oats, Wheat) (15):** Petrosia, Brown Wheat Mite, Black Grass Bud and Stink Bugs - Use 25 to 37 pounds per acre. Aphids - Use 25 pounds per acre.
- Spinach (14):** Aphids, Leafminer, Cabbage Looper, Armyworm, Clover Mite (California) only - Use 25 pounds per acre.
- Strawberries (14):** Aphids, Lygus Bugs, Leafhoppers, Strawberry Leafminer and Whitefly - Use 25 pounds per acre.
- Tomatoes (10):** Aphid, Leafminer - Use 25 pounds per acre. Russet Mites and Stink Bugs - Use 12 to 22 pounds per acre.

**Dealers Should Sell in Original Packages Only**

**Terms of Sale or Use:** In purchase of this product, buyer and user agree to the following conditions:

**Warranty:** E.I. du Pont de Nemours and Company makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Except as so warranted, the product is sold as is. Buyer and user assume all risk of use and of handling and storage of this material when such use and of handling and storage is contrary to label instructions.

**Directions and Recommendations:** Follow directions carefully. Timing and method of application, whether and crop use, if mixed with other chemicals, if specific recommendations are given, and all other instructions on the label. If product are beyond the control of the seller and are assumed by buyer at his own risk.

**Use of Product:** E.I. du Pont de Nemours and Company's recommendations for the use of this product are based on tests believed to be reliable. The user should not be held liable for the results of the manufacturer's guarantee, expressed or implied, or for the effects of such use. Results to be obtained from use of a product are indicated on the label. Results may vary.

**Damages:** E.I. du Pont de Nemours and Company will not be liable for damages for this product unless it is shown that such damages were caused by the use of this product in accordance with the label instructions.

1500-100-100-100-100